
POPULATION

AND

VITAL STATISTICS

1924



PREFACE

This issue of the Population and Vital Statistics Part of the Statistical Register of New South Wales contains population and vital statistics for 1964 and earlier years.

In the detailed "Causes of Death" tables in Section II. Vital Statistics, each relevant category in the current International Statistical Classification of Causes of Death has been listed separately, irrespective of whether a death in the period concerned was attributable to that category.

The statistics given in this publication should be read in conjunction with the Official Year Book of New South Wales. For the most recent statistics, the reader should refer to other publications of the Bureau, particularly the Statistical Bulletin and the Monthly Summary of Business Statistics.

My thanks are tendered to the responsible officers of the various State and Commonwealth Departments and to others who have supplied information, often at considerable trouble.

R. G. Walker,
Deputy Commonwealth Statistician
and
Government Statistician of New South Wales

Bureau of Census and Statistics, Sydney. Ist September, 1966.

CONTENTS

ГАВ	LE	PAGE
	Explanatory Notes	5
	Section I. POPULATION	
	(See also Section III for Statistical Summary, 1788 to 1964) Population	
	·	_
1. 2.		7 7
3.		7
4.	Population and Elements of Increase, New South Wales, Quarterly and Annual, 1957 to 1964	8
5.		9
6. 7.	Estimated Paraletin of Matanantia 1954 to 1964	10
8.		10
	Population of Statistical Divisions of New South Wales at each Census, 1933 to 1961	11
10.	Estimated Population of Statistical Divisions of New South Wales, 1958 to 1964	11
12.		12
	Migration	
13		14
14.	Oversea Arrivals and Departures, N.S.W., 1954 to 1964	14 15
15.	Excess of Oversea Arrivals over Departures, N.S.W.: Nationality, 1960 to 1964	15
16.	Oversea Arrivals and Departures, N.S.W.: Nationality and Length of Stay, 1964	16
17.	Oversea Arrivals and Departures, N.S.W.: Age and Conjugal Condition, 1964	17
	Residence (Departures), 1964	18
19.	Oversea Arrivals and Departures, N.S.W.: Country of Embarkation or Disembarkation, 1964	18
	Naturalization	
20.	Certificates of Naturalization issued to Residents of N.S.W.—Previous Nationalities of Recipients, 1960 to	
2.0.	1964	19
	Section II. VITAL STATISTICS	
	(See also Section III for Statistical Summary, 1891 to 1964)	
	General	
1.	Marriages—Summary of Number and Rate; Conjugal Condition; Minors Married, New South Wales, 1954 to 1964	20
2.	1954 to 1964	20
	1954 to 1964	20
٥.	Still-births—Summary of Number and Rate; Nuptiality; Masculinity, New South Wales and Metropolis, 1954 to 1964	21
4.	Deaths—Summary of Number and Rate; Masculinity; Deaths of Infants, New South Wales and Metropolis,	
5.	1954 to 1964	21
	Wales, 1964	22
6.	Live Births, Deaths, Deaths under One Year, and Still-births—Rates for each Division of New South Wales, 1964	22
7.	Wales, 1964	
		23
	Marriages	
8.	Marriages Registered in each Month, New South Wales, 1959 to 1964	28
9.	Marriages by Denomination of Marriage Ceremony, New South Wales, 1964	28
	Marriages by Age and Conjugal Condition of Contracting Parties, New South Wales, 1964	28 28
	Marriages by Relative Ages of Bridegrooms and Brides, New South Wales, 1964	29
	Divorces	
13.	Divorces and Nullities of Marriage Made Absolute, and Judicial Separations, New South Wales, 1954 to	20
14.	1964	30
	South Wales, 1964	30
15.	Divorce Decrees Made Absolute, by Ages of Husband and Wife at Time of Divorce, New South Wales, 1964	30
		30
	Births	
16.	Summary of Confinements, Live Births and Still-births, New South Wales, 1964	31
17.	Live Births Registered in each Month, Divisions of New South Wales, 1964	31
18. 19.	Confinements by Age of Mother and Plurality, New South Wales, 1964	32
	1964	33
20.	1964	33
21. 22.	Nuptial First Live Births by Age of Mother and Interval since Marriage, New South Wales, 1964	34 35
23.	Plural Births, Cases and Children, New South Wales, 1954 to 1964	36
24.	Live Births by Age of Mother and Plurality, New South Wales, 1964 Plural Births, Cases and Children, New South Wales, 1954 to 1964 Plural Births, Cases and Children, Metropolis and Remainder of State, 1964 Plural Nuptial First Live Births by Age of Mother and Interval since Marriage, New South Wales, 1964	36
25. 26.	Plural Nuptial First Live Births by Age of Mother and Interval since Marriage, New South Wales, 1964 Still-births by Age of Mother and Plurality, New South Wales, 1964	36
20. 27.	Nuptial First Still-births (cases where there was no previous issue born living) by Interval since Marriage.	37
	New South Wales, 1964	37

CONTENTS (continued)

ABLI	E			PAGE
	Section II. VITAL STATISTICS (continued)			
	Deaths			
28. 29. 30. 31. 32. 33. 34. 35. 36. 37.	Deaths Registered in each Month, Divisions of New South Wales, 1964 Deaths by Single Ages, Metropolis and New South Wales, 1964 Principal Causes of Death, Numbers and Rates, New South Wales, 1964 Principal Causes of Infant Deaths, Numbers and Rates, Metropolis and State, 1964 Causes of Death, New South Wales, 1961 to 1964 Causes of Death (Abbreviated), by Months, New South Wales, 1964 Causes of Death (Abbreviated), by Months, Metropolis, 1964 Causes of Death by Age Groups, New South Wales, 1964 Causes of Death (Abbreviated), Divisions of New South Wales, Males, 1964 Causes of Death (Abbreviated), Divisions of New South Wales, Females, 1964 Causes of Death (Abbreviated), Divisions of New South Wales, Females, 1964		 	38 39 40 40 41 51 52 53 83 113
50.	Deaths from Malignant Neoplasms—			
39. 40.	Females by Site of Disease, Conjugal Condition and Issue, New South Wales, 1964 Males by Occupations and Age Groups, New South Wales, 1964		 	115 116
41. 42. 43. 44. 45.	Deaths in Childbirth— Cause of Death by Age at Death and Conjugal Condition, New South Wales, 1964 Married Women by Age at, and Duration of, Marriage, New South Wales, 1964 Married Women by Age at Death and Previous Issue, New South Wales, 1964 Married Women by Duration of Marriage and Previous Issue, New South Wales, 1964 Cause of Death by Age at Death and Conjugal Condition, Metropolis, 1964	 964	 	6 7 7 8 8
	Deaths of Children Under One Year of Age—			
46. 47. 48. 49. 50.	Age at Death, Metropolis and New South Wales, 1964 Causes of Death (Abbreviated) by Months, New South Wales, 1964 Causes of Death (Abbreviated) by Months, Metropolis, 1964 Causes of Death by Age Groups, New South Wales, 1964 Causes of Death by Age Groups, Metropolis, 1964	• •	 	118 119 120 121 128
	Section III. STATISTICAL SUMMARY			
1. 2. 3. 4.	Estimated Population at 31st December, New South Wales, 1788 to 1964 Masculinity and Elements of Increase in Population, New South Wales, 1891 to 1964 Mean Population, Calendar and Financial Years, New South Wales, 1901 to 1964 Live Births, Deaths, and Marriages: Numbers and Rates, New South Wales 1891 to 196		 	133 134 135 136

EXPLANATORY NOTES

- **I. Boundaries of Metropolis.** The boundaries of the Metropolis, as defined for statistical purposes, have been extended to include the following local government areas:—
 - (a) From the date of the 1911 census—
 Shire of Ku-ring-gai (incorporated as a municipality in 1927).
 - (b) From 1st January, 1929— Municipalities of Auburn, Bankstown, Granville, Lidcombe, and Parramatta.
 - (c) From 1st January, 1933—
 Municipalities of Dundas, Ermington and Rydalmere, and Holroyd (Pitt and Merrylands Wards only).
 - (d) From 1st January, 1954-

The Guildford and Wentworth Wards of Holroyd Municipality, Fairfield Municipality, Sutherland and Warringah Shires, and the following parts of Blacktown and Liverpool Municipalities and of Baulkham Hills and Hornsby Shires:—

- i. That part of Liverpool Municipality north and east of a line commencing at the junction of Hume Highway and Campbelltown Road (Cross Roads), and following Hume Highway, Bringelly Road, and Old Cowpasture Road to the northern boundary of the Municipality.
- ii. That part of Baulkham Hills Shire south and east of a line commencing at the junction of Old Windsor Road and Seven Hills Road, Seven Hills, and following Seven Hills Road, Chapel Lane, New Windsor Road, Gladstone Road, Victoria Road, Carrington Road, Showground Road, Rowallan Avenue, Castle Street, and Old Northern Road to the shire boundary at Rogan's Hill.
- iii. That part of Blacktown Municipality east of a line commencing at the junction of Chandos Road and Eastern Creek on the southern boundary of the Municipality, and following Eastern Creek, Breakfast Creek, Sunny Holt Road, and Meurants Lane to the north-eastern boundary of the Municipality on Old Windsor Road, Parklea.
- iv. That part of Hornsby Shire south and east of a line commencing at the junction of Castle Hill Road and New Line Road, West Pennant Hills, and following New Line Road, Boundary Road, Thornleigh Gully Creek, Fish Pond Creek, Berowra Creek, Berowra Waters Road, the Great Northern Railway, a line drawn south-easterly from the 21 mile peg (between Berowra and Mount Ku-ring-gai) to the head of Apple Tree Bay, Apple Tree Bay, and Cowan Water to the eastern boundary of the Shire at Bobbin Head.

In Section I. Population, unless otherwise stated, figures relating to the Metropolis are on the basis of the boundaries as delimited from 1st January, 1954. Figures for the Metropolis in Section II. Vital Statistics are based, unless otherwise stated, on the boundaries at the dates shown.

- 2. Newcastle Urban Area. This area, which was defined for statistical purposes in January, 1954, comprises the City of Newcastle and portion of the adjoining Lake Macquarie Shire. The portion of the Shire is that part east and north of Lake Macquarie, bounded on the west by Cockle Creek, Cocked Hat Creek, West Wallsend Road, and Edgeworth-Minmi Road.
- 3. Aborigines. Full-blood aborigines have been excluded from all population statistics, and have been excluded from statistics of births and deaths since 1st January, 1933.

4. Population and Migration Statistics

(a) Population of New South Wales

The periodic census enumerations are the most accurate source of information about the population of New South Wales.

For periods between censuses, the population of the State is estimated by adding the subsequent natural increase (the excess of births over deaths) and recorded net migration (the excess of arrivals over departures) to the population ascertained at the previous census. Accurate data as to natural increase are ensured by the compulsory registration of births and deaths. A system of recording arrivals and departures is maintained, but complete records of interstate movements are not available and the recorded net migration is therefore approximate. The intercensal estimates are subject to revision when the population is ascertained at the next census, and any discrepancy disclosed by the census is added to the recorded net migration.

In this issue, the population estimates for periods between the 1954 and 1961 censuses of population have been revised in the light of the final results of the 1961 census, which disclosed that the estimated population of the State at 30th June, 1961 had been understated by 4,662 or by 0.1 per cent.

(b) Migratory Population

Shipping population and other migratory population are not included in any subdivisions of the State.

EXPLANATORY NOTES (continued)

4. Population and Migration Statistics (continued)

(c) Oversea Arrivals and Departures

i. The figures of oversea arrivals and departures represent ship and aircraft passengers disembarking from oversea (arrivals) or embarking for oversea (departures) at New South Wales ports. They include oversea passengers travelling via New South Wales to or from other States, and exclude those travelling via other States to or from New South Wales. The figures should not be taken to represent the true oversea migration to or from New South Wales.

ii. Oversea arrivals and departures are classified according to the length of their stay, as stated by travellers upon arrival in or departure from Australia. In

the classification:-

Permanent Movement covers persons arriving to settle permanently in Australia and Australian residents leaving to settle permanently abroad. Long-term Movement comprises—in the case of arrivals: Australian residents returning after one year or more in an oversea country and visitors intending to stay in Australia for at least a year; and in the case of departures: Australian residents leaving to stay in an oversea country for at least a year and visitors leaving after a stay of one year or more. Short-term Movement covers all other arrivals and departures, including the

movement of Australian troops (irrespective of period of stay oversea) and the departure of persons who stated on departure that they had come to

Australia intending to settle but had stayed for less than a year.

The intended length of stay, as stated by Australian residents departing and non-residents arriving, represents the traveller's intention at the time. Many travellers subsequently change their intentions, and this must be borne in mind in interpreting the statistics.

iii. Passengers passing through Australia on the same ship or aircraft, and members of the crews of ships and aircraft, are excluded from the figures of oversea

arrivals and departures.

5. Vital Statistics

- (a) For Subdivisions of the State. The births registered in New South Wales are allocated to a subdivision of the State according to the usual residence of the mother, and the deaths registered are allocated according to the usual residence of the deceased; in cases where the usual residence is outside the State, the birth or death is allocated to the subdivision in which it occurred. As the information reported is in many cases insufficient to establish the usual residence with complete accuracy, the figures for individual local government areas should be regarded as approximate.
- (b) Rates. Rates per 1,000 of mean population shown in this issue have been calculated on estimates of population revised in accordance with the final results of the 1961 census.
- 6. Still-births. For purposes of record, still-births are registered as deaths as well as births, but still-births are not included in the statistics of deaths. Compulsory registration of still-births became effective in 1935. A still-born child is defined as "any child of seven months gestation or over, not born alive, and includes any child not born alive which measures at least fourteen inches, but does not include any child which has actually breathed".
- 7. Classification of Causes of Death. From 1st January, 1958, deaths have been classified according to the Seventh Revision (1955) of the International Statistical Classification of Diseases, Injuries, and Causes of Death. The international rules for selecting the underlying cause of death have been used in coding, and the full 3-digit classification (with some 4-digit categories) has been used in tabulation. Accidents, poisonings, and violence (Class XVII) have been classified according to the external cause of injury.

8. Statistical Summary (pages 133 to 136)

- (a) For the sake of uniformity, the population estimates published by the Commonwealth Statistician have been adopted for all years. On this account, estimates of population shown for years prior to 1921 differ slightly from the estimates (which included full-blood aborigines) published in the 1949-50 and earlier issues of Population and Vital Statistics. All estimates have been adjusted in accordance with the results of the various censuses. Birth, death, and marriage rates shown on page 136 have been based on these population
- (b) The figures of natural increase shown for 1932 and earlier years in Table 2 were compiled by the Government Statistician of New South Wales, and are the same as in previous issues of *Population and Vital Statistics*. They include births and deaths of full-blood aborigines, and consequently differ from the figures published by the Commonwealth Statistician.
- (c) In Table 2, the difference between (i) the sum of the natural increase and the net migration, and (ii) the total increase in population, represents:
 - i. for the period 1907 to 1932, the difference between the natural increase as shown and the natural increase as compiled by the Commonwealth Statistician and used in the population estimates; and
 - ii. for the period from September, 1939 to June, 1947, the deaths of defence personnel.

Section I. POPULATION

No. I. Population of New South Wales at each Census, 1828 to 1961

		Population		Increas previous		Average Annual		ortion Sexes		No. of
Date of Enumeration	Males	Females	Persons	Numerical	Propor- tional	Rate of Increase Since Previous Census	Males	Females	Occupied Dwellings	Persons per Occupied Dwelling
					Per cent.	Per cent.	Per cent.	Per cent.		
1828—November	27,611	8,987	36,598	6,936±	23.38‡	3.05	75.44	24.56	§	§
1833—2nd September	44,644	16,150	60,794	24,196	66.11	10.68	73.43	26.57	§ §	§
1836—2nd September	55,539	21,557	77,096	16,302	26.82	8.24	72.04	27.96	§.	§
1841—2nd March	76,766	39,965	116,731	39,635	51.41	9.66	65.76	34.24	14,951	7.81
1846—2nd March	92,687	61,518	154,205	37,474	32.10	5.73	60.11	39.89	24,539	6.28
1851—Ist March	103,631	78,793	182,424	28,219	18.30	3.42	56.81	43.19	28,711	6.35
1856—Ist March	139,994	112,646	252,640	70,216	38.49	6.73	55.41	44.59	39,807	6.35
1861—7th April	198,488	152,372	350,860	98,220	38.88	6.79	56.57	43.43	64,571	5.43
1871—2nd April	274,842	228,156	502,998	152,138	43.36	3.67	54.64	45.36	93,690	5.37
1881—3rd April	410,211	339,614	749,825	246,827	49.07	4.07	54.71	45.29	135,326	5.54
1891—5th April	609,666	517,471	1,127,137	377,312	50.32	4.16	54.09	45.91	216,202	5.21
1901—31st March	710,264	645,091	1,355,355	228,218	20.25	1.86	52.40	47.60	252,502	5.37
1911—3rd April*	857,698	789,036	1,646,734	291,379	21.50	1.97	52.08	47.92	330,705	4.98
1921—4th April†	1,071,501	1,028,870	2,100,371	453,637	27.55	2.46	51.01	48.99	432,976	4.85
1933—30th June	1,318,471	1,282,376	2,600,847	500,476	23.83	1.76	50.69	49.31	599,750	4.34
1947—30th June	1,492,211	1,492,627	2,984,838	383,991	14.76	0.99	50.00	50.00	746,343	4.00
1954—30th June	1,720,860	1,702,669	3,423,529	438,691	14.70	1.98	50.27	49.73	912,877	3.75
1961—30th June	1,972,909	1,944,104	3,917,013	493,484	14.41	1.94	50.37	49.63	1,061,609	3.69

No. 2. Estimated Population, N.S.W., 1954 to 1964

(Adjusted in accordance with the final results of the census of 30th June, 1961)

		A	at 31st December			At 30th June				
Year				Increase Du	uring Year					
	Males	Females	Persons	Total	Rate	Males	Females	Persons		
1954 1955 1956 1957 1958 1959 1960 1961 1962 1963	1,739,535 1,774,382 1,807,840 1,845,075 1,875,863 1,908,062 1,951,907 1,983,891 2,015,081 2,052,339 2,088,806	1,722,997 1,752,152 1,781,531 1,817,829 1,852,937 1,886,015 1,925,354 1,965,529 2,001,554 2,033,954 2,070,120	3,462,532 3,526,534 3,589,371 3,662,904 3,728,800 3,794,077 3,877,261 3,949,420 4,016,635 4,086,293 4,158,926	53,523 64,002 62,837 73,533 65,896 65,277 83,184 72,159 67,215 69,658 72,633	Per cent. 1.57 1.85 1.78 2.05 1.80 1.75 2.19 1.86 1.70 1.73 1.78	1,720,860 1,755,325 1,789,803 1,826,175 1,858,002 1,892,354 1,929,082 1,972,909 1,993,235 2,034,734 2,068,494	1,702,669 1,735,424 1,764,454 1,798,794 1,833,952 1,867,480 1,903,371 1,944,104 1,983,501 2,013,864 2,048,212	3,423,529 3,490,749 3,554,257 3,624,966 3,691,954 3,759,834 3,832,453 3,917,013 3,976,736 4,048,598		

Note. For the estimated population as at 31st December of each year commencing with 1788, see Section III. Statistical Summary.

No. 3. Mean Population, N.S.W., 1954 to 1964

(Adjusted in accordance with the final results of the census of 30th June, 1961)

Year	Υe	ear ended 31st Decem	ber	Year ended 30th June				
Year	Males	Females	Persons	Males	Females	Persons		
1954 1955 1956 1957 1958 1959 1960 1961 1962 1963	1,723,304 1,756,419 1,790,847 1,825,734 1,860,437 1,893,263 1,929,720 1,970,618 1,996,865 2,034,834 2,070,685	1,705,245 1,736,380 1,765,825 1,798,577 1,835,612 1,869,076 1,904,365 1,944,100 1,983,810 2,016,153 2,050,916	3,428,549 3,492,799 3,556,672 3,624,311 3,696,049 3,762,339 3,834,085 3,914,718 3,980,675 4,050,987 4,121,601	1,712,508 1,738,953 1,773,976 1,807,770 1,843,824 1,876,386 1,910,182 1,951,836 1,983,836 2,015,028 2,053,232	1,692,906 1,720,802 1,751,015 1,781,358 1,816,914 1,852,644 1,886,270 1,924,085 1,964,544 2,000,435 2,033,257	3,405,414 3,459,755 3,524,991 3,589,128 3,660,738 3,729,030 3,796,452 3,875,921 3,948,380 4,015,463 4,086,489		

Note. For the mean population of each calendar and financial year commencing with 1901, see Section III. Statistical Summary.

^{*} Excludes the Australian Capital Territory, which was transferred to the Commonwealth on 1st January, 1911.
† Excludes Jervis Bay area, which was transferred to the Australian Capital Territory on 4th September, 1915.
‡ From 26th October, 1821.
† Includes unoccupied dwellings.
§ Not available.
| Includes 509 nomadic half-caste aborigines.
| Note. The figures quoted for 1841 and subsequent years represent the population of New South Wales within its boundaries after the separation of Victoria and Queensland. Victoria was separated from New South Wales on 1st July, 1851, and Queensland on 10th December, 1859.

No. 4. Population and Elements of Increase, N.S.W.—Quarterly and Annual, 1957 to 1964

							Incre	ase in Popula	tion									
Period	Populat	ion at end of Po	eriod‡	N	atural Increas	e*	N	et Migration	†‡		Total‡			Live Births			Deaths	
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
1957	1,845,075	1,817,829	3,662,904	22,145	23,994	46,139	15,090	12,304	27,394	37,235	36,298	73,533	40,879	38,577	79,456	18,734	14,583	33,317
1958	1,875,863	1,852,937	3,728,800	22,530	25,165	47,695	8,258	9,943	18,201	30,788	35,108	65,896	40,809	39,236	80,045	18,279	14,071	32,350
1959	1,908,062	1,886,015	3,794,077	21,459	24,158	45,617	10,740	8,920	19,660	32,199	33,078	65,277	41,316	39,550	80,866	19,857	15,392	35,249
1960	1,951,907	1,925,354	3,877,261	22,674	24,279	46,953	21,171	15,060	36,231	43,845	39,339	83,184	42,231	39,752	81,983	19,557	15,473	35,030
1961	1,983,891	1,965,529	3,949,420	24,572	26,772	51,344	7,412	13,403	20,815	31,984	40,175	72,159	44,224	42,168	86,392	19,652	15,396	35,048
1962	2,015,081	2,001,554	4,016,635	23,381	25,197	48,578	7,809	10,828	18,637	31,190	36,025	67,215	44,014	41,425	85,439	20,633	16,228	36,861
1963	2,052,339	2,033,954	4,086,293	22,465	24,374	46,839	14,793	8,026	22,819	37,258	32,400	69,658	43,059	41,006	84,065	20,594	16,632	37,226
1964	2,088,806	2,070,120	4,158,926	19,515	21,516	41,031	16,952	14,650	31,602	36,467	36,166	72,633	41,414	39,104	80,518	21,899	17,588	39,487
1957: Mar. Qr.	1,818,099	1,790,725	3,608,824	6,092	6,504	12,596	4,167	2,690	6,857	10,259	9,194	19,453	10,151	9,579	19,730	4,059	3,075	7,134
June Qr.	1,826,175	1,798,794	3,624,969	5,242	5,914	11,156	2,834	2,155	4,989	8,076	8,069	16,145	9,913	9,458	19,371	4,671	3,544	8,215
Sept. Qr.	1,832,787	1,805,768	3,638,555	4,875	5,388	10,263	1,737	1,586	3,323	6,612	6,974	13,586	10,553	9,869	20,422	5,678	4,481	10,159
Dec. Qr.	1,845,075	1,817,829	3,662,904	5,936	6,188	12,124	6,352	5,873	12,225	12,288	12,061	24,349	10,262	9,671	19,933	4,326	3,483	7,809
1958: Mar. Qr.	1,855,103	1,827,873	3,682,976	6,129	6,734	12,863	3,899	3,310	7,209	10,028	10,044	20,072	10,136	9,814	19,950	4,007	3,080	7,087
June Qr.	1,858,002	1,833,952	3,691,954	5,510	6,286	11,796	(-) 2,611	(-) 207	(-) 2,818	2,899	6,079	8,978	9,963	9,649	19,612	4,453	3,363	7,816
Sept. Qr.	1,866,972	1,844,295	3,711,267	5,131	6,065	11,196	3,839	4,278	8,117	8,970	10,343	19,313	10,630	10,284	20,914	5,499	4,219	9,718
Dec. Qr.	1,875,863	1,852,937	3,728,800	5,760	6,080	11,840	3,131	2,562	5,693	8,891	8,642	17,533	10,080	9,489	19,569	4,320	3,409	7,729
1959: Mar. Qr.	1,886,666	1,861,810	3,748,476	5,897	6,306	12,203	4,906	2,567	7,473	10,803	8,873	19,676	9,955	9,486	19,441	4,058	3,180	7,238
June Qr.	1,892,354	1,867,480	3,759,834	5,243	6,213	11,456	445	(-) 543	(-) 98	5,688	5,670	11,358	10,747	10,351	21,098	5,504	4,138	9,642
Sept. Qr.	1,900,965	1,876,940	3,777,905	4,843	5,685	10,528	3,768	3,775	7,543	8,611	9,460	18,071	10,582	10,137	20,719	5,739	4,452	10,191
Dec. Qr.	1,908,062	1,886,015	3,794,077	5,476	5,954	11,430	1,621	3,121	4,742	7,097	9,075	16,172	10,032	9,576	19,608	4,556	3,622	8,178
1960: Mar. Qr.	1,920,190	1,896,151	3,816,341	5,663	5,976	11,639	6,465	4,160	10,625	12,128	10,136	22,264	10,145	9,654	19,799	4,482	3,678	8,160
June Qr.	1,929,082	1,903,371	3,832,453	5,935	6,401	12,336	2,957	819	3,776	8,892	7,220	16,112	10,866	10,101	20,967	4,931	3,700	8,631
Sept. Qr.	1,939,437	1,912,417	3,851,854	5,382	5,890	11,272	4,973	3,156	8,129	10,355	9,046	19,401	10,915	10,449	21,364	5,533	4,559	10,092
Dec. Qr.	1,951,907	1,925,354	3,877,261	5,694	6,012	11,706	6,776	6,925	13,701	12,470	12,937	25,407	10,305	9,548	19,853	4,611	3,536	8,147
1961: Mar. Qr.	1,964,618	1,935,293	3,899,911	6,709	7,138	13,847	6,002	2,801	8,803	12,711	9,939	22,650	11,020	10,526	21,546	4,311	3,388	7,699
June Qr.	1,972,909	1,944,104	3,917,013	6,501	6,897	13,398	1,790	1,914	3,704	8,291	8,811	17,102	11,467	10,833	22,300	4,966	3,936	8,902
Sept. Qr.	1,976,832	1,952,234	3,929,066	5,196	6,086	11,282	(-) 1,273	2,044	771	3,923	8,130	12,053	11,166	10,663	21,829	5,970	4,577	10,547
Dec. Qr.	1,983,891	1,965,529	3,949,420	6,166	6,651	12,817	893	6,644	7,537	7,059	13,295	20,354	10,571	10,146	20,717	4,405	3,495	7,900
1962: Mar. Qr.	1,991,195	1,976,731	3,967,926	7,004	7,195	14,199	300	4,007	4,307	7,304	11,202	18,506	11,362	10,758	22,120	4,358	3,563	7,921
June Qr.	1,993,235	1,983,501	3,976,736	6,068	6,577	12,645	(-) 4,028	193	(-) 3,835	2,040	6,770	8,810	11,290	10,559	21,849	5,222	3,982	9,204
Sept. Qr.	2,003,039	1,991,179	3,994,218	4,520	5,350	9,870	5,284	2,328	7,612	9,804	7,678	17,482	10,825	10,229	21,054	6,305	4,879	11,184
Dec. Qr.	2,015,081	2,001,554	4,016,635	5,789	6,075	11,864	6,253	4,300	10,553	12,042	10,375	22,417	10,537	9,879	20,416	4,748	3,804	8,552
1963: Mar. Qr.	2,027,512	2,010,007	4,037,519	6,365	6,963	13,328	6,066	1,490	7,556	12,431	8,453	20,884	10,908	10,560	21,468	4,543	3,597	8,140
June Qr.	2,034,734	2,013,864	4,048,598	5,737	6,191	11,928	1,485	(-) 2,334	(-) 849	7,222	3,857	11,079	10,731	10,245	20,976	4,994	4,054	9,048
Sept. Qr.	2,042,768	2,022,642	4,065,410	4,751	5,476	10,227	3,283	3,302	6,585	8,034	8,778	16,812	10,881	10,470	21,351	6,130	4,994	11,124
Dec. Qr.	2,052,339	2,033,954	4,086,293	5.612	5,744	11,356	3,959	5,568	9,527	9,571	11,312	20,883	10,539	9,731	20,270	4,927	3,987	8,914
1964: Mar. Qr.	2,064,953	2,044,633	4,109,586	5,773	5,941	11,714	6,841	4,738	11,579	12,614	10,679	23,293	10,355	9,761	20,116	4,582	3,820	8,402
June Qr.	2,068,494	2,048,212	4,116,706	5,351	5,858	11,209	(-) 1,810	(-) 2,279	(-) 4,089	3,541	3,579	7,120	10,900	10,178	21,078	5,549	4,320	9,869
Sept. Qr.	2,077,567	2,057,991	4,135,558	3,535	4,450	7,985	5,538	5,329	10,867	9,073	9,779	18,852	10,267	9,901	20,168	6,732	5,451	12,183
Dec. Qr.	2,088,806	2,070,120	4,158,926	4,856	5,267	10,123	6,383	6,862	13,245	11,239	12,129	23,368	9,892	9,264	19,156	5,036	3,997	9,033

^{*} Excess of live births over deaths.
† Excess of oversea and interstate arrivals over departures. The sign (—) denotes an excess of departures over arrivals.
‡ Adjusted in accordance with the final results of the 1961 census. See Explanatory Note 4 (a), page 5.

No. 5. Estimated Age Distribution of Population, N.S.W., 30th June, 1964

Age Last Birthday	Males	Females	Persons	Age Last Birthday	Males	Females	Person
O years I year 2 years 3 ,, 4 ,,	41,760 42,310 43,780 43,390 41,570	39,500 40,190 41,670 41,150 39,560	81,260 82,500 85,450 84,540 81,130	50 years 51 ,, 52 ,, 53 ,, 54 ,,	25,120 24,680 23,420 23,370 21,910	24,390 24,040 22,750 22,950 21,380	49,51 48,72 46,17 46,32 43,29
Total, under 5 years	212,810	202,070	414,880	Total, 50-54 years	118,500	115,510	234,01
5 years 6 ,, 7 ,, 8 ,,	41,740 41,050 40,240 39,450 38,370	40,090 39,690 38,030 37,290 37,340	81,830 80,740 78,270 76,740 75,710	55 years 56 ,, 57 ,, 58 ,, 59 ,,	21,250 20,120 19,230 17,950 17,800	20,460 19,700 19,040 17,650 17,460	41,71 39,82 38,27 35,60 35,26
Total, 5-9 years	200,850	192,440	393,290	Total, 55-59 years	96,350	94,310	190,66
10 years 11 ,, 12 ,, 13 ,, 14 ,,	38,510 39,000 38,050 38,270 37,940	36,650 37,330 36,470 36,390 36,290	75,160 76,330 74,520 74,660 74,230	60 years 61 ,, 62 ,, 63 ,, 64 ,,	16,140 15,500 14,900 14,330 15,030	16,090 16,030 15,260 16,420 17,390	32,23 31,53 30,16 30,75 32,42
Total, 10-14 years	191,770	183,130	374,900	Total, 60-64 years	75,900	81,190	157,09
15 years 16 ,, 17 ,, 18 ,,	37,260 37,700 40,460 34,110 33,960	35,430 35,730 38,290 32,110 32,330	72,690 73,430 78,750 66,220 66,290	65 years 66 ,, 67 ,, 68 ,, 69 ,,	11,700 11,260 10,920 10,650 9,660	14,300 14,370 13,780 14,670 12,920	26,00 25,63 24,70 25,32 22,58
Total, 15-19 years	183,490	173,890	357,380	Total, 65–69 years	54,190	70,040	124,23
20 years 21 ,, 22 ,, 23 ,, 24 ,,	33,530 30,140 29,770 28,070 28,530	31,290 28.050 28,170 26,980 26,640	64,820 58,190 57,940 55,050 55,170	70 years 71 ,, 72 ,, 73 ,, 74 ,,	9,550 9,280 8,970 7,980 7,880	12,870 12,820 11,730 11,270 10,560	22,42 22,10 20,70 19,25 18,44
Total, 20-24 years	150,040	141,130	291,170	Total, 70–74 years	43,660	59,250	102,91
25 years 26 27 28 29	27,520 27,570 27,750 27,020 26,240	26,580 26,280 26,110 25,200 24,670	54,100 53,850 53,860 52,220 50,910	75 years 76 ,, 77 ,, 78 ,, 79 ,,	7,480 6,540 5,860 5,110 4,570	10,220 9,810 8,290 7,760 6,980	17,70 16,35 14,15 12,87 11,55
Total, 25-29 years	136,100	128,840	264,940	Total, 75–79 years	29,560	43,060	72,62
30 years 31 ,, 32 ,, 33 ,, 34 ,,	25,830 26,610 26,820 28,980 29,090	23,660 24,610 24,440 27.060 26,950	49,490 51,220 51,260 56,040 56,040	80 years 81 ,, 82 ,, 83 ,, 84 ,,	3,700 3,230 2,630 1,970 1,950	5,560 5,140 4,260 3,620 3,490	9,26 8,37 6,89 5,59 5,44
Total, 30-34 years	137,330	126,720	264,050	Total, 80–84 years	13,480	22,070	35,55
35 years 36 ,, 37 ,, 38 ,,	29,540 29,900 29,500 30,140 30,220	27,200 27,420 27,290 28,450 28,730	56,740 57,320 56,790 58,590 58,950	85 years or more All Ages	2,068,494	2,048,212	4,116,70
Total, 35-39 years	149,300	139,090	288,390	Summary—			
40 years 41 ,, 42 ,,	29,010 30,070 29,470 29,080	27,860 28,930 28,32) 28,080	56,870 59,000 57,790 57,160	0- 5 years 6-14 years	254,550 350,880	242,160 335,480	496,71
44 ,, Total, 40–44 years	27,030	26,440 139,630	53,470 284,290	15-20 years	217,020	205,180	422,20
45 years 46 ,,	25,030 24,710 24,150	24,980 24,500 24,080	50,010 49,210 48,230	21-64 years 65 years or more	1,099,060	1,058,870	2,157,93
48 ,,	25,290 25,230	24,970 25,210	50,260 50,440				
Total, 45-49 years	124,410	123,740	248,150	All Ages	2,068,494	2,048,212	4,116,70

No. 6. Population of Metropolis at each Census, 1861 to 1961

Date of Enumeration		Population			Increase since Previous Census		Proportion of Sexes		Proportion of Population of State	Occupied Dwellings	No. of Persons per
	Males	Females	Persons	Numerical	Propor- tional	Rate of Increase	Males	Females	residing in the Metropolis	Dweilings	Occupied Dwelling
					Per cent.	Per cent.	Per cent.	Per cent.	Per cent.		
1861—7th April	46,550	49,239	95,789	14,208†		3.26†	48.60	51.40	27.30	17,270	5.55
1871—2nd April	66,707	70,879	137,586	41,797	43.63	3.69	48.48	51.52	27.39	24,838	5.54
1881—3rd April	112,763	112,176	224,939	87,353	63.49	5.04	50.13	49.87	30.00	38,636	5.82
1891—5th April	193,753	189,580	383,333	158,394	70.42	5.48	50.54	49.46	34.01	70,483	5.44
1901—31st March	236,018	245,812	481,830	98,497	25.69	2.32	48.98	51.02	35.55	88,893	5.42
1911—3rd April	305,728	323,775	629,503	147,673	30.65	2.71	48.57	51.43	38.23	123,234	5.11
1921—4th April	433,492	465,567	899,059	269,556	42.82	3.63	48.22	51.78	42.80	183,718	4.89
1933—30th June	591,104	644,163	1,235,267	336,208	37.40	2.63	47.85	52.15	47.50	288,240	4.29
1947—30th June	714,821	769,183	1,484,004	248,737	20.14	1.32	48.17	51.83	49.72	379,140	3.91
1954—30th June*	762,840	809,919	1,572,759	88,755	5.98	0.83	48.50	51.50	45.94	439,977	3.57
1954—30th June	909,978	953,183	1,863,161	379,157	25.55	3.30	48.84	51.16	54.42	517,008	3.60
1961—30th June	1,077,978	1,105,410	2,183,388	320,227	17.19	2.29	49.37	50.63	55.74	609,749	3.58‡

No. 7. Estimated Population, Metropolis, 1954 to 1964

(Adjusted in accordance with the final results of the census of 30th June, 1961)

Year		At 30th June		Mean Population, year ended 31st December				
	Males	Females	Persons	Males	Females	Persons		
1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1963	909,978 932,550 955,120 979,770 1,004,500 1,026,680 1,051,450 1,077,978 1,094,500 1,115,260 1,138,420	953,183 973,790 994,280 1,016,240 1,038,700 1,059,110 1,081,230 1,105,410 1,121,470 1,140,850 1,161,680	1,863,161 1,906,340 1,949,400 1,996,010 2,043,200 2,085,790 2,132,680 2,183,388 2,215,970 2,256,110 2,300,100	911,310 933,100 955,770 979,590 1,005,620 1,027,360 1,051,900 1,077,340 1,095,590 1,115,920 1,115,920	954,580 974,360 994,950 1,016,060 1,039,850 1,059,820 1,081,690 1,104,770 1,122,580 1,141,520 1,163,060	1,865,890 1,907,460 1,950,720 1,995,650 2,045,470 2,087,180 2,133,590 2,182,110 2,218,170 2,257,440 2,302,830		

No. 8. Elements of Increase in Population, Metropolis, 1954 to 1964

Year ended	Natural Increase*			N	et Migration†	:	Estimated Total Increase‡				
30th June	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Rate	
1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964	8,120 7,453 8,282 8,607 9,760 9,590 9,916 10,892 11,335 10,143 10,179	8,711 8,353 8,918 8,965 10,323 10,212 10,084 11,399 11,822 10,689 10,204	16,831 15,806 17,200 17,572 20,083 19,802 20,000 22,291 23,157 20,832 20,383	(-) 542 15,119 14,288 16,043 14,970 12,590 14,854 15,636 5,187 10,617 12,981	882 12,254 11,572 12,995 12,137 10,198 12,036 12,781 4,238 8,69 10,626	340 27,373 25,860 29,038 27,107 22,788 26,890 28,417 9,425 19,308 23,607	7,578 22,572 22,570 24,650 24,730 22,180 24,770 26,528 16,522 20,760 23,160	9,593 20,607 20,490 21,960 22,460 20,410 22,120 24,180 16,060 19,380 20,830	17,171 43,179 43,060 46,610 47,190 42,590 46,890 50,708 32,582 40,140 43,990	Per cent 0.93 2.32 2.26 2.39 2.36 2.08 2.25 2.38 1.49 1.81 1.95	

^{*} Same area as in 1933 and 1947.
† Since 1st March, 1856.
‡ At 30th June, 1961, the number of occupied private dwellings was 601,949 and the average number of inmates per occupied private dwelling was 3.42.

Note. The figures are based on the actual boundaries of the Metropolis at the date of each census, except where otherwise indicated. See Explanatory Note 1, page 5.

^{*} Excess of live births over deaths.
† Represents the difference between the natural increase and the total increase in population. The sign (-) denotes a decrease by migration.
‡ Adjusted in accordance with the final results of the 1961 census.

No. 9. Population of Statistical Divisions of N.S.W. at each Census, 1933 to 1961

	30th June,	30th June,	30th June,	30th June,	Increase,	947-1954	Increase,	1954-1961
Statistical Division	1933	1947	1954	1961	Numerical	Proportional	Numerical	Proportional
Metropolis Balance of Cumberland Cumberland North Coast Hunter and Manning South Coast	1,329,402 30,666 1,360,068 146,507 302,012 105,164	1,645,872 45,664 1,691,536 159,212 343,419 128,791	1,863,161 65,730 1,928,891 171,325 399,980 171,353	2,183,388 106,359 2,289,747 171,386 448,520 225,342	217,289 20,066 237,355 12,113 56,561 42,562	Per cent. 13.20 43.94 14.03 7.61 16.47 33.05	320,227 40,629 360,856 61 48,540 53,989	Per cent. 17.19 61.81 18.71 .04 12.14 31.51
Northern Tableland Central Tableland Southern Tableland North Western Slope Central Western Slope	54,081 141,243 49,956 63,060 63,721	51,463 143,613 50,108 59,135 58,951	54,277 155,732 64,707 67,579 66,844	55,729 159,973 66,562 70,269 67,982	2,814 12,119 14,579 8,444 7,893	5.47 8.44 29.14 14.28 13.39	1,452 4,241 1,855 2,690 1,138	2.68 2.72 2.87 3.98 1.70
South Western Slope North Central Plain Central Plain Riverina Western Division	116,118 29,681 27,725 84,317 51,994	112,272 28,987 23,659 75,048 51,123	127,793 32,368 28,352 86,661 60,519	135,155 34,339 29,006 89,994 62,169	15,521 3,381 4,693 11,613 9,396	13.82 11.66 19.84 15.47 18.38	7,362 1,971 654 3,333 1,650	5.76 6.09 2.31 3.85 2.73
Lord Howe Island Migratory	161 5,039	179 7,342	278 6,870	249 10,591	99 (—) 472	55.31 (—)6.43	(—) 29 3,721	(—) 10.43 54.16
Total, New South Wales	2,600,847	2,984,838	3,423,529		438,691	14.70	493,484	14.41

Note. In this comparison, the figures for the censuses of 1933, 1947, and 1954, have been adjusted to conform as nearly as possible to the are embraced by boundaries existing at the census of 30th June, 1961. The sign (—) denotes a decrease.

Estimated Population of Statistical Divisions of N.S.W., 1958 to 1964 No. 10. (Adjusted in accordance with the final results of the census of 30th June, 1961)

At 30th June Statistical Division 1960 1961 1962 1963 1964 2,215,970 115,440 2,331,410 2,256,110 123,190 2,300,100 2,043,200 2,085,790 2,132,680 2,183,388 Metropolis 106,359 2,289,747 171,386 130,990 80,010 2,123,210 87,110 2,172,900 95,780 2,228,460 Balance of Cumberland 2,379,300 170 310 2,431,090 169,380 Cumberland 170.880 171,550 171,250 North Coast 455,960 Hunter and Manning South Coast 448.520 427.710 433,550 439.510 225,342 231,610 242,370 248.420 198,630 207,110 215,850 55,860 56,110 56,370 55,729 55.440 55.490 55.730 Northern Tableland 157,910 66,080 69,730 67,750 159,973 66,562 70,269 161,800 67,890 163,640 67,790 163,170 68,340 Central Tableland Southern Tableland North Western Slope Central Western Slope 157,460 65,850 158,460 66,210 69,890 71,440 69,440 70.920 69.270 68.980 67,982 68.690 67,640 137,660 134,830 136,170 South Western Slope North Central Plain 132,900 133,860 134,240 35,200 29,320 91,340 34,339 29,006 34,760 29,160 35,560 33,830 29,560 Central Plain 28.680 28.810 28.870 90,580 92,520 89,994 88,820 89,180 Riverina 61,250 61,390 61.880 Western Division 62,060 62,190 62,270 62.169 262 270 287 Lord Howe Island 10,749 10,826 11,106 9,856 10,275 10.591 9.021 Migratory 3,832,453 3,917,013 4,048,598 4.116.706 3.976.736 3,691,954 3,759,834 Total, New South Wales

No. 11. Elements of Increase in Population of Statistical Divisions, 1st July, 1954 to 30th June, 1961

		Number			Average Annual Ra	te
Statistical Division	Natural	Net	Total	Natural	Net	Total
	Increase*	Migration†‡	Increase‡	Increase¶	Migration‡¶	Increase‡
Metropolis Balance of Cumberland Cumberland North Coast Hunter and Manning South Coast	132,754	187,473	320,227	9.39	13.26	2.29
	9,387	31,242	40,629	16.58	55.18	7.12
	142,141	218,715	360,856	9.66	14.87	2.48
	19,841	(—) 19,780	61	16.51	(—) 16.46	
	36,920	11,620	48,540	12.43	3.91	1.65
	23,154	30,835	53,989	16.82	22.40	3.99
Northern Tableland	6,011	(—) 4,559	1,452	15.55	(—) 11.79	0.38
Central Tableland	15,572	(—) 11,331	4,241	14.11	(—) 10.27	0.39
Southern Tableland	7,755	(—) 5,900	1,855	16.86	(—) 12.83	0.41
North Western Slope	8,640	(—) 5,950	2,690	17.87	(—) 12.31	0.56
Central Western Slope	9,053	(—) 7,915	1,138	19.15	(—) 16.74	0.24
South Western Slope	17,525	(—) 10,163	7,362	18.96	(—) 11.00	0.80
North Central Plain	4,996	(—) 3,025	1,971	21.45	(—) 12.99	0.85
Central Plain	4,203	(—) 3,549	654	20.94	(—) 17.68	0.33
Riverina	12,032	(—) 8,699	3,333	19.42	(—) 14.04	0.54
Western Division	8,277	(—) 6,627	1,650	19.16	(—) 15.33	0.39
Lord Howe Island Migratory	6	(—) 35 3,721	(—) 29 3,721	3.46	(—) 20.17 61.28	(—) 1.56 6.38
Total, New South Wales	316,126	177,358	493,484	12.33	6.92	1.94

^{*} Excess of live births over deaths. † The sign (—) denotes a decrease.

[†] Represents the difference between the natural increase and the total increase in population.
¶ Increase per 1,000 of mean population during the period. § Annual average rate per cent. increase

No. 12. Population of Municipalities and Shires in Statistical Divisions of N.S.W., 1963 and 1964

Note. The population estimates shown below have been based on the results of the 1961 census and available measures of population changes since the census. These measures of change are necessarily incomplete. The estimates are therefore approximate, and are subject to revision when the population is ascertained at the next census.

Municipality or Shire		l Population th June	Municipality or Shire	Estimatd l	Population h June	Municipality or Shire	Estimated at 30t	Population h June
	1963	1964		1963	1964		1963	1964
CUMBER	LAND		NORTH C	OAST		SOUTH C	OAST	
Metropolis— Municipalities— Sydney Ashfield Auburn Bankstown Blacktown (Part)*	40,170 49,250 159,550 73,610	167,800 40,670 49,350 162,550 77,110	Municipalities— Ballina	4,190 8,100 15,650 8,060 19,060 1,930	4,250 8,120 15,730 8,060 19,110 1,930	Municipalities— Bega Bowral Camden (Part)† Kiama Shellharbour Wollongong, Greater	3,880 4,950 3,160 5,600 17,030 142,170	3,880 5,030 3,250 5,700 18,470 145,720
Botany Burwood Canterbury Concord Drummoyne Fairfield Holroyd Hunter's Hill Hurstville Kogarah Ku-ring-gai	114,600 27,200	29,210 31,220 115,400 27,000 29,900 91,280 62,210 13,750 63,660 47,850 81,800	Shires— Bellingen Byron	6,670 8,310 14,700 2,460 3,080 10,220	6,540 8,210 14,750 2,440 3,020 10,050	Shires— Eurobodalla	6,700 5,260 5,930 3,700 21,900 2,440 7,830 11,820	6,750 5,260 5,960 3,690 22,600 2,380 7,830
Lane Cove Leichhardt Liverpool (Part)* Manly	24,170 61,350 34,520 36,600 74,800	24,670 61,250 38,950 37,000 74,500	Maclean Macleay Nambucca Nymboida	6,530 7,780 9,260 1,990	6,560 7,680 9,110 1,950	Total, South Coast— Wollongong, Greater Balance of South Coast Total	142,170 100,200 242,370	145,720 102,700 248,420
Marrickville Mosman North Sydney Parramatta Randwick Rockdale	26,600 52,000 107,060 110,710 79,970	26,850 51,400 108,800 111,960 80,470	Tintenbar Tomki	5,840 4,200 2,950 22,640 2,790 3,900	5,670 4,170 2,900 22,640 2,690 3,800	NORTHERN TA	ABLELAND	
Ryde Strathfield Waverley Willoughby	79,000 26,400 65,100 54,100	80,700 26,400 65,250 54,350	Total, North Coast	170,310	169,380	Municipalities— Armidale Glen Innes Inverell	13,630 5,710 8,350	13,840 5,730 8,450
Woollahra	48,300	48,300	HUNTER AND	MANNING		Tenterfield Shires—	3,050	3,070
Shires— Baulkham Hills (Part)* Hornsby (Part)* Sutherland	18,200 60,170 120,600 102,900	19,400 63,390 126,300 109,400	Municipalities— Cessnock, Greater Maitland Newcastle‡ Muswellbrook Port Macquarie Singleton Taree Wingham	34,870 27,950 144,050 5,750 6,390 5,930 10,320 2,870	34,700 28,100 144,700 5,730 6,590 5,960 10,470 2,870	Dumaresq Guyra	2,840 5,300 1,310 3,600 3,910 4,480 3,930	2,890 5,230 1,310 3,560 3,860 4,470 3,960
Total, Metropolis		2,300,100				CENTRAL TA	BLELAND	
			Shires— Dungog	6,500 4,420 37,300 10,920	6,450 4,400 38,300 10,860	Municipalities— Bathurst Blue Mountains Cowra Lithgow Mudgee Orange	17,150 30,220 6,430 13,950	17,330 29,650 6,550 13,820
Balance of Cumber- land— Municipalities—			Lake Macquarie— Part in N.U.A.‡ Balance Total	71,900 27,890 99,790	74,600 28,550 103,150	Shires—	5,300 19,300	5,300 19,550
Blacktown (Part)* Camden (Part)† Campbelltown Liverpool (Part)* Penrith Windsor	22,860 3,950 22,900 5,200 38,990 12,900	23,800 4,100 24,400 5,350 42,940 13,300	Manning Muswellbrook Patrick Plains Port Stephens Scone Stroud Wyong	11,650 3,510 4,200 12,860 7,250 6,830 21,450	11,500 3,480 4,170 13,260 7,210 6,800 22,290	Blaxland Canobolas Colo Coolah (Part)§ Crookwell Cudgegong Lyndhurst	2,840 8,180 6,110 5,650 2,550 5,810 5,500 5,850	2,800 8,060 6,120 5,710 2,500 5,770 5,440 5,820
Shires— Baulkham Hills (Part)* Hornsby (Part)* Total, Balance of Cumber-	7,840 8,550	8,200 8,900	Total, Hunter and Manning— N.U.A.‡	215,950	219,300	Merriwa	2,750 3,900 5,050 2,410	2,680 3,950 5,050 2,410
land	123,190	130,990	Balance of Hunter and Manning	248,860	251,690	Waugoola Wellington (Part)§	4,440 10,250	4,760 9,900
Total, Cumberland	2,379,300	2,431,090	Total	464,810	470,990	Total, Central Tableland	163,640	163,170

^{*} Blacktown and Liverpool Municipalities and Baulkham Hills and Hornsby Shires are divided between the Metropolis and Balance of Cumberland Division.

[†] Camden Municipality is divided between Balance of Cumberland and South Coast Divisions.

[‡] Newcastle Urban Area comprises the City of Newcastle and part of adjoining Lake Macquarie Shire (see Explanatory Note 2, page 5).

[¶] Macintyre Shire is divided between Northern Tableland and North Western Slope Divisions.

[§] Coolah and Wellington Shires are divided between Central Tableland and Central Western Slope Divisions.

^{||} From 1st November, 1963, part of the City of Blue Mountains (3,600 acres, with an estimated population of 1,300) was transferred to the City of Penrith.

No. 12. Population of Municipalities and Shires in Statistical Divisions of N.S.W., 1963 and 1964 (continued)

(See Note at head of table, page 12)

Municipality or Shire	Estimated F at 30th	Population June	Municipality or Shire	Estimated F at 30th	Population June	Municipality or Shire	Estimated at 30	Population h June
	1963	1964		1963	1964		1963	1964
SOUTHERN TA	ABLELAND		SOUTH WESTE	rn slope		RIVERIN	NA	
Municipalities— Bombala Cooma Goulburn Queanbeyan Yass Shires—	9,200 20,460 10,300 3,930	1,400 9,300 20,610 10,780 3,940	Municipalities— Albury	23,520 6,000 2,350 3,970 2,600 4,410 22,840 5,480	23,950 6,060 2,330 3,940 2,570 4,390 23,300 5,480	Municipalities— Deniliquin	5,830 3,170	5,980 3,190
Bibbenluke Goodradigbee Gunning Monaro Mulwaree Snowy River Yarrowlumla	2,330 2,900 2,240 2,090 4,810 5,660 2,470	2,320 2,880 2,210 2,090 4,760 5,630 2,420	Shires— Bland Boorowa	8,400 3,450 4,300	8,400 3,530 4,260	Shires— Berrigan Carrathool (Part)¶ Conargo Coolamon Corowa Culcairn lerilderie	6,300 3,580 2,080 4,510 5,390 4,460 2,170	6,350 3,610 2,120 4,580 5,440 4,430 2,180
Total, Southern Table-land	67,790	68,340	Demondrille Gundagai Holbrook	2,700 4,690 2,830	2,670 4,640 2,790	Jerilderie	10,500 4,410 3,330	10,650 4,400 3,360
NORTH WEST	ERN SLOPE		Hume Illabo Jindalee Mitchell	3,170 1,990 2,220 4,900 4,060	3,140 1,960 2,200 4,900 4,040	Murrumbidgee Narrandera Urana Wade Wakool	1,480 7,960 2,450 16,540 5,500	1,550 8,050 2,470 16,940 5,500
Municipalities— Gunnedah Quirindi Tamworth	7,030 2,770 19,970	7,150 2,750 20,530	Narraburra Tumbarumba Tumut Weddin	2,830 6,720 9,600 3,140	2,800 7,320 9,900 3,090	Waradgery (Part)¶ Windouran	850 830	870 850
Shires—			Total, South Western Slope	136,170	137,660	Total, Riverina	91,340	92,520
Ashford	3,390 2,910 2,800	3,410 2,880 2,770	1	Į.				
Bingara	4,400 4,730	4,400 4,700	NORTH CENTI	RAL PLAIN		Municipalities— Broken Hill	30,100	29,810
Macintyre (Part)* Manilla Murrurundi Nundle Peel Tamarang Yallaroi	2,760 3,270 2,770 1,310 5,520 2,710 4,580	2,760 3,220 2,770 1,300 5,500 2,710 4,590	Municipalities— Moree Narrabri	7,210 5,590	7,360 5,650	Shires— Balranald	3,010	3,020
Total, North Western Slope	70,920	71,440	Shires— Boolooroo	3,880 2,940 7,750 7,830	3,900 2,970 7,780 7,900	Bogan (Part)‡	190 3,330 450 4,160 4,150 5,110	3,370 440 4,180 4,350 5,160
CENTRAL WEST	EKN SLOPE		Total, North Central	35,200	35,560	Walgett (Part)‡ Waradgery (Part)¶ Wentworth	2,090 80 6,310	2,120 80 6,390
Municipalities— Dubbo Forbes	14,750 6,960	15,100 7,070				Unincorporated	2,270	2,280
Narromine Parkes	2,340 8,410 1,450	2,350 8,530 1,450	CENTRAL	PLAIN		Total, Western Division	61,250	61,390
	1,430	1,450	Municipalities— Condobolin	3,250	3,280	SUMMA	ARY	
Shires— Boree Coolah (Part)† Gilgandra Goobang	5,830 2,230 5,230 5,290	5,800 2,210 5,250 5,290	Nyngan	2,460	2,560		2,893,790 1,141,450	2,937,970 1,165,080
Jemalong Molong Talbragar	3,690 4,320 2,980 3,600	3,670 4,260 2,980 3,600	Shires— Bogan (Part)‡	1,600 7,420 5,970	1,600 7,470 6,000	Unincorporated Area in Western Division	2,270	2,280
Wellington (Part)† Total, Central Western	1,900	1,880	Walgett (Part)‡ Warren	4,560 4,060	4,600 4,050	Lord Howe Island Migratory	262 10,826	270 11,106
Slope	68,980	69,440	Total, Central Plain	29,320	29,560	Total, New South Wales	4,048,598	4,116,706

^{*} Macintyre Shire is divided between Northern Tableland and North Western Slope Divisions.

[†] Coolah and Wellington Shires are divided between Central Western Slope and Central Tableland Divisions.

[‡] Bogan and Walgett Shires are divided between Central Plain and Western Divisions.

[¶] Carrathool and Waradgery Shires are divided between Riverina and Western Divisions.

No. 13. Oversea Arrivals and Departures, N.S.W., 1954 to 1964 (See Explanatory Note 4(c), page 6)

		Arrivals			Departures		Excess of A	Arrivals over l	Departures
Period	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
1954	60,897	45,575	106,472	51,695	39,227	90,922	9,202	6,348	15,550
1955	74,806	57,522	132,328	56,747	44,233	100,980	18,059	13,289	31,348
1956	77,578	57,999	135,577	62,525	47,167	109,692	15,053	10,832	25,885
1957	77,062	64,217	141,279	64,390	48,695	113,085	12,672	15,522	28,194
1958	73,051	62,345	135,396	63,814	50,128	113,942	9,237	12,217	21,454
1959	78,361	62,175	140,536	65,715	50,475	116,190	12,646	11,700	24,346
1960	100,577	75,955	176,532	81,979	61,919	143,898	18,598	14,036	32,634
1961	108,608	86,965	195,573	100,038	74,384	174,422	8,570	12,581	21,151
1962	120,233	94,604	214,837	109,158	80,334	189,492	11,075	14,270	25,345
1963	141,530	107,678	249,208	124,770	91,119	215,889	16,760	16,559	33,319
1964	168,787	125,791	294,578	143,881	103,395	247,276	24,906	22,396	47,302
1954: Mar. Qr. June Qr. Sept. Qr. Dec. Qr.	14,725 14,526 13,198 18,448	11,683 10,302 9,582 14,008	26,408 24,828 22,780 32,456	13,899 13,706 11,074 13,016	11,011 10,520 7,493 10,203	24,910 24,226 18,567 23,219	826 820 2,124 5,432	(—) 218 2,089 3,805	1,498 602 4,213 9,237
1955 : Mar. Qr.	19,456	15,890	35,346	14,869	12,584	27,453	4,587	3,306	7,893
june Qr.	18,069	13,566	31,635	14,322	11,301	25,623	3,747	2,265	6,012
Sept. Qr.	16,866	11,699	28,565	11,646	8,229	19,875	5,220	3,470	8,690
Dec. Qr.	20,415	16,367	36,782	15,910	12,119	28,029	4,505	4,248	8,753
1956 : Mar. Qr.	20,924	17,174	38,098	16,632	14,403	31,035	4,292	2,771	7,063
June Qr.	17,494	12,886	30,380	15,466	12,237	27,703	2,028	649	2,677
Sept. Qr.	17,071	12,056	29,127	11,853	8,342	20,195	5,218	3,714	8,932
Dec. Qr.	22,089	15,883	37,972	18,574	12,185	30,759	3,515	3,698	7,213
1957 : Mar. Qr.	20,373	17,610	37,983	17,682	14,477	32,159	2,691	3,133	5,824
June Qr.	20,063	16,055	36,118	16,126	12,510	28,636	3,937	3,545	7,482
Sept. Qr.	16,861	13,425	30,286	14,428	9,405	23,833	2,433	4,020	6,453
Dec. Qr.	19,765	17,127	36,892	16,154	12,303	28,457	3,611	4,824	8,435
958 : Mar. Qr.	19,676	16,750	36,426	17,122	14,231	31,353	2,554	2,519	5,073
June Qr.	16,525	14,353	30,878	16,836	13,014	29,850	(—) 311	1,339	1,028
Sept. Qr.	17,154	14,103	31,257	13,861	9,913	23,774	3,293	4,190	7,483
Dec. Qr.	19,696	17,139	36,835	15,995	12,970	28,965	3,701	4,169	7,870
1959 : Mar. Qr.	20,678	16,941	37,619	16,601	13,021	29,622	4,077	3,920	7,997
June Qr.	17,690	13,912	31,602	15,787	12,081	27,868	1,903	1,831	3,734
Sept. Qr.	17,437	13,101	30,538	14,488	10,293	24,781	2,949	2,808	5,757
Dec. Qr.	22,556	18,221	40,777	18,839	15,080	33,919	3,717	3,141	6,858
960 : Mar. Qr.	25,604	19,382	44,986	20,016	15,453	35,469	5,588	3,929	9,517
June Qr.	23,259	17,526	40,785	20,658	15,819	36,477	2,601	1,707	4,308
Sept. Qr.	22,742	16,299	39,041	18,488	13,294	31,782	4,254	3,005	7,259
Dec. Qr.	28,972	22,748	51,720	22,817	17,353	40,170	6,155	5,395	11,550
961 : Mar. Qr.	28,974	22,110	51,084	24,646	19,553	44,199	4,328	2,557	6,885
June Qr.	25,914	21,168	47,082	24,170	18,024	42,194	1,744	3,144	4,888
Sept. Qr.	24,690	19,180	43,870	24,359	17,135	41,494	331	2,045	2,376
Dec. Qr.	29,030	24,507	53,537	26,863	19,672	46,535	2,167	4,835	7,002
962 : Mar. Qr.	29,868	24,552	54,420	27,754	21,652	49,406	2,114	2,900	5,014
June Qr.	26,875	20,761	47,636	27,210	20,075	47,285	(—) 335	686	351
Sept. Qr.	27,976	21,106	49,082	23,931	16,440	40,371	4,045	4,666	8,711
Dec. Qr.	35,514	28,185	63,699	30,263	22,167	52,430	5,251	6,018	11,269
963 : Mar. Qr.	36,147	27,640	63,787	31,233	24,263	55,496	4,914	3,377	8,29
June Qr.	32,610	23,841	56,451	31,073	22,433	53,506	1,537	1,408	2,94!
Sept. Qr.	33,441	25,015	58,456	28,647	20,273	48,920	4,794	4,742	9,530
Dec. Qr.	39,332	31,182	70,514	33,817	24,150	57,967	5,515	7,032	12,547
1964 : Mar. Qr.	42,657	32,057	74,714	33,461	25,128	58,589	9,196	6,929	16,12
June Qr.	38,224	27,457	65,681	36,096	26,463	62,559	2,128	994	3,12
Sept. Qr.	40,043	29,378	69,421	33,050	22,588	55,638	6,993	6,790	13,78
Dec. Qr.	47,863	36,899	84,762	41,274	29,216	70,490	6,589	7,683	14,27

^{*}The sign (—) denotes an excess of departures over arrivals.

No. 14. Oversea Arrivals and Departures, N.S.W.: Length of Stay, 1959 to 1964 (See Explanatory Note 4 (c), page 6)

		ong-term an anent Moven				Short-term N	1ovement			То	tal Movemen	t
Year		-		Aust	ralian Reside	nts		Visitors		Males	Females	Persons
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Maies	remaies	rersons
						ARRIVAL	.S					
1959 1960 1961 1962 1963 1964	25,690 32,203 29,207 30,545 39,207 47,533	23,701 26,562 28,094 30,184 36,197 41,877	49,391 58,765 57,301 60,729 75,404 89,410	23,028 29,394 33,671 39,100 44,950 53,451	17,551 22,390 25,805 28,932 32,817 38,859	40,579 51,784 59,476 68,032 77,767 92,310	29,643 38,980 45,730 50,588 57,373 67,803	20,923 27,003 33,066 35,488 38,664 45,055	50,566 65,983 78,796 86,076 96,037 112,858	78,361 100,577 108,608 120,233 141,530 168,787	62,175 75,955 86,965 94,604 107,678 125,791	140,536 176,532 195,573 214,837 249,208 294,578
					I	DEPARTU	RES					
1959 1960 1961 1962 1963 1964	10,728 12,888 17,047 17,834 19,790 20,269	10,402 12,205 14,771 15,835 18,008 18,921	21,130 25,093 31,818 33,669 37,798 39,190	22,820 29,541 34,885 38,459 44,485 53,566	17,678 21,989 25,311 27,440 32,017 37,674	40,498 51,530 60,196 65,899 76,502 91,240	32,167 39,550 48,106 52,865 60,495 70,046	22,395 27,725 34,302 37,059 41,094 46,800	54,562 67,275 82,408 89,924 101,589 116,846	65,715 81,979 100,038 109,158 124,770 143,881	50,475 61,919 74,384 80,334 91,119 103,395	116,190 143,890 174,422 189,492 215,880 247,270
,				EXCESS	OF ARRI	vals ove	R DEPAR	TURES*				
1959 1960 1961 1962 1963 1964	14,962 19,315 12,160 12,711 19,417 27,264	13,299 14,357 13,323 14,349 18,189 22,956	28,261 33,672 25,483 27,060 37,606 50,220	208 (—) 147 (—)1,214 641 465 (—) 115	(—) 127 401 494 1,492 800 1,185	81 254 (—) 720 2,133 1,265 1,070	(—)2,524 (—) 570 (—)2,376 (—)2,277 (—)3,122 (—)2,243	(—)1,472 (—) 722 (—)1,236 (—)1,571 (—)2,430 (—)1,745	(—)3,996 (—)1,292 (—)3,612 (—)3,848 (—)5,552 (—)3,988	12,646 18,598 8,570 11,075 16,760 24,906	11,700 14,036 12,581 14,270 16,559 22,396	24,346 32,634 21,15 25,345 33,315 47,302

^{*} The sign (—) denotes an excess of departures over arrivals.

No. 15. Excess of Oversea Arrivals over Departures*, N.S.W.: Nationality, 1960 to 1964

(See Explanatory Note 4 (c), page 6)

		Long-term	and Permanen	t Movement				Total Moveme	ent	
Nationality	1960	1961	1962	1963	1964	1960	1961	1962	1963	1964
British†	13,933	10,654	10,384	20,297	28,680	13,851	7,273	10,391	17,786	27,097
American (U.S.) Austrian Belgian Chinese Czechoslovak	1,151 13 34 649 (—) 7	(—) 90 68 772 (—) 4	(—) 230 11 497 (—) 5	1,774 80 127 103 15	2,082 374 73 115 61	829 (—) 35 34 796 (—) 6	1,325 (—) 168 61 1,000 (—) 9	(—) 266 (—) 2 605 2	1,025 8 108 99 37	1,842 346 59 173 96
Danish Dutch Egyptian Finnish French German Greek	(—) 25 4,364 8 184 109 438 3,055	(—) 60 2,080 50 (—) 108 95 (—) 414 2,488	(—) 52 580 39 (—) 123 73 (—) 702 4,755	298 214 4 291 (—) 160 5,104	36 964 220 89 187 848 7,257	(—) 44 4,219 9 154 43 278 3,041	(—) 95 1,896 53 (—) 161 23 (—) 687 2,386	(—) 49 597 36 (—) 136 52 (—)1,032 4,811	(—) 13 37 216 (—) 25 265 (—) 324 5,181	(—) 8 824 218 75 145 816 7,257
Hungarian Indonesian Israeli Italian Japanese	116 21 308 5,588 57	37 83 147 4,086 89	83 45 139 4,544 132	101 48 118 3,772 78	135 39 95 3,001	105 39 315 5,172 137	17 155 156 3,368 269	78 14 150 3,889 99	120 43 104 2,974 98	180 24 61 2,395 470
Lebanese Norwegian Polish Portuguese Romanian Russian	583 29 455 123 78 359	430 7 640 140 54 917	364 () 13 408 117 31 698	425 15 291 76 20 191	658 35 303 248 30 83	609 13 452 125 75 360	(—) 432 (—) 11 643 148 48 905	(—) 357 400 100 31 671	(—) 401 380 58 20 259	(—) 653 146 308 229 27 (—) 69
Spanish Swedish Swiss Yugoslav	69 88 114 692	176 11 83 745	(—) 30 (—) 1 1,678	767 68 (—) 37 2,264	248 43 80 2,960	65 53 101 669	(—) 2 28 687	(—) 41 (—) 71 (—) _{1,645}	740 6 (—) 102 2,245	209 12 61 2,908
Stateless‡ Other	808 278	447 429	642 363	559 703	364 802	786 389	436 806	628 589	542 1,041	356 684
Total	33,672	25,483	27,060	37,606	50,220	32,634	21,151	25,345	33,319	47,302

^{*} The sign (—) denotes an excess of departures over arrivals.
† Includes Irish and South African.
‡ Excluding "Stateless Russian" and "Stateless Pole," which are included with "Russian" and "Polish", respectively.

No. 16. Oversea Arrivals and Departures, N.S.W.: Nationality and Length of Stay, 1964

(See Explanatory Note 4 (c), page 6)

				Arrivals						[Departure:	5					Exce	ess of A	rrivals	over D	epartures			
Nationality	Perm	erm and nanent ement		t-term ement		Total Arrivals		Long-te Perm Move	anent	Short- Move		[Total Departure	rs.	Perm	erm and panent ement			t-term			Total Moveme	nt	
	Males	Females	Males	Females	Males	Females	Persons	Males	Females	Males	Females	Males	Females	Persons	Males	Females	M	1ales	Fer	males	Males	Female		Persons
British— Country of Citizenship— Australia Canada	. 679 . 454 . 223 . 478 . 2,145 . 137	6,116 487 285 166 227 1,757 133 16,294 254 2,054	49,739 1,576 335 899 1,134 21,015 379 15,261 827 3,042	37,045 1,039 163 287 438 17,388 255 9,412 326 3,401	55,236 2,255 789 1,122 1,612 23,160 34,536 1,103 5,189	43,161 1,526 448 453 665 19,145 19,145 25,706 580 5,455	98,397 3,781 1,237 1,575 2,277 42,305 904 60,242 1,683 10,644	8,750 282 170 74 249 627 61 3,609 70 1,205	9,612 231 128 46 86 654 68 3,316 46 1,120	46,555 1,564 371 998 1,105 21,301 455 15,876 742 6,799	33,608 1,016 218 307 409 17,652 297 10,012 268 5,991	55,305 1,846 54! 1,072 1,354 21,928 516 19,485 812 8,004	43,220 1,247 346 353 495 18,306 13,328 314 7,111	98,525 3 093 887 1,425 1,849 40,234 881 32,813 1,126 15,115	(—) 3,253 397 284 149 229 1,518 76 15,666 206 942	120 141 1,103 65 12,978 208	(—)	3,184 12 36 99 29 286 76 615 85 3,757		23 55 20 29 264 42 600 58	(—) 6 40 24 55 1,23 15,05 29 (—) 2,81	9 27 8 10 0 10 8 17 2 83	2 0 0 9 3 8 6	688 350 15C 428 2,071 23 27,429 557
Total British	. 31,311	27,773	94,207	69,754	125,518	97,527	223,045	15,097	15,307	95,766	69,778	110,863	85,085	195,948	16,214	12,466	(—)	1,559	(—)	24	14,65	5 12,4	2	27,097
American (U.S.)	. 109	1,497 285 76 155 69	11,524 315 112 786 271	6,824 114 47 274 96	13,629 776 221 1,021 369	8,321 399 123 429 165	21,950 1,175 344 1,450 534	864 233 61 197 87	656 139 51 78 44	11,617 335 124 701 300	6,971 122 49 301	12,481 568 185 898 387	7,627 261 100 379 155	20,108 829 285 1,277 542	1,241 228 48 38	841 146 25 77 25	(—)	93 20 12 85 29		147 8 2 27 15	1,14 20 3 12 ()	8 I: 6 :	4 8 3 0 0 (—	1,842 346 59 173
Dutch	. 137 . 100 . 218 . 1,262	935 109 114 189 874 4,140	1,601 60 47 1,770 1,586 543	1,356 14 14 1,244 696 288	2,695 197 147 1,988 2,848 4,092	2,291 123 128 1,433 1,570 4,428	4,986 320 275 3,421 4,418 8,520	534 13 63 116 778 220	531 13 62 104 510 212	1,722 58 52 1,829 1,600 503	1,375 18 23 1,227 714 328	2,256 71 115 1,945 2,378 723	1,906 31 85 1,331 1,224 540	4,162 102 200 3,276 3,602 1,263	560 124 37 102 484 3,329	96 52 85	()	121 2 5 59 14 40	(—) (—)	19 4 9 17 18 40	43 12 3 4 47 3,36	6 2 3 10 0	2 3 2 6	824 218 75 145 816 7,257
Hungarian		111 63 2,308 122	57 295 1,217 2,824	83 122 538 264	134 386 3,479 2,995	194 185 2,846 386	328 571 6,325 3,381	33 70 1,010 112	20 45 559 71	33 299 1,642 2,501	62 133 719 227	66 369 2,652 2,613	82 178 1,278 298	148 547 3,930 2,911	44 21 1,252 59	91 18 1,749 51		24 4 425 323	()	21 11 181 37	6 1 82 38	7 7 1,5	7	180 24 2,395 470
Lebanese	1.50	308 26 215 121 85	51 251 68 34 129	20 39 33 13 46	435 286 227 184 180	328 65 248 134 131	763 351 475 318 311	24 15 33 17 29	10 11 38 6 24	53 404 65 49 204	23 67 31 17 123	77 419 98 66 233	33 78 69 23 147	110 497 167 89 380	360 20 126 133 22	298 15 177 115 61	(—)	2 153 3 15 75	(—) (—)	2 4	(—) 35 12 (—) 5	3 (—) 9 I	3 (—	308 229
Spanish	0.000	228 47 87 1,111	68 281 534 95	46 89 234 65	356 331 642 2,125	274 136 321 1,176	630 467 963 3,301	159 31 77 130	109 23 38 51	105 304 542 138	48 97 245 74	264 335 619 268	157 120 283 125	421 455 902 393	129 19 31 1,900	119 24 49 1,060	(<u>—</u>)	37 23 8 43	(<u>—</u>)	2 8 11 9	()	4	7 6 18	209 12 61 2,908
Stateless¶	. 238 . 760	167 662	53 2,475	28 1,573	291 3,235	195 2,235	486 5,470	29 237	12 197	59 2,607	30 1,561	88 2,844	42 1,758	130 4,602	209 523	155 465		6 132	(—)	12	20		7	356 868
Total	. 47,533	41,877	121,254	83,914	168,787	125,791	294,578	20,269	18,921	123,612	84,474	143,881	103,395	247,276	27,264	22,956	(—)	2,358	(—)	560	24,90	6 22,3	96	47,302

^{*} The sign (—) denotes an excess of departures over arrivals.
† Included with "British" for purposes of this table.
‡ From 16th September, 1963, Malaya, Singapore, Sarawak and Sabah became the Federation of Malaysia.
¶ Excluding "Stateless Russian" and "Stateless Pole", which are included with "Russian" and "Polish", respectively.

No. 17. Oversea Arrivals and Departures, N.S.W.: Age and Conjugal Condition, 1964

(See Explanatory Note 4(c), page 6)

	aria nan-upag- 1 -ana angkan mahamman 111	er plan kush membe di Stromme ti - 1			Arriva	als							Depar	tures						Excess of	Arrivals o	over Depa	rtures*		
	Age Group (years)	Sin	gle	Mar	ried		wed or orced	То	otal	Sir	ngle	Mai	rried		wed or orced	Т	otal	Sing	;le	Mar	ried		wed or orced	Т	otal
		Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
1	0- 4 5- 9 10-14 15-19 20-24	7,790 6,708 5,668 9,386 15,895	7,407 6,218 5,192 8,833 11,586	 93 3,346	780 5,685	 29	 6 62	7,790 6,708 5,668 9,480 19,270	7,407 6,218 5,192 9,619 17,333	5,201 4,078 3,641 5,563 12,935	4,987 3,972 3,468 6,428 10,031	 40 2,418	 357 3,908	 2	 2 57	5,201 4,078 3,641 5,605 15,364	4,987 3,972 3,468 6,787 13,996	2,589 2,630 2,027 3,823 2,960	2,420 2,246 1,724 2,405 1,555	 53 928	 423 1,777	 (—) I 18	 4 5	2,589 2,630 2,027 3,875 3,906	2,420 2,246 1,724 2,832 3,337
	25–29 30–34 35–39 40–44 45–49	9,997 4,615 2,835 1,808 1,157	4,952 2,217 1,531 1,115 833	8,864 11,783 14,548 14,355 11,852	7,257 6,871 6,922 7,032 6,398	115 231 364 344 328	167 207 276 489 668	18,976 16,629 17,747 16,507 13,337	12,376 9,295 8,729 8,636 7,899	8,452 4,426 2,798 1,799 1,182	4,096 1,910 1,402 1,031 790	7,012 10,153 12,917 13,460 11,320	5,187 5,188 5,683 6,203 6,043	92 182 311 300 316	139 188 262 419 601	15,556 14,761 16,026 15,559 12,818	9,422 7,286 7,347 7,653 7,434	1,545 189 37 9 (—) 25	856 307 129 84 43	1,852 1,630 1,631 895 532	2,070 1,683 1,239 829 355	23 49 53 44 12	28 19 14 70 67	3,420 1,868 1,721 948 519	2,954 2,009 1,382 983 465
	50-54 55-59 60-64 65-69 70-74	926 702 499 301 181	817 765 735 631 310	10,469 8,089 5,886 3,742 1,810	6,532 5,534 4,164 2,514 1,048	411 415 524 570 522	1,089 1,507 2,125 2,106 1,581	11,806 9,206 6,909 4,613 2,513	8,438 7,806 7,024 5,251 2,939	858 701 524 320 187	776 749 690 573 283	10,133 7,728 5,750 3,461 1,741	6,173 5,178 3,780 2,264 941	377 412 498 553 468	1,044 1,388 2,081 2,024 1,563	11,368 8,841 6,772 4,334 2,396	7,993 7,315 6,551 4,861 2,787	68 	41 16 45 58 27	336 361 136 281 69	359 356 384 250 107	34 3 26 17 54	45 119 44 82 18	438 365 137 279 117	445 491 473 390 152
9	75–79 80–84 85–89 0 or more	79 37 9 1	108 37 10	695 174 20 8	314 51 11 4	367 187 43 8	788 248 44 14	1,141 398 72 17	1,210 336 65 18	64 26 8	124 40 6	669 181 33 5	273 40 11 4	358 181 31 5	770 223 40 5	1,091 388 72 10	1,167 303 57 9	15 1 1	(—)16 (—) 3 4 	26 (—) 7 (—) 13 3	41 11 	9 6 12 3	18 25 4 9	50 10 	43 33 8 9
	All Ages	68,594	53,297	95,734	61,117	4,459	11,377	168,787	125,791	52,763	41,356	87,021	51,233	4,097	10,806	143,881	103,395	15,831	11,941	8,713	9,884	362	571	24,906	22,396
6 a 15 a 21 a	Jnder 6 nd under 15 nd under 21 nd under 65 or more	12,427	8,770 10,047 11,431 21,953 1,096	 181 89,104 6,449	 1,487 55,688 3,942	 2 2,760 1,697	 12 6,584 4,781	9,316 10,850 12,610 127,257 8,754	8,770 10,047 12,930 84,225 9,819	6,141 6,779 7,716 31,522 605	5,823 6,604 8,540 19,363 1,026	 137 80,794 6,090	 752 46,948 3,533	 2 2,499 1,596	 6,175 4,625	6,141 6,779 7,855 114,815 8,291	5,823 6,604 9,298 72,486 9,184	3,175 4,071 4,711 3,871	2,947 3,443 2,891 2,590 70	 44 8,310 359	 735 8,740 409	 261 101	 6 409 156	3,175 4,071 4,755 12,442 463	2,947 3,443 3,632 11,739 635

^{*} The sign —) denotes an excest of departures over arrivals.

No. 18. Oversea Arrivals and Departures, N.S.W.: Country* of Last Residence (Arrivals) and Intended Future Residence (Departures), 1964

(See Explanatory Note 4(c), page 6)

Country		Arrivals			Departures			cess of Arriv er Departure	
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Australia	53,451	38,859	92,310	53,566	37,674	91,240	(—) 115	1,185	1,070
United Kingdom and Ireland Canada Fiji	28,160 2,342 1,743 2,114 1,406	23,561 1,911 1,216 1,092 798	51,721 4,253 2,959 3,206 2,204	13,444 2,097 1,728 1,998 1,208	11,545 1,859 1,251 969 584	24,989 3,956 2,979 2,967 1,792	14,716 245 15 116 198	12,016 52 (—) 35 123 214	26,732 297 (—) 20 239 412
Singapore Other	1,446 1,457 1,905 2,663 26,653 3,195 2,438	753 1,007 1,392 1,951 21,925 2,096 1,766	2,199 2,464 3,297 4,614 48,578 5,291 4,204	1,286 1,187 158 3,261 29,937 3,202 1,548	697 852 94 2,397 24,663 2,179 1,009	1,983 2,039 252 5,658 54,600 5,381 2,557	160 270 1,747 (—) 598 (—)3,284 (—) 7 890	56 155 1,298 (—) 446 (—)2,738 (—) 83 757	216 425 3,045 (—)1,044 (—)6,022 (—) 90 1,647
Total, Commonwealth Countries	128,973	98,327	227,300	114,620	85,773	200,393	14,353	12,554	26,907
China Egypt France Germany Greece Indonesia Italy Japan Netherlands New Caledonia South Africa Switzerland United States of America Other Foreign Countries	211 470 885 2,488 3,760 523 3,157 2,967 1,943 994 611 633 12,753 8,419	157 403 461 1,410 292 2,744 501 1,790 902 471 317 8,543 5,333	368 873 1,346 3,898 7,900 815 5,901 3,468 3,773 1,896 1,082 950 21,296 13,752	137 89 893 1,767 605 460 2,179 2,608 1,289 945 612 522 12,237 4,918	28 40 428 972 392 287 1,239 429 1,197 818 438 258 8,329 2,767	165 129 1,321 2,739 997 747 3,418 3,037 2,486 1,763 1,050 780 20,566 7,685	74 381 (—) 8 721 3,155 63 978 359 654 49 (—) 1 111 516 3,501	129 363 33 438 3,748 5 1,505 72 593 84 33 59 2,566	203 744 25 1,159 6,903 68 2,483 431 1,247 133 32 170 730 6,067
Total, All Countries	168,787	125,791	294,578	143,881	103,395	247,276	24,906	22,396	47,302

^{* &}quot;Country of Last Residence" means the country in which an arriving passenger was last resident for one year or more; "Country of Intended Future Residence" means the country in which a departing passenger intends to reside next for one year or more. Australian troops are included under Australia irrespective of length of stay oversea.
† The sign (—) denotes an excess of departures over arrivals.
‡ See note ‡, page 16.

No. 19. Oversea Arrivals and Departures, N.S.W.: Country of Embarkation or Disembarkation*, 1964 (See Explanatory Note 4(c), page 6)

Country		Arrivals			Departures			cess of Arriver er Departur	
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
United Kingdom and Ireland Canada Fiji Hong Kong India, Ceylon, Pakistan Malaysia!—	1,278 6,740 13,168	23,849 1,588 4,744 8,046 1,554	48,660 2,866 11,484 21,214 3,926	11,024 1,127 6,553 9,666 2,017	12,117 1,446 4,658 5,424 1,134	23,141 2,573 11,211 15,090 3,151	13,787 151 187 3,502 355	11,732 142 86 2,622 420	25,519 293 273 6,124 775
Singapore	727	5,069 328 1,383	15,653 1,055 3,281	10,219 860 135	4,721 199 93	14,940 1,059 228	365 (—) 133 1,763	348 129 1,290	(—) 713 (—) 4 3,053
New Guinea	44,744	2,740 35,896 979 3,453 515	6,878 80,640 2,090 9,630 1,137	4,343 46,859 1,144 6,319 386	3,138 37,482 989 3,579 290	7,481 84,341 2,133 9,898 676	(—) 205 (—)2,115 (—) 33 (—) 142 236	(—) 398 (—) 1,586 (—) 10 (—) 126 225	(—) 603 (—)3,701 (—) 43 (—) 268 461
Total, Commonwealth Countries	118,370	90,144	208,514	100,652	75,270	175,922	17,718	14,874	32,592
Egypt	263 1,802 3,931 8,694 649	840 206 1,271 4,230 5,370 288 6,605	1,881 469 3,073 8,161 14,064 937 14,471	313 320 611 1,459 7,944 1,000 7,938	205 234 471 1,065 4,912 474 5,904	518 554 1,082 2,524 12,856 1,474 13,842	728 (—) 57 1,191 2,472 750 (—) 351 (—) 72	(—) 28 800 3,165 458 (—) 186 701	1,363 (—) 85 1,991 5,637 1,208 (—) 537 629
Japan	2,083 2,165 3,474 670	2,472 2,140 1,674 1,337 588	6,875 4,223 3,839 4,811 1,258	4,669 1,455 1,878 3,270 692	2,697 1,244 1,505 1,190 551	7,366 2,699 3,383 4,460 1,243	(—) 266 628 287 204 (—) 22	(—) 225 896 169 147 37	(—) 491 1,524 456 351 15
(Continental) Other Foreign Countries	4.000	5,703 2,923	14,177 7,825	7,958 3,722	5,308 2,365	13,266 6,087	516 1,180	395 558	911 1,738
Total, Foreign Countries	50,417	35,647	86,064	43,229	28,125	71,354	7,188	7,522	14,710
Total, All Countries	168,787	125,791	294,578	143,881	103,395	247,276	24,906	22,396	47,302

^{* &}quot;Country of Embarkation" refers to the country in which the passenger embarked in the particular ship or aircraft which brought him to New South Wales. "Country of Disembarkation" refers to the country in which the passenger intended to disembark from the particular ship or aircraft which took him from New South Wales.

† The sign (—) denotes an excess of departures over arrivals.

† See note ‡, page 16

No. 20. Certificates of Naturalization Issued to Residents of N.S.W.:
Previous Nationalities of Recipients, 1960 to 1964

Nat	ionality	/	19	60 I	961	1962	1963	1964	Na	tionali	ty		1960	1961	1962	1963	1964
Albanian	l-te-d	· · · · · · · · · · · · · · · · · · ·		14	8 25	11	6	2	Korean				•••		ı		
American, l Argentinian		States				4	31	26 2	Latvian				438	338	303	178	91
Australian F				3	32	19	18	14	Lebanese				210	240	340	283	187
Austrian				29	196	286	193	166	Lithuanian				208	179	174	83	55
Belgian				12	13	18	15	9	Luxembour	geois				1			1
Bolivian					3		2		Mexican					1		1	1
Brazilian				2	4			- 1									
British Prot				6	6 18	5 17	6 18	3	N.I.								
Bulgarian Burmese				23	18	17			Nicaraguan Norwegian				27	44	25	26	19
Byelorussia				27	19	14	13	4	1401 Wegian				21		23	20	17
									Polish				1,740	975	1,175	1,024	671
Chilean Chinese			. 20		280	257	211	121	Portuguese				11	27	21	18	10
Cuban					1				Romanian				73	44	50	58	35
Czechoslova	ak		. 20	06	178	185	94	65	Russian				226	271	425	636	497
Danish				35	59	90	115	57	Spanish				23	24	29	24	9
Dutch			. 1,2	95 1,	284	1,602	1,069	662	Swedish				15	19	26	13	8
									Swiss				41	41	53	46	29
Ecuadorian				1		 5			Syrian				- 1	7	6	2	- 1
Egyptian Estonian			. 13		129	130	69	48	Thailander					1			
200111411								10	Tunisian								
Filipino				1	4	3	3	6	Turkish				12	12	12	- 11	4
Finnish French			: -	8	97	23 110	33 80	62 56									
·									Ukrainian				663	405	469	278	174
German			. [,[,		994	1,171	909	715	Uruguayan					- 1	2		
Greek			. 1,13	36 1,	960	2,045	1,870	1,168									
Hungarian			. 40)6	340	2,132	1,731	601	Venezuelan								2
				4					Vietnames e								
Indonesian Iranian				4	2	4	2	4	Yugoslav				762	630	830	917	772
Iragi					3	3	ī		i ugosiav	• •	• •	• •	702	630	630	717	112
Israeli			. 12	25	199	166	152	121	Stateless				220	169	169	161	81
Italian			. 2,7	4 2,	927	3,195	2,329	1,472									
lapanese			. 3	33	33	35	19	14	Total				12 470	12.242	15 (7)	10.7/0	0.074
Jordanian							2	i i	Total				12,4/0	12,263	15,6/1	12,769	8,074

Section II. VITAL STATISTICS

No. I. Marriages, N.S.W.: Number and Rate; Conjugal Condition; Minors Married—1954 to 1964

	Marr	riages	Bridegroom	s who were—	Brides w	ho were—		Minors Marrie	d
Year	Number	Rate*	Bachelors	Widowers or Divorced Men	Spinsters	Widows or Divorced Women	Males	Females	Total
1954	27,503	8.02	24,372	3,131	24,072	3,431	2,292	9,072	11,364
1955	27,645	7.91	24,515	3,130	24,249	3,396	2,416	9,478	11,894
1956	27,313	7.68	24,309	3,004	23,972	3,341	2,514	9,790	12,304
1957	28,767	7.94	25,562	3,205	25,257	3,510	2,789	10,476	13,265
1958	28,554	7.73	25,478	3,076	25,229	3,325	3,001	10,507	13,508
1959	28,201	7.50	25,064	3,137	24,796	3,405	2,916	10,470	13,386
1960	29,328	7.65	26,068	3,260	25,737	3,591	3,256	11,073	14,329
1961	29,773	7.61	26,548	3,225	26,335	3,438	3,518	11,694	15,212
1962	30,360	7.63	27,071	3,289	26,890	3,470	3,661	11,834	15,495
1963	30,999	7.65	27,788	3,211	27,616	3,383	4,072	12,615	16,687
1964	32,633	7.92	29,420	3,213	29,169	3,464	4,397	13,425	17,822

* Number of marriages per 1,000 of mean population.

Note. For data on marriages registered in each year commencing with 1891, see Section III. Statistical Summary.

No. 2. Live Births: Number and Rate; Nuptiality; Masculinity-1954 to 1964

Year			Number				Rate*		Proportion of Ex-nuptial to Total	Male Live Births per 100
	Male	Female	Total	Nuptial	Ex-nuptial	Total	Nuptial	Ex-nuptial	Live Births	Female Live Birth
				NEW	south wa	LES				
			00 10						Per cent.	
1954 1955 1956 1957 1958 1959	37,453 38,081 39,209 40,879 40,809 41,316	35,672 36,326 36,505 38,577 39,236 39,550	73,125 74,407 75,714 79,456 80,045 80,866	70,236 71,383 72,409 76,018 76,213 76,849	2,889 3,024 3,305 3,438 3,832 4,017	21.33 21.30 21.29 21.92 21.66 21.49	20.49 20.44 20.36 20.97 20.62 20.42	0.84 0.86 0.93 0.95 1.04 1.07	3.95 4.06 4.37 4.33 4.79 4.97	105 105 107 106 104 104
1960 1961 1962 1963 1964	42,231 44,224 44,014 43,059 41,414	39,752 42,168 41,425 41,006 39,104	81,983 86,392 85,439 84,065 80,518	77,869 81,817 80,668 79,242 75,091	4,114 4,575 4,771 4,823 5,427	21.38 22.07 21.46 20.75 19.54	20.31 20.90 20.26 19.56 18.22	1.07 1.17 1.20 1.19 1.32	5.02 5.30 5.58 5.74 6.72	106 105 106 105 106
				M	ETROPOLIS				11	1
1954 1955 1956 1957 1958 1959	18,017 18,281 18,996 20,048 20,069 20,782	16,944 17,480 17,754 18,914 19,471 19,488	34,961 35,761 36,750 38,962 39,540 40,270	33,475 34,215 34,905 37,126 37,448 38,100	1,486 1,546 1,845 1,836 2,092 2,170	18.74 18.75 18.84 19.52 19.33 19.29	17.94 17.94 17.89 18.60 18.31 18.25	0.80 0.81 0.95 0.92 1.02 1.04	Per cent. 4.25 4.32 5.02 4.71 5.29 5.39	106 105 107 106 103 107
1960 1961 1962 1963 1974	20,961 22,453 22,389 22,171 21,686	19,817 21,496 21,120 21,127 20,476	40,778 43,949 43,509 43,298 42,162	38,510 41,269 40,760 40,465 38,912	2,268 2,680 2,749 2,833 3,248	19.11 20.14 19.61 19.18 18.31	18.05 18.91 18.38 17.93 16.90	1.06 1.23 1.24 1.25 1.41	5.56 6.10 6.32 6.54 7.70	106 104 106 105 107

* Number of live births per 1,000 of mean population Note. For data on live births registered in each year commencing with 1891, see Section III. Statistical Summary.

No. 3. Still-births: Number and Rate; Nuptiality; Masculinity-1954 to 1964

Year	Nu	ptial	Ex-n	uptial		Total		Rate per 1,000 of	Rate per 1,000 Total	Proportion of Ex-nuptial	Male Still-births per 100
	Males	Females	Males	Females	Males	Females	Persons	Mean Population	Births*	to Total Still-births	Female Still-births
				NE'	w south	H WALES					
1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964	621 635 637 624 597 643 627 643 505 566 479	509 546 554 572 527 502 544 566 509 504 431	47 35 49 52 45 65 45 51 44 52 51	30 27 33 34 39 31 45 46 41 43 42	668 670 686 676 642 708 672 694 549 618 530	539 573 587 606 566 533 589 612 550 547 473	1,207 1,243 1,273 1,282 1,208 1,241 1,261 1,306 1,099 1,165 1,003	0.35 0.36 0.36 0.35 0.33 0.33 0.33 0.28 0.29 0.24	16.24 16.43 16.54 15.88 14.87 15.11 15.15 14.89 12.70 13.67 12.30	6.38 4.99 6.44 6.71 6.95 7.74 7.14 7.43 7.73 8.15 9.27	124 117 117 112 113 133 114 113 100 113 112
					METROF	POLIS					
1954 1955 1956 1957 1958 1959	287 287 290 291 262 287	233 268 249 246 222 237	27 16 26 26 17 37	14 13 18 21 21	314 303 316 317 279 324	247 281 267 267 243 252	561 584 583 584 522 576	0.30 0.31 0.30 0.29 0.26 0.28	15.79 16.07 15.62 14.77 13.03 14.10	7.31 4.97 7.55 8.05 7.28 9.03	127 108 118 119 115
1960 1961 1962 1963 1964	317 277 222 285 236	244 259 271 253 203	25 24 23 27 27	22 21 14 25 23	342 301 245 312 263	266 280 285 278 226	608 581 530 590 489	0.28 0.27 0.24 0.26 0.21	14.69 13.05 12.03 13.44 11.47	7.73 7.75 6.98 8.81 10.22	129 108 86 112 116

^{*} Live births and still-births combined.

No. 4. Deaths: Number and Rate; Masculinity; Deaths of Infants—1954 to 1964 (Excluding Still-births)

		Number			Rate*		Proportion per cent.			f Children ear of age	
Year	Males	Females	Persons	Males	Females	Persons	of Male to Female Rate	Males	Females	Persons	Per 1,000 Live Births
				NE	w south	WALES					
1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964	18,256 18,670 19,166 18,734 18,279 19,857 19,557 19,652 20,633 20,594 21,899	14,188 13,883 14,898 14,583 14,071 15,392 15,473 15,396 16,228 16,632 17,588	32,444 32,553 34,064 33,317 32,350 35,249 35,030 35,048 36,861 37,226 39,487	10.59 10.63 10.70 10.26 9.83 10.49 10.13 9.97 10.33 10.12 10.58	8.32 8.00 8.44 8.11 7.67 8.24 8.13 7.92 8.18 8.25 8.58	9.46 9.32 9.58 9.19 8.75 9.37 9.14 8.95 9.26 9.19 9.58	127 133 127 127 128 127 125 126 126 126 123 125	1,041 1,072 1,008 1,045 997 1,058 1,006 1,036 1,037 932 933	809 778 769 759 707 774 729 764 788 741 701	1,850 1,850 1,777 1,804 1,704 1,832 1,735 1,800 1,825 1,673 1,634	25.30 24.86 23.47 22.70 21.29 22.65 21.16 20.84 21.36 19.90 20.29
					METRO	POLIS					
1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964	10,229 10,513 10,813 10,435 10,357 11,062 11,063 11,143 11,691 11,695 12,379	8,806 8,583 9,249 9,033 8,774 9,563 9,495 9,595 9,991 10,349 10,863	19,035 19,096 20,062 19,468 19,131 20,625 20,558 20,738 21,682 22,044 23,242	11.22 11.27 11.31 10.65 10.30 10.77 10.52 10.34 10.67 10.48	9.22 8.81 9.30 8.89 8.44 9.02 8.78 8.69 8.90 9.07 9.34	10.20 10.01 10.28 9.76 9.35 9.88 9.64 9.50 9.77 9.77	122 128 122 120 122 119 120 119 120 116 116	451 472 441 458 438 493 464 502 508 445 438	336 342 343 337 354 349 338 375 368 342 343	787 814 784 795 792 842 802 877 876 787	22.51 22.76 21.33 20.40 20.03 20.91 19.67 19.95 20.13 18.18 18.52

^{*} Number of deaths per 1,000 of mean population.

Note. For data on deaths registered in each year commencing with 1891, see Section III. Statistical Summary.

No. 5. Live Births, Deaths, Deaths under One Year, and Still-births: Number in each Statistical Division of N.S.W., 1964

Division	Estimated Mean		Live Birth	s		Total Deat Iding Still-			hs under I Iding Still-l		Still-
	Population, 1964	Males	Females	Total	Males	Females	Total	Males	Females	Total	births
Metropolis Balance of Cumberland Cumberland	2,302,830	21,686	20,476	42,162	12,379	10,863	23,242	438	343	781	489
	131,150	1,465	1,399	2,864	456	369	825	27	35	62	42
	2,433,980	23,151	21,875	45,026	12,835	11,232	24,067	465	378	843	531
North Coast	169,580	1,722	1,654	3,376	859	626	1,485	30	30	60	52
Newcastle Urban Area	219,560	2,244	2,143	4 ,387	1,258	1,047	2,305	59	44	103	57
Balance of Hunter and Manning	251,990	2,363	2,249	4 ,612	1,744	1,127	2,871	65	52	117	61
Hunter and Manning	47 1,550	4,607	4,392	8,999	3,002	2,174	5,176	124	96	220	118
Greater Wollongong	145,890	1,667	1,526	3,193	539	413	952	42	23	65	32
	102,820	1,076	1,054	2,130	523	363	886	34	16	50	39
	248,720	2,743	2,580	5,323	1,062	776	1,838	76	39	115	71
Northern Tableland	56,440	646	564	1,210	319	244	563	22	12	34	19
Central Tableland	163,360	1,749	1,640	3,389	934	724	1,658	53	19	72	55
Southern Tableland	68,420	791	695	1,486	394	225	619	18	12	30	25
North Western Slope	71,530	806	755	1,561	323	244	567	20	12	32	19
	69,520	868	794	1,662	378	220	598	14	13	27	21
	137,820	1,653	1,616	3,269	729	529	1,258	37	40	77	33
North Central Plain	35,600	443	441	884	179	115	294	15	8	23	9
	29,600	441	353	794	146	75	221	13	12	25	9
	92,630	1,113	1,088	2,201	400	222	622	20	10	30	25
Western DivisionLord Howe IslandMigratory	61,460 270 11,131	677 4 	655 2 	1,332 6 	337 2 	180 2 	517 4 	25 i	20	45 I 	
Total, excluding Metropolis	1,818,771	19,728	18,628	38,356	9,520	6,725	16,245	495	358	853	514
Total, New South Wales	4,121,601	41,414	39,104	80,518	21,899	17,588	39,487	933	701	1,634	1,003

No. 6. Live Births, Deaths, Deaths under One Year, and Still-births: Rates for each Statistical Division of N.S.W., 1964

		Rate per 1,000 of	Mean Population	Infantile	Still-l	pirths
Division		Live Births	Total Deaths (exclud- ing Still-births)	Mortality (Deaths under I year per 1,000 Live Births)	Rate per 1,000 of Mean Population	Per I,000 All Births (Live and Still)
Metropolis Balance of Cumberland Cumberland		18.31 21.84 18.50	10.09 6.29 9.89	18.52 21.65 18.72	0.21 0.32 0.22	11.47 14.45 11.66
North Coast		19.91	8.76	17.77	0.31	15.17
Newcastle Urban Area Balance of Hunter and Manning		19·98 18.30 19.08	10.50 11.39 10.98	23.48 25.37 24. 45	0.26 0.24 0.25	12.83 13.05 12.94
Greater Wollongong Balance of South Coast South Coast		21.88 20.72 21.40	6.53 8.62 7.39	20.36 23.47 21.60	0.27 0.31 0.29	12.07 14.80 13.16
Northern Tableland Central Tableland Southern Tableland		21.44 20.75 21.72	9.98 10.15 9.05	28.10 21.25 20.19	0.34 0.34 0.37	15.46 15.97 16.55
North Western Slope Central Western Slope South Western Slope		21.82 23.91 23.72	7.95 8.60 9.13	20.50 16.25 23.55	0.27 0.30 0.24	12.03 12.48 9.99
North Central Plain Central Plain Riverina		24.83 26.82 23.76	8.26 7.47 6.71	26.02 31.49 13.63	0.25 0.30 0.27	10.08 11.21 11.23
Western Division		21.67	8.41	33.78	0.26	11.87
Total, excluding Metropolis		21.22	8.99	22.24	0.28	13.22
New South Wales		19.54	9.58	20.29	0.24	12.30

No. 7. Live Births, Still-births, and Deaths in Municipalities and Shires of N.S.W., 1964

(See Explanatory Note 5, page 6)

										Dea	ths		
Municipality or Shire	Estimated Population at		Live Birt	hs		Still-birth	ıs		Total		Und	er One	Year
	30th June, 1964	M.	F.	Total	М.	F.	Total	М.	F.	Total	М.	F.	Total
Metropolis—													
City of Sydney	. 167,800	1,688	1,599	3,287	26	17	43	1,526	1,144	2,670	52	54	106
Other Municipalities— Ashfield Auburn Bankstown Blacktown (Part)* Botany Burwood	. 49,350 . 162,550 . 77,110 . 29,210	385 375 1,650 1,136 235 241	381 361 1,489 1,090 190 225	766 736 3,139 2,226 425 466	3 14 17 13 2 4	 11 17 16 	4 25 34 29 2 7	285 454 582 217 180 203	348 220 510 140 148 235	633 674 1,092 357 328 438	7 9 31 30 2 6	6 7 32 21 2 5	13 16 63 51 4
Canterbury	. 27,000 . 29,900 . 91,280	937 162 231 1,110 631	936 157 214 1,121 600	1,873 319 445 2,231 1,231	13 1 2 8 3	9 2 10 3	22 4 18 6	589 186 201 283 153	463 145 182 207 127	1,052 331 383 490 280	18 10 22 12	12 2 5 25 11	30 2 15 47 23
Hunter's Hill Hurstville Kogarah Ku-ring-gai Lane Cove	. 63,660 . 47,850 . 81,800	87 492 341 675 202	70 510 310 660 162	157 1,002 651 1,335 364	 4 4 8 1	 6 4 7 3	 10 8 15 4	80 290 272 378 135	96 244 262 351 143	176 534 534 729 278	5 13 11 11 4	2 11 2 6 6	7 24 13 17 10
Leichhardt Liverpool (Part)* Manly Marrickville Mosman	38,950 37,000 74,500	658 658 240 906 198	602 675 262 804 178	1,260 1,333 502 1,710 376	13 8 3 9	8 10 3 10	21 18 6 19	433 168 235 498 181	362 126 259 495 233	795 294 494 993 414	17 13 2 20 3	8 10 5 7 3	25 23 7 27 6
North Sydney Parramatta Randwick Rockdale Ryde	. 108,800 . 111,960 . 80,470	42 I 974 876 588 744	344 960 882 517 694	765 1,934 1,758 1,105 1,438	4 20 6 6 10	7 9 11 5 8	11 29 17 11 18	352 497 743 450 349	365 416 664 422 325	717 913 1,407 872 674	4 12 21 10 14	7 12 14 1	24 35 11 26
Strathfield	. 65, 50 . 54,350	176 442 310 306	180 427 328 261	356 869 638 567	3 7 7 1	1 3 2 2	4 10 9 3	204 457 299 276	200 399 323 314	404 856 622 590	2 13 7 4	1 7 4 3	3 20 11 7
Shires— Baulkham Hills (Part)* Hornsby (Part)* Sutherland Warringah	. 126,300	202 754 1,475 1,180	192 691 1,339 1,065	394 1,445 2,814 2,245	9	1 12 14 10	2 21 25 32	37 243 446 497	51 232 347 365	88 475 793 862	5 5 21 22	3 9 12 16	8 14 33 38
Total, Metropolis	. 2,300,100	21,686	20,476	42,162	263	226	489	12,379	10,863	23,242	438	343	781
Municipalities— Blacktown (Part)* Camden (Part)† Campbelltown Liverpool (Part)* Penrith § Windsor	. 4,100 . 24,400 . 5,350	265 35 296 37 544 142	248 26 254 40 542 166	513 61 550 77 1,086 308	5 1 2 1 8 4	2 1 2 9	7 2 4 1 17 6	69 15 92 19 134 68	81 8 68 14 118 38	150 23 160 33 252 106	3 1 3 14	7 5 3 16 4	10 1 8 3 30 5
Shires— Baulkham Hills (Part)* Hornsby (Part)*	0.000	71 75	50 73	121 148	2		2	22 37	23 19	45 56	2 3		2 3
Total, Balance of Cumberlan	130,990	1,465	1,399	2,864	23	19	42	456	369	825	27	35	62
North Coast—													
Municipalities— Ballina Casino ‡ Grafton	. 8,120	35 91 143	43 87 161	78 178 304	 I 4	 2	 I 6	35 36 93	20 30 72	55 66 165			8
Kempsey Lismore	. 19,110	90 230 17	89 236 18	179 466 35		 5	2 5	49 96 15	34 102 11	83 198 26	4 I 	4 7 1	8 8 1
Shires— Bellingen	8,210 14,750 2,440 3,020	82 55 144 19 18	64 59 138 12 17	146 114 282 31 35		 2 2 	2 2 2 1	45 34 67 10 6	28 22 47 6 4	73 56 114 16 10	2 5 	 3 	 8

^{*} Liverpool and Blacktown Municipalities and Baulkham Hills and Hornsby Shires are divided between Metropolis and Balance of Cumberland Division.
† Camden Municipality is divided between Balance of Cumberland and South Coast Divisions.
‡ See note ¶, page 27.
‡ From Ist November, 1963, part of City of Blue Mountains (3,600 acres, with an estimated population of 1,300) was transferred to the City of Penrith.

No. 7. Live Births, Still-births, and Deaths in Municipalities and Shires of N.S.W., 1964 (continued)

										De	aths		
Municipality or Shire	Estimated Population at		Live Birtl	hs	St	ill-birth	5		Total		Und	er One	Year
	30th June, 1964	М.	F.	Total	M.	F.	Total	M.	F.	Total	М.	F.	Total
North Coast (continued)—													
Shires (continued)— Kyogle‡	10,050 6,560 7,680 9,110 1,950	126 81 77 96 8	109 71 83 70 14	235 152 160 166 22	 2 1 4	3 2 2	3 4 1 6	58 37 37 52 6	32 31 35 25 3	90 68 72 77 9	I		2 1 4 1
Terania	5,670 4,170 2,900 22,640 2,690 3,800	51 47 32 209 26 45	60 39 34 187 25 38	111 86 66 396 51 83	3 4 	 3 2 1	3 2 7 2 2	17 20 11 97 13 25	10 19 7 67 11	27 39 18 164 24 35	 I 3 	 I 5 	 2 8
Total, North Coast‡	169,380	1,722	1,654	3,376	26	26	52	859	626	1,485	30	30	60
Hunter and Manning—													
Municipalities— Cessnock, Greater Maitland Muswellbrook Newcastle*	34,700 28,100 5,730 144,700	292 257 70 1,382	269 277 74 1,317	561 534 144 2,699	3 3 2 14	4 3 1 16	7 6 3 30	267 159 34 943	200 104 18 828	467 263 52 1,771	13 6 5 37	9 7 I 27	22 13 6 64
Port Macquarie Singleton Taree	6,590 5,960 10,470 2,870	57 79 104 24	57 76 93 23	114 155 197 47	 1 2		 2 3 1	41 40 53 15	27 27 44 11	68 67 97 26	 3 	 3 3	2 3 6
Shires— Dungog	6,450 4,400 38,300 10,860	73 51 353 120	58 57 326 101	131 108 679 221	 2 2 2	 7 	 2 9 2	42 20 379 62	25 10 230 33	67 30 609 95	1 2 9 1	 4 1	2 2 13 2
Part in N.U.A. *	74,600 28,550 103,150	862 237 1,099	826 234 1,060	1,688 471 2,159	12 2 14	15 4 19	27 6 33	315 157 472	219 128 347	534 285 819	22 4 26	17 5 22	39 9 48
Manning Muswellbrook Patrick Plains Port Stephens	11,500 3,480 4,170 13,260	110 45 47 151	110 29 36 147	220 74 83 298	2 3 5	 	3 1 3 6	57 16 19 87	47 I 8 50	104 17 27 137	2 1 2 6	 2	6 1 2 8
Scone Stroud Wyong	7,210 6,800 22,290	67 61 165	75 58 149	142 119 314	 3 1	 1 2	 4 3	58 49 189	30 25 109	88 74 298	3 3 2	4 5 3	7 8 5
Total, Hunter and Manning— N.U.A.* Balance of Hunter and Manning	0 = 1 / 0 0	2,244	2,143	4,387 4,612	26	31 28	57 61	1,258 1,744	1,047	2,305 2,871	59 65	44 52	103
Total	470,990	4,607	4,392	8,999	59	59	118	3,002	2,174	5,176	124	96	220
South Coast— Municipalities— Bega	5,030 3,250 5,700 18,470	51 49 26 61 218 1,667	54 47 30 56 187 1,526	105 96 56 117 405 3,193	 	 I 3 14	1 1 2 5 39	25 22 13 19 77 539	25 29 11 10 32 413	50 51 24 29 109 952	2 1 2 12	2 3	4 1 2 15
Shires— Eurobodalla	5,960	60 49 48 33	76 51 40 32	136 100 88 65	3 I 2	3 	4 3 1 2	45 23 28 25	27 22 22 13	72 45 50 38	 2	 	3 I 2
Shoalhaven Tallaganda‡ Wingecarribee Wollondilly	2,380 7,830	288 15 74 104	289 19 69 104	577 34 143 208	1 1 4 2	3 2	4 1 4 4	124 17 43 62	88 9 39 36	212 26 82 98	5 3 6	3 3 2	 6 8
Total, South Coast— Wollongong, Greater Balance of South Coast		1,667 1,076	1,526 1,054	3,193 2,130	19	13 14	32 39	539 523	413 363	952 886	42 34	23 16	65
Total‡	248,420	2,743	2,580	5,323	44	27	71	1,062	776	1,838	76	39	115

^{*} Newcastle Urban Area comprises the City of Newcastle and portion of adjoining Lake Macquarie Shire (see Explanatory Note 2, page 5). † Camden Municipality is divided between South Coast and Balance of Cumberland Divisions. † See note ¶, page 27.

No. 7. Live Births, Still-births, and Deaths in Municipalities and Shires of N.S.W., 1964 (continued)

										Dea	ths		
Municipality or Shire	Estimated Population at 30th June,		Live Birtl	ns	S	till-birth	is		Total		Und	er One `	ſear
	1964	М.	F.	Total	М.	F.	Total	М.	F.	Total	M.	F.	Total
Northern Tableland—													
Municipalities— Armidale Glen Innes Inverell Tenterfield ‡	5,730 8,450	158 55 92 36	134 56 94 39	292 111 186 75	 3 	2 I 	4 1 3 3	65 36 47 19	47 37 48 18	112 73 95 37	7 1 4	3 2 	10 3 4 1
Shires— Dumaresq Guyra Macintyre (Part) *	5,230	28 84 9	30 49 14	58 ! 33 23	2 I	2 I 	4 2 	12 37 8	14 22 4	26 59 12	 2 1	2 2 	2 4 1
Severn Tenterfield ‡ Uralla Walcha	3,860 4,470	41 26 70 47	28 19 52 49	69 45 122 96			 	27 21 26 21	17 9 15 13	44 30 41 34	 2 2 3		1 2 2 4
Total, Northern Tableland ‡	56,370	646	564	1,210	8	11	19	319	244	563	22	12	34
Central Tableland—													
Municipalities— Bathurst	29,650 6,550 13,820 5,300	142 296 89 143 51 265	151 280 67 134 40 268	293 576 156 277 91 533	 7 2 2 2 2 7	 3 6 1 3	 10 2 8 3 10	105 201 40 85 37 110	66 197 25 58 32 89	171 398 65 143 69 199	3 10 3 6 	4 5 2 	7 15 3 8
Shires— Abercrombie	8,060 6,120 5,710	23 83 26 57 28	27 75 15 48 21	50 158 41 105 49		 	 	11 45 25 30 13	10 27 23 25 7	21 72 48 55 20	 3 2 I		 3 1 3
Crookwell Cudgegong Lyndhurst Merriwa	5,820	73 63 78 23	75 62 54 32	148 125 132 55	1 2 4 	 2 I	1 4 5 	31 37 33 6	30 23 28 9	61 60 61 15			2 I 2
Oberon Rylstone Turon Waugoola Wellington (Part)†	5,050 2,410 4,760	53 57 26 56 117	50 59 25 56 101	103 116 51 112 218	 I I 2	 	 	20 24 10 22 49	21 16 6 7 25	41 40 16 29 74	 2 6	 	 3 6
Total, Central Tableland	163,170	1,749	1,640	3,389	33	22	55	934	724	1,658	53	19	72
Southern Tableland—													
Municipalities— Bombala	9,300 20,610	21 133 220 135 38	22 120 199 122 32	43 253 419 257 70	 4 2 1	1 3 2 2	I 4 4 4 3	6 36 143 52 24	4 23 101 30 9	10 59 244 82 33	 3 9 3	 2 4 2	 5 13 5
Shires— Bibbenluke	2,880	26 36 31	31 26 13	57 62 44				15 21 21	3 9 12	18 30 33		₁	
Monaro Mulwaree Snowy River Yarrowlumla ‡	4,760 5,630	26 42 55 28	22 35 58 15	48 77 113 43		 4 2 	 4 3 1	8 23 27 18	7 10 5 12	15 33 32 30	 1 2	 2 1	 2 2 2
Total, Southern Tableland‡	68,340	791	695	1,486	П	14	25	394	225	619	18	12	30
North Western Slope—													
Municipalities— Gunnedah	2,750	72 44 274	91 42 231	163 86 505	₂	₃	₅	34 16 102	19 17 79	53 33 181	1 2 5		1 2 8
Shires— Ashford ‡ Barraba Bingara Cockburn	2 770	45 20 27 49	25 38 25 37	70 58 52 86		₁	₁	8 12 15 17	4 11 13 13	12 23 28 30	 I 2	 2 	 3 2

* Macintyre Shire is divided between Northern Tableland and North Western Slope Divisions.
† Coolah and Wellington Shires are divided between Central Tableland and Central Western Slope Divisions.

\$ See note ¶, page 27.

From 1st November, 1963, part of City of Blue Mountains (3,600 acres with an estimated population of 1,300) was transferred to the City of Penrith. P21444—3 K 6012

No. 7. Live Births, Still-births, and Deaths in Municipalities and Shires of N.S.W., 1964 (continued)

	Estimated		ive Birth.	ıs	c	till-birth	c			D	eaths		
Municipality or Shire	Population at 30th June,		ווים פיי.		3	un-birth	5		Total		Und	der One	Year
	1964	М.	F.	Total	М.	F.	Total	М.	F.	Total	М.	F.	Total
North Western Slope (continued)—													-
Shires (continued)— Liverpool Plains	4,700 2,760 3,220 2,770	56 22 38 24	50 21 35 31	106 43 73 55	1 2 		3 	15 13 19 14	10 8 16	25 21 35 25			
Nundle Peel Tamarang Yallaroi ‡	1,300 5,500 2,710 4,590	9 54 26 46	13 47 31 38	22 101 57 84	 2		 1 2	6 20 10 22	3 17 10 13	9 37 20 35	3 	1 1 3	1
Total, North Western Slope‡	71,440	806	755	1,561	12	7	19	323	244	567	20	12	32
Central Western Slope—													
Municipalities— Dubbo	15,100 7,070 2,350 8,530 1,450	208 99 36 107 26	187 108 32 85 19	395 207 68 192 45	2 I I	4 2 I	6 3 2	95 46 13 51 15	60 30 14 32 6	155 76 27 83 21	7 1 2 1	2 3 I	9 4 2 2
Shires— Boree	5,800 2,210 5,250 5,290 3,670	69 28 61 73 38	58 27 63 71 28	127 55 124 144 66	 2 1		1 3 1	36 15 26 20 5	17 4 15 7 2	53 19 41 27 7	 2	2 1 2 	2 2 2 2
Molong Talbragar Timbrebongie Wellington (Part) †	4,260 2,980 3,600 1,880	54 17 42 10	47 23 41 5	101 40 83 15			1 2 1	27 9 13 7	21 9 1 2	48 18 14 9			
Total, Central Western Slope	69,440	868	794	1,662	10	11	21	378	220	598	14	13	27
South Western Slope—													
Municipalities— Albury ‡	23,950 6,060 2,330 3,940	369 90 27 69	373 76 32 55	742 166 59 124		4 2 1	8 2 I	143 34 18 22	110 33 19	253 67 37 41	5 	7 2 1	12 3 2 1
Murrumburrah Temora Wagga Wagga Young	2,570 4,390 23,300 5,480	38 53 297 83	25 46 295 73	63 99 592 156	1 1 2	 3 1	2 I 5 I	11 34 112 39	14 24 87 34	25 58 199 73	1 1 6 5	 8 4	1 2 14 9
Shires— Bland	8,400 3,530 4,260 2,670 4,640	104 35 45 28 61	106 32 53 27 55	210 67 98 55 116	3 I 	:::	3 2 I	46 22 21 16 36	35 5 11 6 19	81 27 32 22 55	2 3	 I 3	3 I 2 6
Holbrook	2,790 3,140 1,960 2,200 4,900	29 28 18 19 52	26 33 10 10 39	55 61 28 29 91				17 16 10 5 8	8 12 7 6 7	25 28 17 11 15	2 2 	₄ ₁	2 4 2
Mitchell	4,040 2,800 7,320 9,900 3,090	19 25 32 114 18	27 27 38 119 39	46 52 70 233 57	2	 I 3	 I 5	12 11 27 58 11	3 10 10 46 4	15 21 37 104 15	1 1 2 2 2	 I 2 3	1 2 2 4 3
Total, South Western Slope‡	137,660	1,653	1,616	3,269	14	19	33	729	529	1,258	37	40	77
North Central Plain— Municipalities—	7.240	117	10.4	2.40									
Moree Narrabri	7,360 5,650	116 79	124 74	240 153			1	36 32	32 19	68 51	3		8
Shires— Boolooroo ‡	3,900 2,970 7,780 7,900	32 16 89 111	33 27 80 103	65 43 169 214	 2 	 1 2 2	 4 2	18 18 44 31	8 5 31 20	26 23 75 51	1 1 6 3	 I	3 1 7 3
Total, North Central Plain ‡	35,560	443	441	884	3	6	9	179	115	294	15	8	23

^{*} Macintyre Shire is divided between North Western Slope and Northern Tableland Divisions.
† Coolah and Wellington Shires are divided between Central Tableland and Central Western Slope Divisions.
‡ See note ¶, page 27.

No. 7. Live Births, Still-births, and Deaths in Municipalities and Shires of N.S.W., 1964 (continued)

				l. Di			Still-birt	1			De	eaths		
Municipality or Shire		Estimated Population at 30th June,		Live Birt	ns		Still-Dirt	ns		Total		Und	der One	Year
		1964	М.	F.	Total	М.	F.	Total	М.	F.	Total	M.	F.	Total
Central Plain—														
Municipalities— Condobolin		3,280 2,560	56 37	52 27	108		3	3 2	27 16	12	39 29	5 I	3 I	8 2
Shires— Bogan (Part)* Coonamble Lachlan Walgett (Part) † Warren		1,600 7,470 6,000 4,600 4,050	17 118 93 67 53	19 82 60 54 59	36 200 153 121 112	 1 2		 2 2	10 34 20 23 16	2 17 15 8	12 51 35 31 24	2 2 2 	 5 1 2	1 7 3 2 2
Total, Central Plain		29,560	441	353	794	4	5	9	146	75	221	13	12	25
Riverina														
Municipalities— Deniliquin Hay		5,980 3,190	69 48	98 41	167 89	2	•••	2	33 26	16	49 37			
Shires— Berrigan¶ Carrathool (Part) ‡ Conargo Coolamon	• •	6,350 3,610 2,120 4,580	71 43 8 73	79 39 7 46	150 82 15 119		 2 	₂	22 14 2 27	18 6 2 14	40 20 4 41	2 I 3	•••	2 I
Corowa¶ Culcairn Jerilderie Leeton Lockhart		5,440 4,430 2,180 10,650 4,400	67 55 23 124 56	95 55 23 117 40	162 110 46 241 96	2	 	2 1 3	35 19 8 48 20	17 24 2 21 7	52 43 10 69 27	2 2	4 3 	6 3 2
Murray¶ Murrumbidgee Narrandera Urana Wade		3,360 1,550 8,050 2,470 16,940	8 25 109 36 238	11 16 111 31 224	19 41 220 67 462	 2 3	 1 2 1 4	 3 2 1 7	5 4 51 14 53	3 1 27 7 37	8 5 78 21 90	 3 1 4	 2	 1 3 1 6
\Vakool¶ Waradgery (Part) ‡ Windouran		5,500 870 850	42 13 5	42 10 3	84 23 8				15 4 	7 ! !	22 5 1			
Total, Riverina¶		92,520	1,113	1,088	2,201	10	15	25	400	222	622	20	10	30
Western Division—														
Municipalities— Broken Hill¶		29,810	322	322	644	4	1	5	151	100	251	П	6	17
Shires— Balranald¶ Bogan (Part) * Brewarrina Carrathool (Part) ‡ Central Darling Cobar Darling Valgett (Part) † Waradgery (Part) ‡ Wentworth ¶		3,020 190 3,370 440 4,180 4,350 5,160 2,120 80 6,390	23 49 3 62 72 94 26 	28 46 1 55 73 93 13 	51 2 95 4 117 145 187 39 	 2 3 	:::	 3 4 	23 1 34 21 41 16	6 2 11 13 11 22 6 	17 3 34 1 47 32 63 22 	 4 3 3 1 2	2 2 2 5 I	2 6 5 6 3
Unincorporated		2,280	6	5	11				7	1	8	1		1
Total, Western Division¶		61,390	677	655	1,332	10	6	16	337	180	517	25	20	45
Lord Howe Island		270	4	2	6				2	2	4	1	• • •	1
Migratory		11,106											• • •	
Total, New South Wales		4,116,706	41,414	39,104	80,518	530	473	1,003	21,899	17,588	39,487	933	701	1,634

^{*} Bogan Shire is divided between Central Plain and Western Divisions.
† Walgett Shire is divided between Central Plain and Western Divisions.
† Carrathool and Waradgery Shires are divided between Riverina and Western Divisions.

* Figures of births and deaths for areas contiguous to the State's borders may be affected significantly by the registration in N.S.W. of births and deaths of residents of other States, and vice versa (see Explanatory Note 5 (a), page 6). Adjusted totals based on usual residence, irrespective of State of registration, are shown below for the areas mainly affected:—
North Coast Division: 3,461 births, 1,548 deaths (Casino M. 180 b., 74 d.; Kyogle S. 243 b., 96 d.; Tweed S. 453 b., 194 d.).
South Coast Division: 3,222 births, 1,838 deaths (Tallaganda S. 46 b., 26 d.).
Northern Tableland Division: 1,221 births, 563 deaths (Tenterfield M. 68 b., 35 d.; Tenterfield S. 62 b., 36 d.).
Southern Tableland Division: 1,512 births, 614 deaths (Gunning S. 48 b., 26 d.; Yarrowlumla S. 56 b., 32 d.).
North Western Slope Division: 1,588 births, 568 deaths (Ashford S. 90 b., 14 d.; Yallaroi S. 94 b., 34 d.).
South Western Slope Division: 3,132 births, 1,227 deaths (Albury M. 533 b., 231 d.; Tumbarumba S. 139 b., 43 d.).
North Central Plain Division: 949 births, 308 deaths (Boolooroo S. 166 b., 37 d.; Boomi S. 68 b., 26 d.).
Riverina Division: 2,337 births, 680 deaths (Berrigan S. 168 b., 44 d.; Corowa S. 160 b., 61 d.; Murray S. 80 b., 24 d.; Wakool S. 129 37 Western Division: 1,470 births, 554 deaths (Broken Hill M. 643 b., 269 d.; Balranald S. 79 b., 24 d.; Wentworth S. 136 b., 52 d.).

No. 8. Marriages, N.S.W.: Month of Registration, 1959 to 1964

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
1959	2,504	2,194	2,307	3,055	2,133	2,197	1,934	1,870	2,291	2,574	2,453	2,689	28,201
1960	2,373	2,611	2,544	2,517	2,861	2,295	1,680	2,121	2,472	2,803	2,582	2,469	29,328
1961	2,807	2,618	2,467	2,873	2,680	2,322	1,736	2,139	2,326	2,869	2,483	2,453	29,773
1962	3,006	2,384	2,790	2,350	2,983	2,243	2,109	2,072	2,424	3,022	2,505	2,472	30,360
1963	3,370	2,730	2,536	3,017	2,577	2,289	2,116	2,189	2,367	2,868	2,277	2,663	30,999
1964	3,258	2,606	2,574	3,346	2,452	2,503	2,028	2,288	2,700	3,048	2,676	3,154	32,633

No. 9. Marriages, N.S.W.: Denomination of Marriage Ceremony, 1964

			1964			10 years,	1955-1964	
Denomination of Marriage Ceremony	Total N	1arriages		Minors Married		Total M	arriages	Ministers of Religion Registered at 1st January, 1964,
,	Number	Proportion of Total	Males	Females	Persons	Number	Proportion of Total	for Celebration of Marriages
		Per cent.					Per cent.	
Church of England Roman Catholic Presbyterian Methodist	10,202 9,102 3,035 2,768	31.3 27.9 9.3 8.5	1,676 1,279 320 390	5,031 4,060 1,031 1,141	6,707 5,339 1,351 1,531	93,538 78,272 30,100 26,696	31.9 26.7 10.2 9.1	811 1,394 353 366
Orthodox Baptist Congregational Lutheran Salvation Army Churches of Christ	1,504 542 226 213 138 127	4.6 1.7 0.7 0.6 0.4 0.4	58 86 27 11 29 27	407 225 84 74 72 62	465 311 111 85 101 89	7,872 4,239 2,560 1,565 1,196 1,024	2.7 1.4 0.9 0.5 0.4	43 213 80 38 161 50
Seventh-day Adventist Other Christian Hebrew Registrars' Offices	107 255 127 4,287	0.3 0.8 0.4 13.1	15 29 1 449	45 102 31 1,060	60 131 32 1,509	900 1,890 1,223 42,498	0.3 0.7 0.4 14.4	133 193 20
Total	32,633	100.0	4,397	13,425	17,822	293,573	100.0	3,855

No. 10. Marriages, N.S.W.: Ages and Conjugal Condition of Contracting Parties, 1964

Age		Brideg	rooms			Bri	des	
(years)	Bachelors	Widowers	Divorced Men	Total	Spinsters	Widows	Divorced Women	Total
14 15 16 17 18 19 20	 2 68 863 1,374 2,090		 	 2 68 863 1,374 2,090	2 34 866 1,949 2,810 3,714 4,036	 3	 	2 34 866 1,949 2,811 3,717 4,046
Total, Minors	4,397			4,397	13,411	10	4	13,425
21-24 25-29 30-34 35-39 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80 or more	12,906 7,694 2,465 1,042 436 220 111 67 36 28 12 4	11 30 50 69 103 128 192 164 178 137 99 52	28 178 346 396 324 256 214 125 55 32 16 6	12,945 7,902 2,861 1,507 863 604 517 356 269 197 127 62 26	10,883 3,082 832 407 237 118 96 51 29 17 3	22 79 79 117 166 197 195 150 120 91 39 13 4	138 362 417 416 357 225 138 73 36 12 2 2	11,043 3,523 1,328 940 760 540 429 274 185 120 44
Total, All Ages	29,420	1,234	1,979	32,633	29,169	1,282	2,182	32,633

No. II. Marriages, N.S.W.: Relative Conjugal Conditions of Contracting Parties, 1964

Conjugal Condition		Conjugal Conditio	n of Bride	
of Bridegroom	Spinster	Widow	Divorced	All Brides
Bachelor Widower Divorced	27,806 375 988	456 555 271	1,158 304 720	29,420 1,234 1,979
All Bridegrooms	29,169	1,282	2,182	32,633

of le-	Total																		Age of	Bride	(years)																					
	Bride- grooms	14	15	16	17	18	19	20	21	22	23	24	25	26	27 28	29	30 31	32	33 3	4 35	36 3	7 38	39	40 41	42	43	44 4.	5 46	47	48 49	9 50	51	52 5	3 5	4 55	56	57 5	8 59	9 60	61	62 6	3 64	4 6
6 7 8 9 0 1 1 2 3	2 68 863 1,374 2,090 3,223 3,508 3,357 2,857	 	8 9 4 4 2 2	1 20 188 169 174 123 67 39 21	1 21 304 372 350 286 206 122 86	20 212 329 458 482 380 259 197	5 81 235 451 669 623 502 349	2 34 142 301 706 761 632 458	17 51 206 555 676 694 568	 10 28 83 206 399 474 441	 4 22 26 86 186 298 280	 I 6 II 50 94 I48 I88	 4 12 22 49 74 108	 1 5 17 19 53 64	2 2 2 2 7 3 13 10 25 13 32 23	7	 I I I 5		3		 										· · · · · · · · · · · · · · · · · · ·												
5 6 7 8 9 0 1 2 3 4	2,354 1,892 1,551 1,207 898 779 642 513 482 445		2 I I	20 7 12 11 2 4 2 	68 46 18 22 7 14 8 3 5	139 93 79 49 29 25 15 13 9	224 156 130 84 57 39 35 16 20	305 223 144 94 69 42 39 19	449 324 252 158 113 90 54 45 35 29	375 255 196 149 97 73 54 30 33 20	256 250 168 136 95 84 57 40 40 31	167 168 142 128 82 77 51 47 32 42	130 124 106 97 76 61 51 37 33 25	83 81 70 56 55 51 32 36	53 32 51 33 72 47 55 47 51 43 42 39 43 34 47 22 41 28 21 30	28 30 22 35 35	20 I 22 23 I 17 I	9 11	3 4 5 10	1 2 3 0 8 7 7 5 2 0 6 0 12 1 10 2 14 1 13	4	2 2 5 5 3 5 3 6 8 7 5 6	1 1 2 3 6 3 5	2 5 5 3		 2 1 			 		2	 				 							
5 6 7 8 9 0 1 2 3 4	370 356 264 281 236 222 201 153 165 122				 1 2 	8 2 1 4 1 	3 7 4 3 1	17 10 5 10 1 1 2	19 14 7 6 6 6 3 5 3	12 11. 7 6 4 4 2 2	19 15 8 11 8 3 2	24 24 14 7 6 6 6 2 3 2	20 18 16 13 8 5 3	27	21 27 22 19 11 17 13 9 12 7 6 6 7 4 2 3 3	16		7 13 2 14 4 9 7 2 3 11 6 14 1 5 9 4 4 3 3	12 18 10 8	5 10 4 16 0 13 9 13 6 7 3 11 0 10 0 8 6 9 5 3	9	7 9 15 4 5 7 13 9 8 8 7 8 8 8 7 4		3 3 10 10 9 8	8 2 2 1 0 3 4 9 2 7 6 10 8 6 5	7 5	3 5 5	3 2 4 2 4 4 3 6 7 5 3 2 2 4 4 6	2 1 2 3 1 4 4 2 6	2 . 2 2	2 2 1 1 2 3 1 5 3 1 4 2 3 2	 I 3	1 4 2 1	2	3	 							
5 6 7 8 9 0 1 2 3	143 128 115 112 106 139 114 92 80 92						2 I 2 		 2 	3 2 1 	5 2 2 I	 	 1 2 1 	1 2 1 1 	1 2 1 2 1 1	1 3 2 1 4 1 2 2 2 1 1	2 5 2 2 2 	6 2 4 4 4 2 4 4 2 2 2 3 3 3 1 I	1 4 2 3 1	4 2 3 4 3 6 4 2 2 3 2 6 3 1 1 1 3	7 6 4 2 1 3 1 1 2 2	6 9 6 11 3 5 5 5 6 6 5 2 4 2 1	14 3 3 5 4 6 4 1 2	5 4 4 7 2 I	6 7 6 6 4 6 5 5 7 3 6 6 1 8 2 4 5 3 6 3	8 5 5 5 6	6 5 7 7 6 5 4 4 4	5 9 1 8 7 4 2 5 5 3 9 5 4 8 3 3 3 2	4 5 2 5 8 6 3 7 7	4 3 3 5 6 1 4	1 3 5 1 5 3 9 4 4 9 6 3 3 5 6 3 5 7 7	3 4 5 4 4 5 8 6 2 5	2 3 4 12 1 5 3 7	2 3	2 2 I 1 2 3 I 7 I 4 3 2 3 2 I 2 6	2 5 2 1 1 3 1	2 2	1	1 1 1 1 1 2 1				
5 6 7 8 9 0 1 2 3	85 61 73 58 79 70 52 50 49 48								2		- T		 	 2	1			2 1 3 3 1 1 1 1 1 1 1	 2 1 1 	1 2 1 2 2 1 1 1 1 1 1	2	2 1 2 1 1 2	1 1 2 2	3 4	2 3 2 5 1 3 1 1	4 1 3 3	2			5 2 4 2 2 2 1 5	5 5 7 22 1 4 2 4 3 2 2 4 3 1 1 2 2	5 3 4 4 1 4 5 5 3 1 2 1	6 2 6 1 5 2 2 1 2	3	2 3 1 6 4 3 3 3 1 4 2 7 4 3 1 3 5 5 2	1 5 5 3 4 3 3 3	4 1 3 3 4 5 2 3 1 2	8 2 1 3 4 3 1 4 2 4	1 2 1 2 4 4 3 3 5 5 2 2 1	2 3 1 2 1 	2 1 1 3 1		1 3 3 2
55 66 7 88 9 or	55 42 33 27 40 215																			 I I I					I	 		5		I .	4	7 1 2 2		2 1 1 3 4	3 2 3 3 I 2 I 2 I	2 	I 5	8 3 2 .	4 I I I I I I I I I I I I I I I I I I I	2 4 1 1 	3 5 3 3	2 1 2 3 6 6 10	322
al des	32,633	2	34	866	1,949	2,811	3,717	4,046		2,982		1,530	1,110	836	571 519	387	328 29	4 248	238 2	20 218	201 18	9 167	165	63 16	8 138	153	138 12	22 105	100	91 12	22 84	103	87	73 8	32 58	58	45	65 4	48 42	43	32	-	_

VITAL STATISTICS

No. 13. Divorces, N.S.W.: Divorces and Nullities of Marriage Made Absolute, and Judicial Separations, 1954 to 1964

		Divorce Decrees Made Absolute		Nullit	y of Marriage De Made Absolute	crees	Ju	udicial Separation	s
Year	Husband as Petitioner	Wife as Petitioner	Total	Husband as Petitioner	Wife as Petitioner	Total	Husband as Petitioner	Wife as Petitioner	Total
1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964	1,202 1,250 1,330 1,296 1,417 1,448 1,464 1,419 1,389 1,364 1,222	1,614 1,624 1,795 1,679 1,800 1,915 1,779 1,737 1,724 1,929 1,802	2,816 2,874 3,125 2,975 3,217 3,363 3,243 3,156 3,113 3,293 3,024	9 4 6 12 8 9 12 6 8 2 3	19 13 12 20 10 14 15 12 18 9	28 17 18 32 18 23 27 18 26 11	 	7 8 4 6 5 5 I 	7 9 4 6 5 5 1

No. 14. Divorce Decrees Made Absolute, N.S.W.: Duration of Marriage and Number of Children of Marriage*, 1964

					Nu	mber of C	hildren of	Marriage*					Total Divorce	Total
Duration of Marriage (years)	0	1	2	3	4	5	6	7	8	9	10 or more	Not stated	Decrees Made Absolute	Children
Under I year I and under 2 2 3, , , , 3 3 3, , , 4 4, , , 5 5, , , 6 6, , , 7 7, , , 8 8, , , 9 9, , , 10 10, , , 11 11, , , 12 12, , , , 13 13, , , , 14 14, , , , 15 15, , , , 16 16, , , , , 17 17, , , , 18 18, , , , 19 19, , , 20 20, , , 25 25, , , , 30 30, , , 35 35, , , , 40 40, , , , 45 45 or more	 11 16 29 78 86 64 79 59 42 38 42 35 34 35 29 24 30 13 20 92 106 91 42 26 22	 5 13 44 52 56 57 45 57 35 35 40 28 31 23 36 30 39 18 79 57 24 6	I 2 7 7 15 22 30 39 34 22 35 42 38 47 18 36 36 36 31 26 102 42 10		I 3 2 1 6 9 9 8 8 7 7 8 8 8 3 3 3 4 4 I								12 22 44 132 156 150 178 158 145 112 137 144 118 149 99 121 127 111 83 364 234 130 50 26	 4 7 17 67 91 124 153 133 186 220 168 247 165 199 133 626 260 60 11
Total Divorces	1,143	810	636	292	97	27	11	4	2	1	-		3,024	
Total Children		810	1,272	876	388	135	66	28	16	9	10			3,610

^{*} The number of children recorded on petitions lodged. Petitions lodged under the superseded State legislation showed all children born to the marriage, irrespective of their age and whether living or dead at the time of the petition; those lodged under the 1959 Commonwealth Matrimonial Causes Act show the living children (including adopted children) of the marriage under 21 years of age.

No. 15. Divorce Decrees Made Absolute, N.S.W.: Ages of Husband and Wife at Time of Divorce, 1964

							Age	of Wife (years)						
Age of Husband (years)	Total Husbands	Under 15	15–19	20-24	25–29	30–34	35–39	40-44	45-49	50-54	55–59	60–64	65–69	70 or more	Not state
Under 20															
20–24	73		3	62	8										
25–29	363		2	125	205	26	2	2							
30-34	506		2	42	209	206	37	7	1	2					
35–39	563			8	60	206	222	51	12	2	2				
40-44	470			3	8	51	182	177	41	8					
45-49	387				6	16	52	153	127	24	4	3			
50-54	312					4	20	44	124	91	20	8			
55-59	165						10	15	29	58	44	7	2		
60-64	96					1	- 1	8	12	18	31	20	3	2	
65-69	52							4	4	4	9	17	- 11	2	
70-74	19							2			4	2	6	5	
75 or more	13												4	7	
Not Stated	5			• • •	• • •			1	• • •	I	• • •		•••	•••	2
Total Wives	3,024		7	242	497	510	526	464	350	209	114	59	27	17	2

No. 16. Summary of Confinements, Live Births, and Still-births, N.S.W., 1964

							Children			
Class of Birth		Confinements		Bor	n Living	Sti	II-born		All Births	
	Married Mothers	Unmarried Mothers	Total Mothers	Nuptial	Ex-nuptial	Nuptial	Ex-nuptial	Nuptial	Ex-nuptial	Total
Single Births	74,433	5,398	79,831	73,575	5,307	858	91	74,433	5,398	79,831
Twins— Both living One living, one still-		60	782	1,444	120		•••	1,444	120	1,564
born Both still-born	42		42 6	42	•••	42 10	2	84 10	2	84 12
Total, Twins	769	61	830	1,486	120	52	2	1,538	122	1,660
Triplets— All living Two living, one still-		•••	10	30				30	•••	30
born One living, two still-		• • •			• • •		• • •	•••	***	
born All still-born					• • •		• • •		• • •	• • •
Total, Triplets	10		10	30	•••			30	• • •	30
Quadruplets— All living					•••					
Total	75,212	5,459	80,671	75,091	5,427	910	93	76,001	5,520	81,521

Note Table 18 shows this information related to the ages of the mothers.

No. 17. Live Births in Statistical Divisions of N.S.W.: Monthly, 1964

Division		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year
Metropolis Balance of Cumberland	 M F M F	1,872 1,822 129 123	1,751 1,663 110 127	1,685 1,543 120 112	1,982 1,856 126 113	1,833 1,718 120 110	1,938 1,741 128 115	1,909 1,907 128 120	1,675 1,553 127 118	1,808 1,773 123 136	1,840 1,725 110 109	1,739 1,587 120 113	1,654 1,588 124 103	21,686 20,476 1,465 1,399
Cumberland	 M F	2,001 1,945	1,861 1,790	1,805 1,655	2,108 1,969	1,953 1,828	2,066 1,856	2,037 2,027	1,802 1,671	1,931	1,950 1,834	1,859 1,700	1,778 1,691	23,151 21,875
North Coast	 M F	148 131	139 131	134 146	167 143	148 122	183 173	159 159	134 143	129 147	132 125	125 118	124 116	1,722 1,654
Newcastle Urban Area Balance of Hunter and Manning	 M F M F	214 185 211 200	162 166 192 189	171 174 182 178	195 212 198 212	184 176 219 172	205 175 198 203	188 191 226 204	174 159 177 193	205 196 193 151	203 189 193 177	170 152 191 184	173 168 183 186	2,244 2,143 2,363 2,249
Hunter and Manning Greater Wollongong Balance of South Coast	 M F M F	425 385 146 128 111 85	354 355 154 145 82 79	353 352 115 109 93 94	393 424 145 121 97 103	403 348 150 129 98 102	403 378 147 151 88 97	414 395 141 132 95 96	351 352 136 131 90 75	398 347 140 116 87 84	396 366 156 150 80 91	361 336 122 117 91 71	356 354 115 97 64 77	4,607 4,392 1,667 1,526 1,076 1,054
South Coast Northern Tableland	 F M	257 213 58	236 224 52	208 203 51	242 224 48	248 231 52	235 248 65	236 228 65	226 206 50	227 200 52	236 241	213 188 55	179 174 47	2,743 2,580 646
Central Tableland	 F M F	49 163 142	47 142 129	44 135 122	40 153 133	29 145 144	55 156 154	52 143 135	56 132 115	54 151 153	44 157 146	47 145 148	47 127 119	564 1,749 1,640
Southern Tableland North Western Slope	 M F M	76 69 71	68 54 69	70 58 74	63 60 65	64 57 75	68 59 63	70 63 81	61 61 65	63 57 55	67 49 56	60 56 71	61 52 61	791 695 806
Central Western Slope	 F M F	71 84 74	68 93 54	60 71 82	63 102 65	44 66 69	77 71 73	58 71 66	57 60 71	65 49 72	60 67 50	64 71 60	68 63 58	755 868 794
South Western Slope North Central Plain	 M F M	156 151 36	150 127 34	143 159 29	167 155 43	133 115 48	133 137 30	139 143 44	111	142 135 34	123 121 46	122	134 130 34	1,653 1,616 443
Central Plain	 F M F	24 46 40	38 32 29	47 37 20	31 47 31	32 30 34	53 29 25	38 46 18	34 30 27	39 43 29	33 38 31	36 26 34	36 37 35	441 441 353
Riverina	 M	122	94 84	87 90	98	81 92	88 105	95 90	82 82	92 89	102	85 78	87 76	1,113
Western Division	 M F	68 55	58 73	64 60	56 57	46 67	65 72	51 48	63 43	47 35	59 52	44 45	56 48	677
Lord Howe Island	 M F			2			 							4 2
Total, excluding Metropolis	 M F	1,840 1,636	1,631 1,540	1,576 1,557	1,770 1,645	1,659 1,494	1,718 1,724	1,742	1,527 1,497	1,606 1,558	1,640 1,514	1,528 1,434	1,491	19,728 18,628
Total, New South Wales	 M F T	3,712 3,458 7,170	3,382 3,203 6,585	3,261 3,100 6,361	3,752 3,501 7,253	3,492 3,212 6,704	3,656 3,465 7,121	3,651 3,520 7,171	3,202 3,050 6,252	3,414 3,331 6,745	3,480 3,239 6,719	3,267 3,021 6,288	3,145 3,004 6,149	41,414 39,104 80,518

No. 18. Confinements, N.S.W.: Age of Mother and Plurality, 1964

		Single	Births				Cases	of Twins				Cases of	Triplets					
Age of Mother (years)	Live	Births	Still-	births	Both	Living		Living, till-born	Both S	Still-born		or More ving	All S	till-born	Cases of Quadruplets	A	II Confinement	ts
	Nuptial	Ex-nuptial	Nuptial	Ex-nuptial	Nuptial	Ex-nuptial	Nuptial	Ex-nuptial	Nuptial	Ex-nuptial	Nuptial	Ex-nuptial	Nuptial	Ex-nuptial		Nuptial	Ex-nuptial	Total
12 13 14 15 16 17 18	 2 31 361 1,137 2,001 2,743	 5 29 124 285 455 511 475	 4 8 23 17	4 8 8 8 12		 2 2 6 4										 1 2 31 367 1,149 2,035 2,775	5 29 126 289 465 525 491	6 31 157 656 1,614 2,560 3,266
20 21 22 23 24 25 26 27 28 29	3,641 4,022 4,691 4,976 5,387 5,097 4,928 4,574 4,143 3,591	394 358 309 244 239 211 171 146 150	38 43 51 46 43 44 36 36 37 39	4 5 4 2 6 4 7 1	19 25 37 37 46 49 50 51 44 46	3 2 2 2 2 4 1 3 1	3 3 1 2 3 1 1 2 				 2 2 					3,702 4,093 4,782 5,063 5,479 5,191 5,017 4,664 4,224 3,678	401 365 315 248 247 220 179 150 152	4,103 4,458 5,097 5,311 5,726 5,411 5,196 4,814 4,376 3,812
30 31 32 33 34 35 36 37 38 39	3,137 2,789 2,652 2,514 2,180 1,844 1,654 1,405 1,235 893	118 108 130 97 81 93 91 84 70 64	47 28 33 45 40 31 33 19 31	2 2 ! 3 2 3 	41 25 37 29 30 24 27 19 13 20	2 2 3 4 2 3 4 	3 4 2 2 1 3 1 4									3,229 2,847 2,725 2,591 2,251 1,900 1,717 1,444 1,283 935	120 112 133 103 84 99 97 87 70 67	3,349 2,959 2,858 2,694 2,335 1,999 1,814 1,531 1,353 1,002
40 41 42 43 44 45 46 47 48 49	667 481 352 239 111 57 24 10 4	47 37 19 18 12 2 3 1	13 18 19 4 4 3 2 1	::: ::: ::: :::	9 7 4 1 		I									691 506 376 244 116 60 27 11 5	48 38 20 19 12 2 4 1	739 544 396 263 128 62 31 12 5
50			•••	•••	•••	•••	•••	•••	• • •				•••		•••	***		
Not Stated		2		***		•••	•••	•••	•••	•••	•••	* * *		•••	•••	•••	2	2
Total	73,575	5,307	858	91	722	60	42		5		10					75,212	5,459	80,671

No. 19. Nuptial Confinements Resulting in a Live Birth, N.S.W.: Age of Mother and Previous Issue*, 1964

Age			1	Vumbe	r of Ma	arried	Mothe	rs With	Previ	ous Iss	ue* o	f:—							Total	Total	Average No. of	Age
of Mother (years)	0	ı	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	Married Mothers	Issue†	Child- ren†	Mother (years)
13 14	1 2																		1 2	1 2	1.00	13 14
15 16 17 18 19	27 342 1,035 1,672 1,965	20 103 318 672	 3 20 115																31 363 1,141 2,012 2,758	35 387 1,254 2,3 87 3,691	1.13 1.07 1.10 1.19 1.34	15 16 17 18 19
15-19	5,041	1,117	139	8															6,305	7,754	1.23	15-19
20 21 22 23 24	2,281 2,270 2,410 2,212 1,983	1,095 1,278 1,563 1,768 2,005	252 414 579 736 993	34 76 150 230 340	1 11 24 62 87	 1 4 7 20	 I 2 8												3,663 4,050 4,731 5,017 5,436	5,387 6,458 8,065 9,283 10,989	1.47 1.59 1.70 1.85 2.02	20 21 22 23 24
20-24	11,156	7,709	2,974	830	185	32	- 11												22,897	40,182	1.75	20-24
25 26 27 28 29	1,598 1,358 1,118 883 633	1,877 1,710 1,483 1,233 1,017	1,078 1,139 1,167 1,084 996	408 504 546 571 565	137 190 205 247 251	36 55 69 101 108	11 17 31 49 38	2 2 6 18	 5 2 1 10	 1 									5,147 4,980 4,628 4,187 3,639	11,261 11,723 11,554 11,266 10,397	2.19 2.35 2.50 2.69 2.86	25 26 27 28 29
25-29	5,590	7,320	5,464	2,594	1,030	369	146	46	18	3	- 1								22,581	56,201	2.49	25-29
30 31 32 33 34	53 I 402 354 355 25 I	775 629 570 482 435	865 787 688 616 549	547 500 521 511 407	256 275 269 277 237	113 111 153 150 157	52 61 67 84 78	25 36 37 37 50	14 9 19 20 21	3 5 7 7	 3 5 5	2 2 3							3,181 2,818 2,692 2,546 2,211	9,583 8,966 9,029 8,740 7,970	3.01 3.18 3.35 3.43 3.60	30 31 32 33 34
30-34	1,893	28,91	3,505	2,486	1,314	684	342	185	83	33	23	7							13,448	44,288	3.29	30-34
35 36 37 38 39	209 178 166 126 99	294 261 221 172 129	4!3 386 276 218 152	376 307 264 229 169	272 233 193 197 144	127 128 114 127 82	83 86 73 81 55	44 46 52 47 38	26 29 34 23 17	 	7 11 8 14 8	4 2 4 2 5	4 2	2 2 2 2					1,868 1,684 1,425 1,252 914	7,116 6,612 5,741 5,302 3,882	3.81 3.93 4.03 4.23 4.25	35 36 37 38 39
35-39	778	1,077	1,445	1,345	1,039	578	378	227	129	63	48	17	-11	8					7,143	28,653	4.01	35–39
40 41 42 43 44	70 53 31 24	88 53 46 21 14	112 76 49 32 12	96 77 77 44 13	89 62 59 37 13	68 62 34 20 21	53 39 16 17	34 22 13 19 5	23 17 9 7 3	17 10 6 5 4	7 9 7 4	10 1 5 4	6 2		 I 2		 		678 488 357 240 112	3,183 2,296 1,640 1,196 569	4.69 4.70 4.59 4.98 5.08	40 41 42 43 44
40-44	189	222	281	307	260	205	135	93	59	42	38	20	16	3	3	ı	- 1		1,875	8,884	4.74	40-44
45 46 47 48 49	4 	2 I 	12 4 	7 5 3 3	3	9 	5 1 2 	3 3 	2 4 	 1 2 		2 2							57 25 10 4	307 157 61 18	5.39 6.28 6.10 4.25 1.00	45 46 47 48 49
45-49	5	3	16	18	14	- 11	8	6	6	3	- 1	4				- 1			97	544	5.61	45-49
Not stated																						Not stated
All Ages	24,655	20,339	13,824	7 588	3,842	1,879	1,020	557	295	144	111	48	30	11	3	2	I		74,349	186,509	2.51	All Age

^{*} Ex-nuptial children, previous issue by the same father, are included, but children by a former marriage are not, nor are still-born children. † Including the newly-born child (or children in the case of plural births).

No. 20. Nuptial First Live Births*, N.S.W.: Interval since Marriage, 1964

Interval	Nu Fi	mber of Nu rst Live Bire	ptial :hs	Interval		mber of Nu rst Live Bir		Interval		mber of No rst Live Bi	
	Male	Female	Total		Male	Female	Total		Male	Female	Total
Under I month I month 2 months 3 ,,	85 97 163 253	67 112 151 228	152 209 314 481	16 months 17 ,, 18 ,, 19 ,,	283 242 230 215	282 227 235 193	565 469 465 408	10 years 11 ,, 12 ,, 13 ,,	47 37 34 14	60 37 24 22	107 74 58 36
4 ,, 5 ,, 6 ,, 7 ,,	492 845 1,086 490	425 774 1,087 544	9!7 1,619 2,173 1,034	20 ,, 21 ,, 22 ,, 23 ,,	188 191 181 170	187 209 166 169	375 400 347 339	14 ,, 15 ,, 16 ,,	15 11 7 6	14 12 4 7	29 23 11 13
8 ,. 9 ,, 10 ,,	366 654 581 497	301 605 496 413	667 1,259 1,077 910	2 years 3 ,, 4 ,, 5 ,,	1,543 892 542 370	1,489 839 470 292	3,032 1,731 1,012 662	18 ,, 19 ,, 20 ,, 21 ,,	3 4 	4 3 1 3	7 7 1 4
12 ,, 13 ,, 14 ,, 15 ,,	416 331 296 248	382 316 318 273	798 647 614 521	6 ,, 7 ,, 8 ,, 9 ,,	214 170 119 80	197 159 88 60	411 329 207 140	22 ,, 23 ,, 24 ,, 25 ,,			
								Total	12,709	11,946	24,655

* To existing marriage.

Note. Twins and triplets, first-born in a family, are included in this table, but only the first born alive of each plural birth is enumerated.

No. 21. Nuptial First Live Births*, N.S.W.: Age of Mother and Interval since Marriage, 1964

																Interva	al since	Marriag	е																	
Age of Mother at birth	Total Nuptial First Live						Mon	ths															Ye	ears												Age o Mothe at birt
of child (years)	Births	Under	ı	2	3	4	5	6	7	8	9	10	11	ı	2	3	4	5	6	7	8	9	10	П	12	13	14	15	16	17	18	19	20	21	22 or more	of chil (years)
13 14	1 2								···																											13
15 16 17 18 19	27 342 1,035 1,672 1,965	3 15 19 18 15	2 26 31 40 25	1 22 44 61 50	3 33 72 98 77	2 52 119 197 179	4 71 215 313 285	7 71 258 429 402	1 22 109 156 175	3 23 45 80	 6 34 55 103	1 3 25 44 93	 4 19 35 69	3 13 58 163 350	 8 15 51	 I 3 10	 																			15 16 17 18
20 21 22 23 24	2,281 2 270 2,410 2,212 1,983	14 12 9 8 6	18 8 9 9 7	39 19 22 11 8	47 42 36 12 17	115 82 46 34 28	255 138 99 82 48	317 194 144 106 71	142 111 90 54 45	87 91 86 53 43	157 179 152 139 104	131 147 160 101 88	115 119 124 93 69	641 775 848 718 541	157 270 373 471 415	38 61 149 218 290	7 20 44 72 129	1 2 15 22 48	 4 7 18														•••			20 21 22 23 24
25 26 27 28 29	1,598 1,358 1,118 883 633	3 5 4 3 2	4 10 2 2 2	2 7 7 3 1	7 9 6 3 1	13 7 7 4 3	29 23 11 9 4	37 30 20 14 13	28 18 17 12	33 30 24 15	71 57 44 37 26	65 46 37 28 19	56 43 40 29 17	404 285 243 169 142	318 257 161 113 95	256 178 132 108 51	149 144 131 84 54	71 105 102 80 51	32 60 61 62 35	16 28 38 63 39	3 9 22 24 33	6 6 12 13	1 2 6 10	 	 	 										2! 26 27 28
30 31 32 33 34	531 402 354 355 251	1 2 1 2	3 1 2 1	3 3 5 I	2 2 2 3 2	4 3 2 7 3	1 4 4 9 3	7 10 10 5 3	8 6 7 3 2	10 5 9 5 5	25 12 13 13	22 15 11 9 5	13 10 3 15 5	106 92 73 63 55	67 37 48 41 24	51 35 26 31 20	43 32 19 19	29 31 18 25 14	32 23 13 18 9	32 26 17 12	26 12 13 13	15 18 17 12 15	19 15 14 11 6	6 6 12 14 8	6 3 7 8 11	 1 4 9 7	 2 4 2 5	 								30 33 33 33
35 36 37 38 39	209 178 166 126 99	4	 2 2		2 1 2 1	 2 1 1 2	4 2 3 2	6 3 2 3 2	4 2 4 1 3	1 2 2 2	6 4 9 2 4	4 6 11 4	5 4 5 8 3	45 30 46 25 28	29 23 10 14 4	12 11 12 14 10	10 9 11 10	12 11 3 7 4	9 10 4 3 5	8 8 4 4 4	9 8 7 1 6	7 8 5 3 2	2 8 5 2 3	8 3 5 3 1	10 2 2 2 1	3 5 3 2	3 5 2 4 1	4 6 1 1 2		 2 3 2 3	 	 2 I	•••		•••	3: 3: 3: 3: 3:
40 41 42 43 44	70 53 31 24		 	2	 I 	 		6 1 1 1		 	2 I 	 	2 3 1 1	15 7 3 4 3	9 6 10 3 1	3 5 3 2 1	5 3 2 1	3 3 	 3 1	7 I	2		2 I 	3 I	1 2 1 1	 		2 2 1 1	2 	 	 I 2	2 2 	···	 2 I	 	4(4) 42 43 44
45 46 47 48 49	 				•••															•••																45 46 47 48 49
All Ages	24,655	152	209	314	481	917	1,619	2,173	1,034	667	1,259	1,077	910	5,948	3,032	1,731	1,012	662	411	329	207	140	107	74	58	36	29	23	11	13	7	7	-	4	ı	All Age

* To existing marriage.

Note. Twins and triplets, first-born in a family, are included in this table, but only the first born alive of each plural birth is enumerated.

No. 22. Live Births, N.S.W.: Age of Mother and Plurality, 1964

		Single B	Sirths			Tw	ins			Tri	plets		Quad	ruplets		Nuptial			Ex-nuptial			Total	
ge of other ears)	Nu	ptial	Ex-nı	uptial	Nu	ptial	Ex-nu	ıptial	Nu	ptial	Ex-n	uptial	Nu	ptial		Live Births			Live Births			Live Births	
,	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Total	Male	Female	Total	Male	Female	Tota
2 2 3 4 4 5 5 6 6 7 8 8 9 9 20 0 1 1 2 2 2 2 2 3 3 4 4 4 5 5 6 6 7 7 8 8 9 9 9 20 0 1 1 2 2 2 2 2 3 3 3 4 4 4 5 5 6 6 6 7 7 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1 16 193 589 1,047 1,413 1,840 2,022 2,360 2,572 2,798 2,604 2,544 2,409 2,137 1,900 1,576 1,438 1,370 1,292 1,121 942 855 735 633 446 353 251 196 117 50 25 9 5 3	 15 168 548 954 1,330 1,801 2,000 2,331 2,404 2,589 2,493 2,165 2,006 1,691 1,351 1,351 1,282 1,222 1,059 902 799 670 602 447 314 230 156 122 61 32 15 5 1	 2 13 57 139 235 265 252 193 187 169 121 131 101 95 85 78 66 65 63 71 52 40 38 43 46 39 28 22 13 11 11 11 11 11 11 11 11 11 11 11 11	 3 16 67 146 220 246 223 201 171 140 123 108 110 76 61 72 58 53 45 59 45 41 555 41 555 41 555 41 555 66 67 7 12 		4 6 16 18 22 34 37 46 49 48 53 39 42 32 31 30 29 26 20 18 20 18									 1 16 193 591 1,053 1,423 1,859 2,041 2,612 2,847 2,654 2,597 2,465 2,172 1,956 1,619 1,416 1,323 1,152 961 886 754 645 467 200 117 51 25 10 5 3 	1	2 3 365 365 365 365 3682 3682 3682 3687 3682 3687	2 13 57 139 237 269 256 199 189 173 122 134 104 97 87 87 79 68 67 42 42 42 42 42 42 42 42 42 54 13 13 11 11 11 11 11 11 11 11 11 11 11	3 16 71 146 222 254 227 201 173 140 126 109 115 76 65 73 64 55 57 38 31 36 66 7 1 2	5 29 128 285 459 523 483 400 362 313 248 243 219 173 152 152 132 122 136 105 85 99 99 84 70 64 49 39 19 18 12 2 3 1	3 14 73 332 828 1,322 1,679 2,058 2,230 2,574 2,734 2,981 2,758 2,694 2,552 2,251 2,024 1,686 1,526 1,488 1,377 1,194 1,003 934 800 684 495 395 280 213 129 56 26 11 63 63 63 64 64 64 64 65 66 66 67 67 67 67 67 67 67 67 67 67 67	3 17 86 318 776 1,224 1,575 2,024 2,575 2,571 2,572 2,744 2,657 2,511 2,281 2,132 1,795 1,305 1,429 1,379 1,305 1,132 988 876 728 651 503 343 254 167 130 69 33 18	1 6 6 1,6 6
tated	***	***					•••				• • • •	•••	•••	•••	•••								
al	37,863	35,712	2,758	2,549	724	762	57	63	12	18					38,599	36,492	75,091	2,815	2,612	5,427	41,414	39,104	80,5

No. 23. Plural Births, N.S.W.: Cases and Children, 1954 to 1964

			Twins					Triplets		Quad	ruplets	Total Cases of			
		Cases		Chil	dren		Cases		Chile	dren	Cases	Children		l Births	
Year	One or Both Born Living	Both Still- born	Total	Born Living	Still- born	One or More Born Living	All Still- born	Total	Born Living	Still- born	One or More Born Living	Born Living	Number	Per 1,000 Confine- ments	
1954 1955 1956 1957 1958 1959	878 837 886 927 903 923	12 10 19 12 14	890 847 905 939 917 937	1,709 1,616 1,726 1,801 1,764 1,798	71 78 84 77 70 76	13 7 7 7 14 12 9	 	13 8 7 14 12 9	37 21 18 40 35 25	2 3 3 2 1 2		 4 	903 855 913 953 929 946	12.30 11.43 12.00 11.95 11.57 11.66	
1960 1961 1962 1963 1964	909 942 959 919 824	13 12 11 15 6	922 954 970 934 830	1,762 1,833 1,875 1,801 1,606	82 75 65 67 54	7 8 14 10	 	7 9 14 10 10	17 24 38 29 30	4 3 4 1	 	 4 	929 963 985 944 840	11.29 11.10 11.52 11.20 10.29	

^{*} The last previous case of quadruplets occurred in 1953.

No. 24. Plural Births, Metropolis and Remainder of State: Cases and Children, 1964

	Twins, One or Both Born Living*										Triplets, One or More Born Living											
		Cases		Children							Cases		Children									
Area of State	Nup-	Ex-		В	orn Livi	ng	S	Still-bor	n	Nup-	Ex-		Вс	orn Livi	ng	Still-born						
	tial	nuptial	Total	M.	M. F. Total		М.	F.	Total	tial	nuptial	Total	M. F. Total		Total	M.	F.	Total				
Metropolis Remainder of State	405 359	36 24	441 383	403 378	463 362	866 740	20 4	6	26 16	6 4		6 4	5 7	13	18							
New South Wales	764	60	824	781	825	1,606	24	18	42	10		10	12	18	30							

^{*} In addition, there were 6 cases (5 nuptial, I ex-nuptial) of twins with both children still-born.

No. 25. Plural Nuptial First Live Births*, N.S.W.: Ages of Mothers and Interval since Marriage, 1964

Age of Mother at Birth of Child (years)	S										In	terval	since	Marr	iage†																				
	Total Mothers	Months																	Ye	ars				14 15 16											
	Total	Underl	1	2	3	4	5	6	7	8	9	10	П	1	2	3	4	5	6	7	8	9	10	П	14	15									
15 16 17 18 19	 2 3 9				 	 	 I 3 2	2	 I 2																		•••								
20 21 22 23 24	13 15 21 21 25		 		 	 	 2 1 1	4 	 2 1 1	1 3 1 1		 2 I	2 2 I	3 1 7 8 4	1 7 4 3	 		 I							• • • • • • • • • • • • • • • • • • • •		•••								
25 26 27 28 29	9 12 12 12 6							 	 		 	 2 I	 	2 3 2	2 1 2 1	 3 	1 2 	 3 1	 - - -	 I	 I		 I 												
30 31 32 33 34	11 4 8 3 3		 I 								 			3 1 1 2	2 I 		 	 I	 I 	2 I 	I 	 I	 I 	 I		 I	•••								
35 36 37 38 39 40	2 4 2 1	 												I I	2										i :		···								
Total	209	2	4		5	12	10	13	11	12	9	9	6	41	28	17	5	8	4	4	2	1	2	1	I	1	1								

^{*} Twins and triplets first-born to the existing marriage. Only the first born alive of each plural birth is enumerated. † Existing marriage only.

No. 26. Still-births, N.S.W.: Age of Mother and Plurality, 1964

		Single E	Births			Tw	ins		Trip	lets		Nuptial		F	x-nupti	al		Total	
Age of Mother (years)	Nu	ptial	Ex-nu	ptial	Nu	ptial	Ex-nu	ptial	(Nup			till-birt			till-birt		Si	till-birt	hs
(/ ear 3/	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	Total	М.	F.	Total	М.	F.	Total
14																• • •			
15 16 17 18 19	 4 5 7 15	3 16 2	 3 3 2 10	 1 5 6 2		 					 4 5 7 16	 3 16 3	 4 8 23 19	3 3 2 10	 I 5 6 2	 4 8 8 12	7 8 9 26	8 22 5	8 16 31 31
20 21 22 23 24	21 26 31 20 21	17 17 20 26 22	3 1 2 1 3	1 4 2 1 3	1 2 1 2 3	4 I 					22 28 32 22 24	21 18 20 26 22	43 46 52 48 46	3 1 2 1 3	1 4 2 1 3	4 5 4 2 6	25 29 34 23 27	22 22 22 27 25	47 51 56 50 52
25 26 27 28 29	20 19 16 20 17	24 17 20 17 22	2 2 1 1 4	2 5 2	 2 I	 		 	• • • • • • • • • • • • • • • • • • • •		20 19 18 20 18	25 20 20 17 22	45 39 38 37 40	3 2 1 1 4	3 5 2	6 7 1 1 6	23 21 19 21 22	28 25 20 17 24	51 46 39 38 46
30 31 32 33 34	33 11 16 24 21	14 17 17 21 19	 2 2 I	•••	3 	4 3 2 2 					34 14 16 24 22	18 20 19 23 19	52 34 35 47 41	 2 2 I		 2 2 I	34 16 16 26 23	18 20 19 23 19	52 36 35 49 42
35 36 37 38 39	16 18 10 16 13	15 15 9 15 8	 3 2	3 2 	1 2 2 1	 					17 20 10 18 14	16 16 10 17 8	33 36 20 35 22	 3 2	3 2 	3 2 3 	17 20 13 18 16	19 18 10 17 9	36 38 23 35 25
40 41 42 43 44	6 10 7 4 2	7 8 12 2	 		 						6 10 8 4 2	8 8 12 2	14 18 20 4 4	 		 	6 10 9 5 2	8 8 12 2	14 18 21 5 4
45 46 47 48 49	 	2 I 									 	2 I 	3 2 1 1		 			2 2 	3 3 1 1
Not Stated		• • •	• • •		• • •	•••				•••						• • •			
All Ages	453	405	50	41	25	27	1	1			478	432	910	51	42	93	529	474	1,003

No. 27. Nuptial First* Still-births, N.S.W.: Interval since Marriage†, 1964

Interval	Nur Fi	nber of Nu rst Still-bir	ptial ths	Interval	Nur Fi	nber of Nurst Still-bir	iptial ths	Interval	Nur Fi	nber of Nu rst Still-bir	ptial ths
	Male	Female	Total		Male	Female	Total		Male	Female	Total
Under I month I month 2 months 3 ,,	I I 3 4	2 5 2 6	3 6 5 10	16 months 17 ,, 18 ,, 19 ,,	5 3 2	3 2 1 2	8 2 4 4	10 years 11 ,, 12 ,, 13 ,,	2 	 I	2 I
4 ,, 5 ,, 6 ,, 7 ,,	7 15 12 3	7 4 12 3	14 19 24 6	20 ,, 21 ,, 22 ,, 23 ,,	1 1 2 2	5 	6 2 3 2	14 ,, 15 ,, 16 ,, 17 ,,	 2 I		1 2
8 ,, 9 ,, 10 ,,	4 7 5 8	6 4 4 4	10 11 9 12	2 years 3 ,, 4 ,, 5 ,,	19 11 7 4	12 12 4 1	31 23 11 5	18 ,, 19 ,, 20 ,, 21 ,,			•••
12 ,, 13 ,, 14 ,, 15 ,,	5 4 4 3	5 3 3 3	10 7 7 6	6 ,, 7 ,, 8 ,, 9 ,,	2 4 I	3 4 	5 5 5 2	Total	156	128	284

^{*} Cases in which there was no previous issue born living to the existing marriage, † Existing marriage only.

Note. For summary of all still-births, see Table 3.

No. 28. Deaths in Statistical Divisions of N.S.W.: Monthly, 1964
(Excluding Still-births)

Division	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year
					MA	LES				I	I		1
Metropolis Balance of Cumberland Cumberland North Coast Newcastle Urban Area Balance of Hunter and Manning Hunter and Manning	1,005 40 1,045 60 102	821 23 844 52 68	830 29 859 38 88	945 45 990 85 86	975 28 1,003 55 91	1,212 33 1,245 82 142 150 292	1,470 60 1,530 103 172 248 420	1,228 51 1,279 99 131 167 298	1,053 31 1,084 84 103	975 34 1,009 79 88	1,007 41 1,048 74 95	858 41 899 48 92 127 219	12,379 456 12,835 859 1,258 1,744 3,002
Greater Wollongong Balance of South Coast South Coast	29 51 80	28 35 63	36 35 71	36 37 73	62 39 101	51 62 113	70 42 112	50 48 98	44 47 91	41 39 80	40 55 95	52 33 85	539 523 1,062
Northern Tableland Central Tableland Southern Tableland North Western Slope Central Western Slope South Western Slope	13 86 29 29 30 53	20 54 31 24 27 48	25 65 20 18 28 46	35 70 28 21 41 48	19 70 33 34 29 74	33 91 39 27 33 75	39 108 41 39 42 94	33 92 45 28 42 55	33 93 35 28 32 66	20 71 34 23 23 66	27 76 42 27 33 57	22 58 17 25 18 47	319 934 394 323 378 729
North Central Plain Central Plain Riverina Western Division Lord Howe Island	10 14 24 32	9 10 31 18	22 9 22 20	14 10 30 23	15 16 41 35	17 10 36 23 1	17 23 32 48	12 14 30 28	18 12 41 36	19 9 43 27	17 13 26 24	9 6 44 23	179 146 400 337 2
Total, excluding Metropolis	734	580	612	735	777	905	1,178	925	878	747	787	662	9,520
Total, New South Wales	1,739	1,401	1,442	1,680	1,752 FEM	2,117 ALES	2,648	2,153	1,931	1,722	1,794	1,520	21,899
					1	ALLS							
Metropolis Balance of Cumberland Cumberland North Coast Newcastle Urban Area Balance of Hunter and	905 36 941 57 100	732 11 743 40 58	727 27 754 34 72	817 23 840 47 62	823 27 850 37 71	1,128 29 1,157 53 101	1,261 39 1,300 80 141	1,108 50 1,158 73 116	934 42 976 59 81	851 20 871 55 98	842 29 871 47 79	735 36 771 44 68	10,863 369 11,232 626 1,047
Manning	88 188 29 18 47	74 132 25 31 56	70 142 26 27 53	80 142 15 28 43	86 157 46 28 74	98 199 43 35 78	146 287 53 36 89	107 223 44 43 87	110 191 35 35 70	99 197 33 27 60	87 166 39 26 65	82 150 25 29 54	1,127 2,174 413 363 776
Northern Tableland Central Tableland Southern Tableland North Western Slope Central Western Slope South Western Slope	18 61 24 21 29 43	11 43 29 21 14 54	17 50 16 8 14 32	17 46 15 12 23 32	20 54 16 10 18 39	20 71 20 21 22 43	30 84 20 28 22 61	34 65 23 33 26 54	18 76 9 24 15 51	23 61 17 21 12 42	22 61 26 20 18 43	14 52 10 25 7 35	244 724 225 244 220 529
North Central Plain Central Plain Riverina Western Division Lord Howe Island	8 6 16 19	8 8 19 15	7 4 10 8 	8 6 23 13	10 5 10 16	13 6 20 13	9 13 28 20 1	15 5 10 24 	7 5 23 25	15 4 21 12	5 6 22 5	10 7 20 10	115 75 222 180 2
Total, excluding Metropolis	573	461	422	451	493	608	811	722	615	560	535	474	6,725
Total, New South Wales	1,478	1,193	1,149	1,268	1,316	1,736 SONS	2,072	1,830	1,549	1,411	1,377	1,209	17,588
Metropolis Balance of Cumberland Cumberland North Coast Newcastle Urban Area Balance of Hunter and	1,910 76 1,986 117 202	1,553 34 1,587 92 126	1,557 56 1,613 72 160	1,762 68 1,830 132 148	1,798 55 1,853 92 162	2,340 62 2,402 135 243	2,731 99 2,830 183 313	2,336 101 2,437 172 247	1,987 73 2,060 143 184	1,826 54 1,880 134 186	1,849 70 1,919 121 174	1,593 77 1,670 92 160	23,242 825 24,067 1,485 2,305
Manning Hunter and Manning Greater Wollongong Balance of South Coast South Coast	220 422 58 69 127	176 302 53 66 119	181 341 62 62 124	206 354 51 65	221 383 108 67 175	248 491 94 97 191	394 707 123 78 201	274 521 94 91 185	285 469 79 82 161	230 416 74 66 140	227 401 79 81 160	209 369 77 62 139	2,871 5,176 952 886 1,838
Northern Tableland Central Tableland Southern Tableland North Western Slope Central Western Slope South Western Slope	31 147 53 50 59 96	31 97 60 45 41 102	42 115 36 26 42 78	52 116 43 33 64 80	39 124 49 44 47 113	53 162 59 48 55 118	69 192 61 67 64 155	67 157 68 61 68 109	51 169 44 52 47 117	43 132 51 44 35 108	49 137 68 47 51 100	36 110 27 50 25 82	563 1,658 619 567 598 1,258
North Central Plain Central Plain Riverina Western Division Lord Howe Island	18 20 40 51	17 18 50 33	29 13 32 28	22 16 53 36 1	25 21 51 51	30 16 56 36 1	26 36 60 68 I	27 19 40 52	25 17 64 61	34 13 64 39	22 19 48 29	19 13 64 33	294 221 622 517 4
Total, excluding Metropolis	1,307	1,041	1,034	1,186	1,270	1,513	1,989	1,647	1,493	1,307	1,322	1,136	16,245
Total, New South Wales	3,217	2,594	2,591	2,948	3,068	3,853	4,720	3,983	3,480	3,133	3,171	2,729	39,487

No. 29. Deaths by Ages, 1964 (Excluding Still-births)

		Metropoli	s	New	South	Wales			Metropo	lis	Ne	w South	Wales
Age at Death	Males	Females	Persons	Males	Female	s Person	Age at Death	Males	Female	s Persons	Males	Female	Persons
Under I week I week and under I month I-2 months 3-5 6-II ,,	286 20 55 39 38	227 22 22 23 37 35	513 42 77 76 73	598 51 110 96 78	460 43 55 70 73	1,058 94 165 166 151	55 years 56 ,, 57 ,, 58 ,, 59 ,,	160 230 202 247 255	108 101 142 119	338 303 389 374	_	148 180 161 203 209	440 546 518 603 634
Under I year I year 2 years 3 ,, 4 ,,	438 35 21 10 13	343 37 23 15 14	781 72 44 25 27	933 84 48 27 31	701 69 43 35 20	1,634 153 91 62 51	- Total, 55-59 years 60 years 61 ,, 62 ,, 63 ,, 64 ,,	267 214 252 291 299	121 127 133 169	388 341 385 460 508	1,840 429 388 437 493 525	901 191 195 235 276 320	2,741 620 583 672 769 845
Total, Under 5 years 5 years 6 ,,	517 15 12	432 6 15	949 21 27	1,123 34 20	868 18 27	1,991 52 47	Total, 60-64 years 65 years	1,323	759	2,082	2,272	1,217	3,489
7 ,, 8 ,, 9 ,,	5 11 9	7 8 4	12 19 13	14 19 17	12 13 10	26 32 27	66 ,, 67 ,, 68 ,, 69 ,,	286 270 308 302	209 239 246	449 479 547 548	478 455 528 544	266 315 397 398	744 770 925 942
Total, 5-9 years 10 years 11 ,, 12 ,, 13 ,,	52 7 8 9 16	5 2 3 10	92 12 10 12 26	104 18 15 15 29	9 6 11	27 21 26 48	Total, 65–69 years 70 years 71 ,, 72 ,,	322 306 385	1,036 256 263 313	2,486 578 569 698	2,475 559 544 643	1,647 406 403 467	965 947 1,110
14 ,, Total, 10-14 years 15 years	53	7 27	80 18	104	62 21	166	73 ,, 74 ,, Total, 70–74 years	1,838	317 345 1,494	723 764 3,332	3,159	525 571 2,372	1,217 1,292 5,531
16 ,, 17 ,, 18 ,, 19 ,,	16 27 28 27	11 14 10 10	27 41 38 37	36 54 51 51	23 27 21 19	59 81 72 70	75 years 76 ,, 77 ,, 78 ,, 79 ,,	363 398 330 329 311	384 392 377 384 367	747 790 707 713 678	654 677 571 606 533	592 618 599 597 578	1,246 1,295 1,170 1,203 1,111
Total, 15–19 years 20 years 21 ,, 22 ,, 23 ,,	24 24 27 28	9 16 8	33 40 35 40	59 44 54 56	21 23 15 19	325 80 67 69 75	80 years 81 ,, 82 ,,	1,731 292 264 243	389 292 315	3,635 681 556 558	3,041 487 472 448	2,984 595 488 490	1,082 960 938
24 ,, Total, 20–24 years	120	56	176	250	99	349	83 ,, 84 ,, Total, 80–84 years	200 212 1,211	318 334 1,648	518 546 2,859	365 379 2,151	514 538 2,625	879 917 4,776
25 years 26 ,, 27 ,, 28 ,, 29 ,,	28 20 17 13 20	9 4 8 10 14	37 24 25 23 34	52 40 37 32 40	15 14 14 20 18	67 54 51 52 58	85 years 86 ,, 87 ,, 88 ,, 89 ,,	157 137 102 90 70	262 255 205 178 174	419 392 307 268 244	300 263 204 169 150	419 398 350 287 261	719 661 554 456 411
Total, 25–29 years	98	45	143	201	81	282	Total, 85–89 years	556	1,074	1,630	1,086	1,715	2,801
30 years 31 ,, 32 ,, 33 ,, 34 ,,	20 33 19 30 27	12 8 15 16	32 41 34 46 42	42 62 40 63 51	20 15 30 31 30	62 77 70 94 81	90 years 91 ", 92 ", 93 ", 94 ",	52 48 28 32 20	147 100 86 72 50	199 148 114 104 70	126 83 65 60 51	222 152 140 112 80	348 235 205 172 131
Total, 30–34 years	129	66	195	258	126	384	Total, 90–94 years	180	455	635	385	706	1,091
35 years 36 ,, 37 ,, 38 ,, 39 ,,	28 33 45 41 50	20 21 27 29 39	48 54 72 70 89	59 65 71 78 100	34 36 51 44 70	93 101 122 122 170	95 years 96 ,, 97 ,, 98 ,, 99 ,,	14 10 6 7 1	34 23 16 14 6	48 33 22 21 7	26 23 10 10 2	65 35 30 18 13	91 58 40 28 15
Total, 35–39 years	197	136	333	373	235	608	Total, 95–99 years	38	93	131	71 I	161	232 7
40 years 41 ,, 42 ,, 43 ,, 44 ,,	42 72 70 79 82	45 35 50 57 60	87 107 120 136 142	76 121 135 128 138	76 53 80 84 87	152 174 215 212 225	101 ',, 102 ', 103 ', 104 ', 105 years or more	1 2 1 	4 I 	5 3 1 	3 3 1 	4	7 4 2 I
Total 40-44 years	345	247	592	598	380	978	Total, 100 years or more	4	7	11	8	13	21
45 years 46 ,, 47 ,, 48 ,, 49 ,,	89 97 114 99 121	44 63 66 72 77	133 160 180 171 198	141 147 178 164 209	72 94 116 116 122	213 241 294 280 331	Age not stated Total, All Ages Summary—		2 10,863				
Total, 45–49 years 50 years	520 130	322 80	210	839 217	520	1,359	Under 6 years 6 and under 15 years 15 and under 21 years	532 90 129	438 61 65	970 151 194	1,157 174 273	886 124 132	2,043 298 405
51 ,, 52 ,, 53 ,, 54 ,,	146 165 171 201	63 85 87 91	209 250 258 292	231 269 295 329	111 137 156 147	342 406 451 476	21 and under 65 years 65 years or more Age not stated	4,615 7,008 5	2,586	7,201 14,719 7	7,913	4,220	12,133
Total, 50–54 years	813	406 I	,219 1	,341	682	2,023	Total, All Ages	12,379	10,863	23,242	21,899	7,588	39,487

Principal Causes of Death, N.S.W.: Number and Rate, 1964 No. 30.

(Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

Code Number Cause of Death Pales Females Persons Perso	International		Nu	mber of Dea	ths		Rate*	
OOI - OO8		Cause of Death	Males	Females	Persons	Males	Females	Persons
Out-Out-Out-Out-Out-Out-Out-Out-Out-Out-	001—E999	All Causes	21,899	17,588	39,487	10,576	8,576	9,581
Oilo_Oig O2O_O29 O4O O4O_O40	001008	Tuberculosis of respiratory system	130	33	163	63		
O450					_			
Oct	020-029	Syphilis and its sequelae	14	8	22	7	-	5
OSD OST OSD								
Dispersion of the properties		Dysentery, all forms	_		_			- 1
Whooping cough								
057					2			
O80			9	3	12	4	I	3
100—108								
110—117			I		1			
All other diseases classified as infective and parasitic				l .				
140-205			• • • •		***	•••	•••	• • •
140—205	T		58	38	96	28	19	23
Imphatic and haematopoietic tissues	140-205							
210—239	110 200		3,194				.,	
Diabetes Melitus 2002-293 Anaemias 1.00 2.1 2.28 2.4 2.4 2.5	210-239							
Aniselims Anis								
National Festions and Exercises and Exercises Systems 18								
Note							.,	
Atlo								
A20—424			125					
Hypertension with heart disease 266 405 671 128 197 163	420-422	Arteriosclerotic and degenerative heart disease						
Hypertension with neart disease 158 167 325 76 81 79	430—434							
Hypertension without mention of infart 1.5								
180								
Soo_Soo_Soo_Soo_Soo_Soo_Soo_Soo_Soo_Soo							318	
S40_541 550_533 Appendicitis	11.0		762					
Solution								
Second S								
diarrhoea of newborn			97	105	202	4/	31	47
581 Cirrhosis of liver </td <td>543, 571, 572</td> <td></td> <td>85</td> <td>92</td> <td>177</td> <td>41</td> <td>45</td> <td>43</td>	543, 571, 572		85	92	177	41	45	43
Semility without mention of psychosis, ill-defined and unknown causes Semility without mention of psychosis, ill-defined and unknown causes Semility without mention of psychosis, ill-defined and unknown causes Semility without mention of psychosis, ill-defined and unknown causes Semility without mention S	501						33	48
Hyperplasia of prostate 125 125 60 125 126 126 126 126 126 127 127 128			196	139			68	
Description Properties Pr			125		125	60		30
TSO_TS9	640—689	Complications of pregnancy, childbirth and the		20	20		14	7
Toology Tool	750 750							
760—762 763—768 769—776 769—776 780—795 Residual E810—E835 E800—E802 E963, E970— E979 Suicide and self-inflicted injury 8								
769—776 769—776 Other diseases peculiar to early infancy, and immaturity unqualified								
T80—795		Other diseases peculiar to early infancy, and						
780—795			305	224	529	147	109	128
Residual E810—E835 Motor vehicle accidents Motor vehicle accidents	780—795		104	1.50	275	E 1	70	4.4
Residual	D							
E810—E833 Filter verifies accidents								
E840—E962 All other accidents								
E963, E970- Suicide and self-inflicted injury		All other accidents	/54	460	1,214	304	227	273
E979 Suitelde and sein-inneced injury 1.	E963, E970-	Suicide and self-inflicted injury	426	209	635	206	102	154
F7D⇔ F7D3 10 14 19		The state of the s					1.0	10
E980 — E999		Homicide and operations of war	40	33	73	19	16	18

Principal Causes of Infant Deaths*: Number and Rate, 1964 (Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

Number of Deaths Rate† International Code Number Re-mainder of State Re-mainder of Cause of Death Metro-Metro-N.S.W. N.S.W. polis polis State 22.24 20.29 781 853 1,634 18.52 All Causes 001-E999 5 10 15 0.12 0.26 0.19 001-138 Infective and parasitic diseases Meningitis, except meningococcal and tuberculous Pneumonia, age 4 weeks and over 0.12 0.08 0.10 Ω 340 490—493 571 83 133 1.65 50 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over 26 320 0.19 0.47 0.32 18 8 3.78 3.97 4.15 750—759 760, 761 762 175 145 2.82 1.90 121 108 229 2.87 2.85 Birth injuries .. Post natal asphyxia and atelectasis
Pneumonia of newborn 1.64 73 17 59 132 1.40 0.36 0.44 0.40 15 32 763 1 0.03 0.01 764 . . . 769 28 0.28 0.42 0.35 12 16 18 30 0.28 0.47 0.37 770 776 5.09 4.33 195 349 Immaturity unqualified 154 3.65 . . 765—768 771—775 1.74 1.60 129 1.49 67 Other diseases peculiar to early infancy ... 62 1.38 1.39 112 1.40 All other diseases Violence 59 53 Residual 1.04 1.12 E800-E999

^{*} Number of deaths per 1,000,000 of mean population. † Categories 030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-096, and 120-138.

^{*} Deaths of children under one year of age. † Number of deaths per 1,000 live births.

I			1961			1962			1963			1964	
International Code Number	Cause of Death	Males	Fe- males	Per-	Males	Fe- males	Per-	Males	Fe- males	Per-	Males	Fe- males	Per-
001-E999		19,652	15,396	35,048	20,633	16,228		20,594	16,632	37,226	21,899		39,48
001-138	INFECTIVE AND PARASITIC DISEASES	223	130	353	290	103	393	201	114	315	218	88	306
001-019	Tuberculosis all forms	116	42	158	184	34	218	134	51	185	132	36	168
001-008 001	Tuberculosis of respiratory system Respiratory tuberculosis with mention of occupational disease of lung		39	148	7	30	7	127	42	169	3	33	3
002 003	Pulmonary tuberculosis Pleural tuberculosis		39	145	167	30	197	116	42	158	127	32	159
004 005	Primary tuberculosis complex with symptoms Tracheo-bronchial glandular tuberculosis with												
007	symptoms												
008	Tuberculosis, unspecified site Tuberculosis, other forms	7		10				7		16	2	3	5
010	Tuberculosis of meninges and central nervous		1	3	1		1		3	4			
011	Tuberculosis of intestines, peritoneum and mesenteric glands	1	1	2	- 1		1						
012	Tuberculosis of bones and joints, active or unspecified				2	1	3	2	3	5			
013 014	Late effects of tuberculosis of bones and joints Tuberculosis of skin and subcutaneous cellular tissue						•••		•••				•••
015 016	Tuberculosis of lymphatic system Tuberculosis of genito-urinary system		·										
017	Tuberculosis of adrenal glands Tuberculosis of other organs					2		1					
019	Disseminated tuberculosis				1	2	3	3		3	1		
020	Syphilis and its sequelae— Congenital syphilis	1		1	1		- 1	1		1			
021 022	Early syphilis	11	9	20	9 5	 5 I	14	7 3	3	10	14	6	2
023 024 025	Tabes dorsalis General paralysis of insane	1 4	i	2 4	3		1 6		1	2			
026 027	Other syphilis of central nervous system Other forms of late syphilis	3			3		3 	2	1	3			
029	Syphilis, unqualified				•••					1			
030-035	Gonococcal infection and other venereal diseases— Gonococcal infection												
030-035	All other venereal diseases				•••								
	Infectious diseases commonly arising in intestinal tract—												
040 041	Typhoid fever	!	!	1									
042 043	Other Salmonella infections	'		2				'	1	2			
044 045 046	Brucellosis (undulant fever)	2	 2 1	₄			1				2		
047 048	Amoebiasis												
049	Food poisoning (infection and intoxication)	ı		1	•••	• • • •					1	1	
050	Other bacterial diseases— Scarlet fever				- 1		- 1						
051 052 053	Streptococcal sore throat				 10	 	 2 21				1 6	 6	
054 055	Bacterial toxaemia							1		1 4			
056 057	Whooping cough		9	20		1 7	1 17	₅			9	3	1
058 059	Plague												
060 061	Leprosy			17		2	9	2	2		 4 I	- 1	
062 063 064	Anthrax Gas gangrene Other bacterial diseases							2			3		
	Spirochaetal diseases, except syphilis—		·						_				
070 071	Vincent's infection												
072 073 074	Leptospirosis Yaws Other spirochaetal infections												
0/1	Diseases attributable to viruses—								,				
080 081	Acute poliomyelitis	6		12	9	5 I	14		2	5			
082 083	Acute infectious encephalitis Late effects of acute infectious encephalitis	4 1		12	9	5 2	14	7	7 1	14			
084 085	Smallpox	8	2		4	1	5	2	7	9		1	
086 087 088	Rubella (German measles)	2	2	4		 3	4 3	2		3	6 I		
089 090	Mumps	1		4		3							
091 092	Yellow fever		21	34	 12		20				 12		j:
093 094	Glandular fever (infectious mononucleosis) Rabies												
095 096	Trachoma		1	4	3	1	4	2		2	7		
100-108	Typhus and other rickettsial diseases												
110-117	Malaria			• • •									
120	Other infective and parasitic diseases— Leishmaniasis												
121 122	Trypanosomiasis Other protozoal diseases					1	1						
123 124	Schistosomiasis Other trematode infestation												
125 126 127	Hydatid disease		'		'								
	Trichiniasis												

^{*} See Note at foot of table, page 50.

International			1961			1962			1963			1964	
Code Number	Cause of Death	Males	Fe- males	Per- sons	Males	Fe- males	Per-	Males	Fe- males	Per- sons	Males	Fe- males	Per-
	INFECTIVE AND PARASITIC DISEASES (continued)— Other infective and parasitic diseases												
129	(continued)— Ankylostomiasis												
130	Infestation with worms of other, mixed and unspecified type		1	1	1		1				1		
132 133 134	Actinomycosis						2			1	2 2		3
135	Other fungus infections												
137 138	Other arthropod infestation Other infective and parasitic diseases						4						
140-239	NEOPLASMS	2,866	2,465	5,331	2,932	2,404	5,336	3,101	2,609	5,710	3,226	2,646	5,872
140-199	Malignant neoplasms Malignant neoplasm of buccal cavity and	2,592	2,243	4,835	2,609	2,164	4,773	2,796	2,379	5,175	2,882	2,392	5,274
140	pharynx— Malignant neoplasm of lip	1	1	2	5	1	6	5	1	6	10	2	12
141 142 143	Malignant neoplasm of tongue	17 8 5	7 4 3	24 12	9	10 5 4	19	16	9 5	25 10	17	12 2 5	12
144	Malignant neoplasm of floor of mouth	5	4	8	5	4	9	9	10	10	10	5	9
145 146 147	Malignant neoplasm of oral mesopharynx Malignant neoplasm of nasopharynx	10	1	11	9	3	12 4 1	10 5		13 5 7	4		4 2
148	Malignant neoplasm of pharynx unspecified	16		21	ıi	3	14	11	2	13	15	6	21
LEO	Malignant neoplasm of digestive organs and peritoneum—		3.5	0.1	69	37	101		0.1	10:	6.5	/0	
150 151 152	Malignant neoplasm of oesophagus Malignant neoplasm of stomach Malignant neoplasm of small intestine, including	61 413	35 286	96 699	362	242	106 604	75 374	26 282	101 656	85 369	42 253	622
153	duodenum Malignant neoplasm of large intestine, except	5	2	7	6	6	12	8	8	16	6	8	14
154 155	rectum	252 116	393 100	645 216	262 100	366 99	628 199	304 131	363 94	667 225	27 I 125	378 78	203
156	(primary)* Malignant neoplasm of liver (secondary and	39	57	96	40	65	105	50	75	125	41	73	114
157	Malignant neoplasm of pancreas	135	19 97	46 232	28 143	24 96 10	239	30 147	17	47 264	19	15	259
158 15 9	Malignant neoplasm of peritoneum Malignant neoplasm of unspecified digestive organs	8	5	13	3	5	8	5	9	7	2	8	10
160	Malignant neoplasm of respiratory system— Malignant neoplasm of nose, nasal cavities, middle	8			5	7	10	_	2			-	
161 162, 163	ear and accessory sinuses Malignant neoplasm of larynx Malignant neoplasm of trachea, bronchus and lung	38 626	3 94	38 720	44 675	6 87	12 50 762	7 40 705	3 7 104	10 47 809	6 46 830	7 6 122	52 952
164 165	Malignant neoplasm of mediastinum Malignant neoplasm of thoracic organs (secondary)	6	1 2	7 5	2		2 2	4 4	1 5	5 9	1	1	2
	Malignant neoplasm of breast and genito- urinary organs—												
170 171	Malignant neoplasm of breast Malignant neoplasm of cervix uteri*		460 146	462 146		399 140	402 140		445 136	450 136		509 133	512 133
172 173	Malignant neoplasm of corpus uteri* Malignant neoplasm of other parts of uterus, including chorionepithelioma		73	73		71	71	•••	71	71 5		61	61
174 175	Malignant neoplasm of uterus, unspecified*		14	14		18	18		9	9		9	9
176	broad ligament Malignant neoplasm of other and unspecified		123	123		128	128	•••	163	163	***	145	145
177 178	female genital organs	300 22		300	286 16		286	301 14		301	322 18		322
179	Malignant neoplasm of other and unspecified male genital organs	7		7	4		4	4		4	5		5
181	Malignant neoplasm of kidney Malignant neoplasm of bladder and other urinary organs	66 87	33	99	74 84	34	111	79 105	40 54	119	65	34 61	99
	Malignant neoplasm of other and unspecified			120			1.0	103			107		
190 191	sites— Malignant melanoma of skin Other malignant neoplasm of skin	58 45	45 12	103 57	52 41	44 21	96 62	65 45	5 I 26	116 71	59 36	47 15	106 51
192 193	Other malignant neoplasm of skin Malignant neoplasm of eye Malignant neoplasm of brain and other parts of	3	4	7	3	5	8	7	4	11	I	7	8
194 195	nervous system	72 8 7	38 18 3	110 26 10	107 10 1	52 15	159 25 1	78 4 4	55 16 7	133 20 11	98 9 5	65 22 2	163 31 7
196 197	Malignant neoplasm of bone (including jaw bone) Malignant neoplasm of connective tissue	26	15 15	41	29	10	39 19	19	23 15	42 25	25 15	19	44 25
198	Malignant neoplasm of lymph nodes, secondary and unspecified Malignant neoplasm of other and unspecified sites	1 72	1 69	2	2 84	75	2	7 78	2 91	9	2 83	3	5 164
	Neoplasms of lymphatic and haematopoietic									- /	0.5		.01
200 201	tissues— Lymphosarcoma and reticulosarcoma Hodgkin's disease	5 I 42	43 30	94 72	85 29	52 27	137	71 39	59 22	130	87 37	58 19	145
202 203	Other forms of lymphoma (reticulosis)	5 23	20	6	9 30	11	20 48	13 29	1 22	14 51	5 34	7 21	12 55
204 205	Leukaemia and aleukaemia	118	88	206 I	131	92	223	112	81	193	146	107	253 3
210	Benign neoplasm— Benign neoplasm of buccal cavity and pharynx												
211 212 213	Benign neoplasm of other parts of digestive system Benign neoplasm of respiratory system					1	 2 I	 3 1		3	 2 1	4 2	6 3
213 214 215	Benign neoplasm of breast		 4 1	4		5	5		3	 3 I		3	 3 I
216 217	Benign neoplasm of ovary Benign neoplasm of other female genital organs		6	6			5			3		6	
218	Benign neoplasm of male genital organs Benign neoplasm of kidney and other urinary organs	4		5	4	2			2				
220 221	Benign melanoma of skin												
222	Other benign neoplasm of skin Benign neoplasm of brain and other parts of								1	- 1			

^{*} See Note at foot of table, page 50.

International			1961			1962			1963			1964	
Code Number	Cause of Death	Males	Fe- males	Per- sons	Males	Fe- males	Per- sons	Males	Fe- males	Per-	Males	Fe- males	Per-
	NEOPLASMS (continued)—												
224 225	Benign neoplasm (continued)— Benign neoplasm of endocrine glands	2		7 2	1		4	1	3	4	3		4 2
226 227 228 229	Lipoma Other benign neoplasm of muscular and con- nective tissue Haemangioma and lymphangioma Benign neoplasm of other and unspecified organs and tissues	4		 1 5		 	 1 2	 2 1		3 2			
230	Neoplasm of unspecified nature— Neoplasm of unspecified nature of digestive												
231	organs			1	1	1	2	3		4 2	2 2		2
232 233 234 235	Neoplasm of unspecified nature of breast Neoplasm of unspecified nature of uterus Neoplasm of unspecified nature of ovary Neoplasm of unspecified nature of other female	•••											
236	genital organs	•••								• • • •	2		
237	Neoplasm of unspecified nature of brain and other parts of nervous system		9	20	15	7	22	9	4		9	6	15
238	Neoplasm of unspecified nature of skin and musculoskeletal system Neoplasm of unspecified nature of other and							1		1			
240-289	unspecified organs		I	1		3	3	•••	I	1			
240 207	BOLIC, AND NUTRITIONAL DISEASES Allergic disorders—	301	435	736	330	428	758	302	457	759	397	481	878
240 241 242 243 244 245	Hay fever Asthma Angioneurotic oedema Urticaria Allergic eczema Other allergic disorders	 78 	72 	1 150 	 70 	 73 	143 	 77 	 78 	155 	136	94 	230
250 251 252	Diseases of thyroid gland— Simple goitre					 	 				 I 3	1 1 4	1 2 7
253 254	Myxoedema and cretinism Other diseases of thyroid gland		3	3			15	4				8 2	11
260	Diabetes mellitus	183	312	495	216	302	518	191	324	515	208	325	533
270 271 272 273 274 275 276 277	Disorders of pancreatic internal secretion other than diabetes mellitus	 1 2 	 2 1 4 	 3 1 6	2 2 2	1 2 1 	1 2 3 2 3 		 3 	2 1 2 1 4 	 5 3 2 	 6 6	 3 8
280 281 282 283	Avitaminoses, and other metabolic diseases— Beriberi Pellagra Scurvy	5 I 		5 2 							2		
284 285 286	Late effects of rickets Osteomalacia Other avitaminoses and nutritional deficiency states Obesity, not specified as of endocrine origin	 9	 8 5		 16 2	 9 2	25	12	 I <u>I</u>	23		 11 7	 27 7
288 289	Gout	3	7	3 20	4		4 21	2 3 6	7	9 3 13	7	3	10 21
290-299 290 291 292 293 294 295 296 297 298 299	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS Pernicious and other hyperchromic anaemias Iron deficiency anaemias (hypochromic anaemias) Other anaemias of specified type	52 9 2 26 1 4 2 3 	70 21 4 22 8 1 6 2 4	122 30 6 48 9 5 3 9 2 8	63 17 5 22 1 4 3 7	89 26 4 39 5 6 4 2 2	152 43 9 61 6 10 3 11 2 4 3	62 10 3 28 1 5 4 3 	67 21 3 22 5 4 8 	129 31 6 50 6 9 4 11 	61 11 2 27 3 3 3 6 	74 17 6 28 6 5 7 2	135 28 8 55 9 8 3 13
300-326	MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	75	43	118	91	50	141	81	55	136	110	56	166
300 301 302 303 304 305 307 309	Psychoses— Schizophrenic disorders (dementia praecox) Manic-depressive reaction Involutional melancholia Paranoia and paranoid states Senile psychosis Presenile psychosis Alcoholic psychosis Other and unspecified psychoses	2 12 1 5 2	 5 1	2 17 2 5 10	I	1 1 11 4	2 I 20 8 10 5	I I 8 3 12 3	 10 2 	2 1 1 1 18 5 12 6	 8 2 11 2	 15	2 2 23 3 12 5
310	Psychoneurotic disorders— Anxiety reaction without mention of somatic												
311 312 313 314 315–317	symptoms Hysterical reaction without mention of anxiety reaction Phobic reaction Obsessive-compulsive reaction Neurotic-depressive reaction Psychoneurosis with somatic symptoms (somatization reaction) Psychoneurotic disorders, other, mixed, and unspecified types		 2 I	1 2 1	 	 3 	4 2				2		2

^{*} See Note at foot of table, page 50.

International			1961			1962			1963			1964	
Code Number	Cause of Death	Males	Fe- males	Per- sons	Males	Fe- males	Per- sons	Males	Fe- males	Per-	Males	Fe- males	Per- sons
320 321 322 323 324 325 326	MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS (continued)— Disorders of character, behaviour, and intelligence— Pathological personality	 44 8	 14 12	 58 20	 47 2 	 21 2 	 68 4 15	 45 1 6	 24 5 	 69 6 	 65 3 		 81 9 24
330-398	DISEASES OF THE NERVOUS SYSTEM		2,857	5,165	2,389	2,909	5,298	2,333	3,087	5,420	2,365	3,181	5,546
330-334	Vascular lesions affecting central nervous		2,703	4,803	2,186	2,753	4,939	2,155	2,908	5,063	2,171	2,992	5,163
330 331 332 333 334	Subarachnoid haemorrhage Cerebral haemorrhage Cerebral embolism and thrombosis Spasm of cerebral arteries Other and ill-defined vascular lesions affecting central nervous system		130 1,109 1,169 1	226 1,990 2,069 1	80 877 1,002 227	132 1,109 1,291 	212 1,986 2,293 	92 932 916 1	116 1,151 1,344 	208 2,083 2,260 I	90 873 922 286	153 1,190 1,322 	243 2,063 2,244
340 341 342 343 344 345	Inflammatory diseases of central nervous system— Meningitis, except meningococcal and tuberculous Phlebitis and thrombophlebitis of intracranial venous sinuses	26 7 9	21 1 4 1	47 8 13	31 ₂ 10	12 3 4 3	43 ₅ 14	12 6 4 2 12	14 3 I	26 ₉ 5 2 24	18 5 2	13 6 1 3 12	31 11 3 4 18
350 351 352 353 354 355 356 357	Other diseases of central nervous system— Paralysis agitans Cerebral spastic infantile paralysis Other cerebral paralysis Epilepsy Migraine Otner diseases of brain Motor neurone disease and muscular atrophy Other diseases of spinal cord	33 7 15	62 11 2 15 6 9	127 28 7 48 13 24 3	52 15 2 39 14 17 4	62 5 5 22 1 5 12	114 20 7 61 1 19 29 5	51 10 2 34 16 18	71 6 1 29 20 14 3	122 16 3 63 36 32 4	61 9 34 17 32 1	69 5 1 28 22 19	130 14 1 62 39 51
360 361 362 363 364 365 366 367 368	Diseases of nerves and peripheral ganglia— Facial paralysis Trigeminal neuralgia Brachial neuritis Sciatica Polyneuritis and polyradiculitis Erythroedema polyneuritica Other and unspecified forms of neuralgia and neuritis Other diseases of cranial nerves Other diseases of peripheral nerves except autonomic Diseases of peripheral nervous system		 	 6 	2		 	 3 		 4 	 	1 2 2	 5
370 371 372 373 374 375 376 377 378 379	Inflammatory diseases of eye— Conjunctivitis and ophthalmia Blepharitis Hordeolum (stye) Iritis Keratitis Choroiditis Other inflammation of uveal tract Inflammation of optic nerve and retina Inflammation of lachrymal glands and ducts Other inflammatory diseases of eye Other inflammatory diseases of eye												
381 382 383 384 385 386 387 388	Other diseases and conditions of eye— Corneal ulcer				 2 	 3	 5 2					 	::-
390 391 392 393 394 395 396	Diseases of ear and mastoid process— Otitis externa Otitis media without mention of mastoiditis Otitis media with mastoiditis Mastoiditis without mention of otitis media Other inflammatory diseases of ear Ménière's disease Other diseases of ear and mastoid process		2	 5 1 2 			 4 	 3 2 		 4 3 	2 1	2	
400-468 400 401 402	Rheumatic fever— Rheumatic fever without mention of heart involvement Rheumatic fever without mention of heart involvement Chorea	,7	6,103		8,950 	₆		9,031 	6,836 4	9	9,591 	7,291	7
410 411 412 413 414 415 416	Chronic rheumatic heart disease Diseases of mitral valve Diseases of aortic valve specified as rheumatic Diseases of tricuspid valve Diseases of pulmonary valve specified as rheumatic Other endocarditis specified as rheumatic Other myocarditis specified as rheumatic Other heart disease specified as rheumatic	68 16 9	79 5 1 8 3 32	147 21 1 17 9 70	60 11 8 2 33	72 8 2 11 4 49	132 19 2 19 6 82	56 16 1 4 2 27	94 14 7 7 30	150 30 1 11 9 57	73 12 7 2	84 3 2 15 3 49	157 15 2 22 5 80
420 421 422	Arteriosclerotic and degenerative heart disease— Arteriosclerotic heart disease, including coronary disease	5,519	3,153 67 1,181	8,672 148 2,207	6,073 94 1,003	3,440 64 1,280	9,513 158 2,283	6,279 82 960	3,667 80 1,180	9,946 162 2,140	6,607 120 983	4,006 70 1,196	

nternational			1961			1962			1963			1964	
Code Number	Cause of Death	Males	Fe- males	Per- sons	Males	Fe- males	Per- sons	Males	Fe- males	Per- sons	Males	Fe- males	Per-
430 431 432 433 434	DISEASES OF THE CIRCULATORY SYSTEM (continued)— Other diseases of heart— Acute and subacute endocarditis Acute myocarditis not specified as rheumatic Acute pericarditis specified as non-rheumatic Functional disease of heart Other and unspecified diseases of heart	14 12 2 102 574	9 7 1 141 455	23 19 3 243 1,029	7 11 113 546	6 4 115 550	13 15 1 228 1,096	15 11 2 106 506	12 12 1 108 531	27 23 3 214 1,037	15 10 5 109 533	3 11 3 118 571	18 21 8 227 1,104
440 441 442 443	Hypertensive heart disease— Essential benign hypertensive heart disease Essential malignant hypertensive heart disease Hypertensive heart disease with arteriolar nephrosclerosis	4 7 16 267	 6 16 345	4 13 32 612	5 4 9 276	6 2 6 371	11 6 15 647	3 7 14 223	4 3 23 360	7 10 37 583	3 7 13 243	1 6 12 386	13 25 629
444 445 446 447	Other hypertensive disease— Essential benign hypertension Essential malignant hypertension	59 31 52 4	75 22 60	134 53 112 4	72 30 44	84 29 66 2	156 59 110 3	62 39 65 3	82 34 61	144 73 126 4	59 34 64 1	80 37 49	139 71 113 2
450 451 452 453 454 455 456	Diseases of arteries— General arteriosclerosis Aortic aneurysm, non-syphilitic, and dissecting aneurysm. Other aneurysm except of heart and aorta Peripheral vascular disease Arterial embolism and thrombosis Gangrene of unspecified cause Other diseases of arteries	294 105 2 7 5 	322 49 1 4 2 1	616 154 3 11 7 1	337 128 4 9 8	397 58 3 4 8 2	734 186 7 13 8 2	322 132 8 13 2 	413 49 3 7 3 	735 181 11 20 5	371 161 12 14 4 3 16	43 I 52 4 3 6 4 9	802 213 16 17 10 7 25
460 461 462 463 464 465 466 467 468	Diseases of veins and other diseases of circulatory system— Varicose veins of lower extremities Haemorrhoids Varicose veins of other specified sites Phlebitis and thrombophlebitis of lower extremities Phlebitis and thrombophlebitis of other sites Pulmonary embolism and infarction* Other venous embolism and thrombosis Other diseases of circulatory system Certain diseases of lymph nodes and lymph	5 3 9 16 6 5	 3 5 16 7 2	9 3 12 6 32 13 7	3 1 8 2 3 22 9 5	5 2 2 6 25 13	8 3 10 8 3 47 22 9	3 8 I 25 14 8	3 4 2 12 11 5	6 8 5 2 37 25 13	5 3 11 7 2 20 19 9	7 2 13 7 15 19 8	12 3 13 20 9 35 38 17
470-527	channels DISEASES OF THE RESPIRATORY SYSTEM	1,331	703	2,034	1,529	829	2,358	1,562	734	2,296	1,870	937	2,807
470 471 472 473 474 475	Acute upper respiratory infections Acute nasopharyngitis (common cold) Acute sinusitis Acute pharyngitis Acute tonsillitis Acute laryngitis and tracheitis Acute upper respiratory infection of multiple or unspecified sites	2 I 3	3 1 3 4	5 2 3 7	 3 2	 1 2 2	 I 5 4		 1 2	 1 2 3	 7		 2 ₈
480-48	Influenza	14	17	31	37	38	75	- 11	19	30	55	51	106
480 481 482 483	Influenza with pneumonia Influenza with other respiratory manifestations, and influenza unqualified Influenza with digestive manifestations, but without respiratory symptoms Influenza with nervous manifestations, but with-		9 8 	15 15 	25 11 1	22 16 	47 27 I	9 2 	6	20 8 	34 20 I	33 18 	67 38 I
490–493 490 491	Pneumonia*	589 142 355	481 110 297	1,070 252 652	641 168 408	561 138 364	306 772	729 174 482	499 128 332	1,228 302 814	828 174 589	6 53	321 1,054
492 493	Primary atypical pneumonia*	17 75	17 57	34 132	30 35	16	46 78	29 44	15 24	68	32 33	18	50 56
500-502 500 501 502	Bronchitis* Acute bronchitis Bronchitis, unqualified Chronic bronchitis*	22 30 465	91 13 19 59	35 49 524	32 33 599	23 28 89	55 61 688	21 34 598	130 18 19 93	783 39 53 691	27 34 701	138 19 20 99	900 46 54 800
510 511 512 513 514 515 516 517 518 519 520 521 522 523 524	Other diseases of respiratory system— Hypertrophy of tonsils and adenoids Peritonsillar abscess (quinsy) Chronic pharyngitis and nasopharyngitis Chronic sinusitis Deflected nasal septum Nasal polyp Chronic laryngitis Other diseases of upper respiratory tract Empyema Pleurisy Spontaneous pneumothorax Abscess of lung Pulmonary congestion and hypostasis* Pneumoconiosis due to silica and silicates (occupational) Other specified pneumoconiosis and pulmonary fibrosis of occupational origin Other chronic intersticial pneumonia Bronchiectasis Other diseases of lung and pleural cavity*	59	1	2 3 3 1 2 7 8 1 4 65 5 59 1 68 4 66 35	2	 31 6 24	2 7 10 9 3 3 56 48 6 46 377 42	 2 11 5 2 5 16 39	 	I I I 4 I77 8 8 22 8 46 39 I 388 333 550	2 	 21 24 10	3
530-587	DISEASES OF THE DIGESTIVE SYSTEM	662	469	1,131	654	458	1,112	594	434	1,028	609	503	1,112
530 531 532 533 534 535 536 537 538	Diseases of buccal cavity and oesophagus— Dental caries Abscesses of supporting structures of teeth Other inflammatory diseases of supporting structures of teeth Disorders of occlusion, eruption, and tooth development Toothache from unspecified cause Other diseases of teeth and supporting structures Stomatitis Diseases of salivary glands Other diseases of buccal cavity						· · · · · · · · · · · · · · · · · · ·						

^{*} See Note at foot of Table, page 50.

nternational			1961			1962			1963		1	1964	
Code Number	Cause of Death	Males	Fe- males	Per- sons	Males	Fe- males	Per- sons	Males	Fe- males	Per- sons	Males	Fe- males	Per-
	DISEASES OF THE DIGESTIVE SYSTEM												
540 541 542 543 544 545	Diseases of stomach and duodenum— Ulcer of stomach Ulcer of duodenum Gastrojejunal ulcer Gastritis and duodenitis Disorders of function of stomach Other diseases of stomach and duodenum*	121 87 2 	57 22 2 2 1	178 109 2 4 1	94 86 1 2 1	51 25 2 3	145 111 3 5 1	90 69 7 	48 20 2 6 1	138 89 2 13 1	90 83 I	58 20 5 1	148 103
550 551 552 553	Appendicitis— Acute appendicitis Appendicitis, unqualified Other appendicitis Other diseases of appendix	31 2 	 	48 2 	30 		41 1 2	28 2 	7 2 	35 4 	19 1 	::: :::	30
560 561	Hernia of abdominal cavity— Hernia of abdominal cavity without mention of obstruction	23 25	12 20	35 45	21 17	13 17	34 34	10	10 12	20 35	22 19	19 24	41
570 571 572 573 574 575 576 577 578	Other diseases of intestines and peritoneum— Intestinal obstruction without mention of hernia* Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over Chronic enteritis and ulcerative colitis Functional disorders of intestines Anal fissure and fistula Abscess of anal and rectal regions. Peritonitis Peritoneal adhesion Other diseases of intestines and peritoneum	52 48 32 I I	55 34 31 1 5 2 13	107 82 63 2 6 2 22	57 52 26 1 3 	56 50 49 1 1 2	113 102 75 2 1 5	53 46 28 1 2	63 39 43 1 2	85 71 2 4 1 23	56 53 31 4 	62 50 37 1 2 1	118 103 68 2 6
580 581 582 583 584 585	Diseases of liver, gallbladder, and pancreas— Acute and subacute yellow atrophy of liver Cirrhosis of liver Suppurative hepatitis and liver abscess Other diseases of liver Cholelithiasis* Cholecystitis and cholangitis, without mention of calculi Other diseases of gallbladder and biliary ducts* Diseases of pancreas	5 113 3 10 22 18 2 45	4 75 1 7 40 32 6 22	9 188 4 17 62 50 8 67	2 148 2 5 25 25 20 2	3 65 8 32 22 7 20	5 213 2 13 57 42 9	2 130 8 24 15 5 25	2 60 1 14 36 13 5	4 190 1 22 60 28 10 53	2 130 11 17	9 68 4 6 35 29 8 30	11 198 17 52 43 13 63
590-637	DISEASES OF THE GENITO-URINARY	549	384	933	510	409	919	515	450	965	499	469	968
590-594 590 591 592 593 594	Nephritis and nephrosis Acute nephritis Nephritis with oedema, including nephrosis Chronic nephritis Nephritis not specified as acute or chronic* Other renal sclerosis	224 9 12 184 16	178 6 6 151 13	402 15 18 335 29	189 13 13 151 12	159 3 9 136 10	348 16 22 287 22	192 7 7 152 19 7	197 4 7 157 28	389 4 309 47 8	196 7 8 169 10 2	139 2 10 111 15	335 9 18 280 25
600 601 602 603 604 605 606 607 608 609	Other diseases of urinary system— Infections of kidney * Hydronephrosis Calculi of kidney and ureter Other diseases of kidney and ureter Calculi of other parts of urinary system Cyztitis Other diseases of bladder Urethritis (non-venereal) Stricture of urethra Other diseases of urethra	124 5 23 1 1 5 2 	160 2 13 6 5 	284 7 36 7 1 10 2	110 15 2 1 1 9 1 7	210 4 12 7 5 1 	320 4 27 9 1 6 10 1 7 8	137 4 19 8 2 3 3 2 8	194 3 13 17 6 2 	331 7 32 25 2 9 5 2 13	133 2 15 4 1 3 1 	258 4 13 13 1 6 3 	391 6 28 17 2 9 4
610 611 612 613 614 615 617	Disease of male genital organs— Hyperplasia of prostate	150 4		150 4 	157 4 2 1 2		157 4 2 1 2 	131 3 2 1 		131 3 2 1 	125 2 3 1 		125 2 3 1
620 621 622 623 624 625 626	Diseases of breast, ovary, Fallopian tube, and parametrium— Chronic cystic disease of breast Other diseases of breast Acute salpingitis and oophoritis Chronic salpingitis and oophoritis Salpingitis and oophoritis, unqualified Other diseases of ovary and Fallopian tube Diseases of parametrium and pelvic peritoneum (female)					 1	 I			_T			2
630 631 632 633 634 637	Diseases of uterus and other female genital organs— Infective disease of uterus, vagina and vulva Uterovaginal prolapse Malposition of uterus Other diseases of uterus Disorders of menstruation Other diseases of female genital organs		2 4 6 2	2 4 6 2		 2 1	1 3 2 1		 8 1	8 		3 7 5 5 2	3 7 5 5 2
640-689	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM		43	43		29	29		27	27		28	28
640 641 642 643 644 645 646 647 648	Complications of pregnancy— Pyelitis and pyelonephritis of pregnancy Other infections of genito-urinary tract during pregnancy		4 3 1 4	4 3 4 4 4		4 3 2	4 3 2		2 2 ! 	2 2 1 2		 7 1	 7 1
650 651 652	Abortion— Abortion without mention of sepsis or toxaemia Abortion with sepsis Abortion with toxaemia, without mention of sepsis		3 9	3 9		5 2	5 2		2	2 I		3 4	3 4

^{*} See Note at foot of Table, page 50.

International			1961			1962			1963			1964	
Code Number	Cause of Death	Males	Fe- males	Per-	Males	Fe- males	Per-	Males	Fe- males	Per- sons	Males	Fe- males	Per-
	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (continued)—												
670	Delivery with specified complication—												
671	partum haemorrhage Delivery complicated by retained placenta		3	3 1		1	1		1	1			
672	Delivery complicated by other post-partum haemorrhage					1	1					2	2
673 674	Delivery complicated by abnormality of bony pelvis												
675	Delivery complicated by prolonged labour of	• • • •	1	- 1					2	2		2	2
676	other origin Delivery with laceration of perineum without		•••	• • • •	• • • •								
677 678	mention of other laceration		 I 3	 3		 3 2	 3 2		3 2	 3 2			
680 681 682 683 684	Complications of the puerperium— Puerperal urinary infection without other sepsis Sepsis of childbirth and the puerperium Puerperal phlebitis and thrombosis Pyrexia of unknown origin during the puerperium Puerperal pulmonary embolism		 2 1 	 2 1 		 	 		 2 	2		2	2
685 686	Puerperal eclampsia								1				
687 688	Other and unspecified complications of the		4 I	4	***	• • •			2	2		2	2
689	Mastitis and other disorders of lactation			'		•••							
690-716	DISEASES OF THE SKIN AND CELLULAR TISSUE	15	26	41	21	27	48	17	26	43	25	33	58
690 691	Infections of skin and subcutaneous tissue— Boil and carbuncle Cellulitis of finger and toe	3		6		2	2	1	4	5	1	2	3
692	Other cellulitis and abscess without mention of lymphangitis	4	7	11	4	4	8	2			7		
693 694	Other cellulitis and abscess with lymphangitis Acute lymphadenitis		***										
695 696 697 698	Impetigo Infectious warts Molluscum contagiosum Other local infections of skin and subcutaneous tissue							I		2			 5
700	Other diseases of skin and subcutaneous tissue Seborrhoeic dermatitis												
701 702 703	Eczema		:::										
704 705	Other dermatitis Pemphigus Erythematous conditions Psoriasis and similar disorders	2	i	3	5 4	3	8 5	 I 4	3 8	1 4 12	2 4		 2 8
706 707	Psoriasis and similar disorders										7		
708 709	Corns and callosities												
710	Other hypertrophic and atrophic conditions of skin Other dermatoses		5	5	4	6	10	5	2	7	3	6	9
712 713	Diseases of nail												
714 715 716	Chronic ulcer of skin	 4 I	9	 3 							4	9	13
		'	• • •	1		•••	• • •	1		ı		•••	•••
720-749	ORGANS OF MOVEMENT	48	74	122	46	71	117	46	75	121	54	61	115
720	Arthritis and rheumatism, except rheumatic fever— Acute arthritis due to pyogenic organisms	2	2	4	3	1	4		2	3		2	2
721 722	Acute non-pyogenic arthritis	15	35	50		35	47		30			21	
723 724	Osteo-arthritis (arthrosis) and allied conditions Other specified forms of arthritis	5	13	18		9	15	6		18	9	10	19
725 726 727	Arthritis, unspecified			_I							1		
	Osteomyelitis and other diseases of bone and					•••	•••	•••			* * *	•••	• • •
730 731	joint— Osteomyelitis and periostitis Osteitis deformans	5	3	8	1	4 7	5	6	2	8	2	2	4
732 733	Osteochondrosis Other diseases of bone					5	6	3	4		3	5	
734 735 736	Internal derangement of knee joint Displacement of intervertebral disc										1		
736 737 738	Affection of sacro-iliac joint												
740	Other disease of musculoskeletal system— Bunion												• • •
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin												
742	Synovitis, bursitis, and tenosynovitis of occupational origin												
743	Infective myositis and other inflammatory diseases of tendon and fascia				9		16		1	1 21			
745 746	Curvature of spine Flat foot				í		1		10	- 1	2	2	19
747 748	Hallux valgus and varus Club foot												
749	Other deformities								1				

nternational			1961			1962			1963			1964	
Code Number	Cause of Death	Males	Fe- males	Per- sons	Males	Fe- males	Per- sons	Males	Fe- males	Per-	Males	Fe- males	Per-
750-759	CONGENITAL MALFORMATIONS	253	203	456	239	208	447	243	189	432	256	201	457
750 751 752 753	Monstrosity Spina bifida and meningocele Congenital hydrocephalus Other congenital malformations of nervous system	11 20 18	9 14 20	20 34 38	10 13 16	9 24 13	19 37 29	8 20 19	8 15 11	16 35 30	7 12 14	10 17 12	17 29 26
754	and sense organs	109	6 93	12 202	117	91	17 208	12	5 95	17 205	8 126	13 91	21 217
755 756 757	Cleft palate and harelip Congenital malformations of digestive system	3 36	3 21	6 57	23	22	45	26	24	50	30	14	6 44
758	Congenital malformations of genito-urinary system	18 2	14	32 4	26 2	9	35 6	16	9	25 6	26 3	16	42 7
759	Other and unspecified congenital malformations, not elsewhere classified		21	51	26	24	50	27	20	47	25	23	48
760-776	CERTAIN DISEASES OF EARLY INFANCY	619	441	1,060	628	451	1,079	550	432	982	530	401	931
	Birth injuries, asphyxia, and infections of newborn—												
760 761 762 763 764 765 766 767 768 769	Intracranial and spinal injury at birth Other birth injury Postnatal asphyxia and atelectasis Pneumonia of newborn Diarrhoea of newborn Ophthalmia neonatorum Pemphigus neonatorum Umbilical sepsis Other sepsis of newborn Neonatal disorders arising from certain diseases	2	37 82 57 22 1 	134 143 132 60 4 1 3	94 105 111 28 	46 68 51 27 1 	140 173 162 55 1 2	71 81 79 12 	44 71 49 22 1 	115 152 128 34 1 	46 79 77 17 1 	36 68 55 15 	82 147 132 32 1
	of the mother during pregnancy Other diseases peculiar to early infancy—	30	20	50	20	24	44	22	21	43	17	- 11	28
770 771 772 773 774	Haemolytic disease of newborn (erythroblastosis) Haemorrhagic disease of newborn Nutritional maladjustment III-defined diseases peculiar to early infancy Immaturity with mention of any other subsidiary condition Immaturity unqualified	16 3 26	18 9 3 19 6 165	43 25 6 45 10 404	28 10 3 39 4 181	22 11 1 24 5 165	50 21 4 63 9 346	21 10 6 52 2 190	24 12 5 23	45 22 11 75 4 348	15 9 3 57 5 199	15 8 38 2 150	30 17 3 95 7 349
780-795	SYMPTOMS, SENILITY AND ILL-DEFINED	120	211	240		1/0	207	114	147	241	10/	150	245
Waa Wal	Symptoms referable to systems or organs—	138	211	349	119	168	287	114	14/	261	106	159	265
780, 781 782	Symptoms referable to nervous system and special senses					2	2	3	- 1	4		1	
783	Symptoms referable to cardiovascular and lymphatic system	5 I	2	7 1	3		6	6	5	11	4	2	
784	Symptoms referable to upper gastro-intestinal			1	2		2	2		2	2		
785	Symptoms referable to abdomen and lower gastro- intestinal tract		1	1		2	2	1	2	3			
786 787 788 789	Symptoms referable to genito-urinary system Symptoms referable to limbs and back Other general symptoms												
	cause		•••			• • • •	• • • •			•••			
790 792 794 795	Nervousness and debility	 1 102 28	 1 196 10	2 298 38	 4 96 12	 145 16	 4 241 28	2 86 13	1 128 10	3 214 23	 2 72 26	 3 134 18	20
E800-E999	ACCIDENTS, POISONINGS, AND VIOLENCE	1,837	739	2,576	1,842	878	2,720	1,842	893	2,735	1,982	979	2,96
E800-E962	Accidents	1,441	569	2,010	1,405	666	2,071	1,357	582	1,939	1,516	737	2,25
E800-E802	Railway accidents	32	5	37	39	6	45	37	3	40	35	5	4
E800 E801	Railway accident involving railroad employee Railway accident involving passenger	10		10 15	16		16	14	2	14 8	16		1
E802	Railway accident involving other and unspecified person		2	12	15	3	18	17	- 1	18	11	4	1
E810-E825	Motor vehicle traffic accidents	688	203	891	698	231	929	681	221	902	736	274	1,01
E810	Motor vehicle traffic accident involving collision with railway train	9	7	16	4	- 1	5	9	2	- 11	8	4	1
E812 E813	Motor vehicle traffic accident involving collision with tramcar Motor vehicle traffic accident to pedestrian Motor vehicle traffic accident to pedestrian	228	108	336 29	202 17	 80 3	282 20	223 27	 94	317 28	216	120	33
E814	Motor vehicle traffic accident to pedal cyclist Motor vehicle traffic accident to rider or passenger of motor cycle in collision with non-motor vehicle or object			1	1		1				1		3
E815	Motor vehicle traffic accident to rider or passenger of motor cycle in collision with other motor vehicle	20	2	22	35		35	16	2	18	18	1	1
E816	Other motor vehicle traffic accident involving two or more motor vehicles	157	41	198	160	82	242	168	62	230	197	88	28
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle												
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	1	1	2	3	1	4						
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object				1		1	2		2	1	1	
E820	Motor vehicle traffic accident while boarding and alighting	2		2	1	1	2		- 1	1	1		
E821 E822	Motor vehicle traffic accident to rider of motor cycle without antecedent collision	12	!	13	14		14	7		7	10		- 1
E822	Motor vehicle traffic accident involving over- turning in roadway	10		10	10		10	45	- 11	56	31	5	3
LU23		203	22	236	239	56	295	176	46	222	204	52	25
E824	off roadway Other non-collision motor vehicle traffic accident		33 7	15	8	7	15	7	2	9	11	1	

nternational			1961			1962			1963			1964	
Code Number	Cause of Death	Males	Fe- males	Per- sons	Males	Fe- males	Per- sons	Males	Fe- males	Per- sons	Males	Fe- males	Per- sons
	ACCIDENTS, POISONINGS, AND												
	VIOLENCE (continued)— Accidents (continued)—												
5030	Motor vehicle non-traffic accidents—	4	2	6	3	2	5	4		4	4	3	7
E830 E831 E832	Motor vehicle non-traffic accident to pedestrian Motor vehicle non-traffic accident to pedal cyclist Motor vehicle non-traffic accident to rider or												
E833	passenger of motor cycle Other motor vehicle non-traffic accident involving								• • •		1		1
E834	two or more motor vehicles			• • • •	1		1		• • •	• • • •	• • •		
E835	and alighting Motor vehicle non-traffic accident of other and			• • •				1		1			
	unspecified nature	11		11	6	I	7	7		7	21		2
E840-E841	Other road vehicle accidents— Tramcar accident, except collision with motor												
E842	vehicle Accident to pedestrian caused by pedal cycle									1	1		
E843	Accident to rider of pedal cycle not involving collision with a motor vehicle	2	- 1	3	4		4	5	- 1	6	2	- 1	
E844	Accident to pedestrian caused by other non- motor road vehicle		1	12									
E845	Other non-motor road vehicle accidents Water transport accidents—	7	3	12	17		17	13	'	17			'
E850 E851	Submersion of occupant of small boat Other water transport injury by submersion	33	7	40	17	1	18	22		22 4	22		2
E852 E853	Fall on stairs and ladders in water transport Other falls from one level to another in water				2		2				1		
E854	transport	1			2		2	2		2 1	1		
E855 E856	Unspecified falls in water transport Machinery accident in water transport						2						
E857 E858	Other specified accidents in water transport Water transport accident of unspecified cause	2			3		3	3		3	2		
	Aircraft accidents—												
E860 E861	Accident to personnel in military aircraft Injury to occupant by accident to commercial							3	•••	3			
E862	"transport" aircraft Other injury in commercial "transport" aircraft	9			6	2							
E863	Injury to occupant by accident to other specified aircraft	4		4	12		12	6		6	9	2	1
E864	Aircraft accident at airfield to person not in aircraft	- 1		- 1									
E865	Aircraft accident elsewhere to person not in aircraft										l,		
E866	Other and unspecified aircraft accidents	1		'			•••	3	•••	,			
E870 E888	Accidental poisoning by solid and liquid substances	36	28	64	31	41	72	37	24	61	66	63	12
E871	opium derivatives												
E872	derivatives	19	17	36 I	19	22	41	27	18	45 1	52	50 I	10
E873 E874	Accidental poisoning by bromides Accidental poisoning by other analgesic and	4	5	9		2	2	I		1		4	
E875	soporific drugs Accidental poisoning by sulphonamides	3		4		8							
E876 E877	Accidental poisoning by strychnine Accidental poisoning by belladonna, hyoscine, and		1	2	3		3	I	•••	1	1	4	
E878	atropine Accidental poisoning by other and unspecified												
E879	Accidental poisoning by noxious foodstuffs										2		
E880 E881	Accidental poisoning by alcohol Accidental poisoning by petroleum products	2		2		1	1	2	2	4			
E882 E883	Accidental poisoning by industrial solvents Accidental poisoning by corrosive aromatics, acids, and caustic alkalis	3	2										
E884	Accidental poisoning by mercury and its compounds								1				
E885 E886	Accidental poisoning by lead and its compounds Accidental poisoning by arsenic and antimony, and								• • • •		4		
E887	their compounds					4	7	2		2	5		
E888	Accidental poisoning by other and unspecified solid and liquid substances	3		3	2	1	3	2		2		1	
E890E895	Accidental poisoning by gases and vapours	22	15	37	12	12	24	26	26	52	13	25	3
E890 E891	Accidental poisoning by utility (illuminating) gas Accidental poisoning by motor vehicle exhaust gas	15	15	30	10		22	21	25	46	11	24	3
E892	Accidental poisoning by other carbon monoxide	3		3				2 2	1	3 2		- 1	
E893 E894	Accidental poisoning by cyanide gas Accidental poisoning by other specified gases and		•••					1		1			
E895	vapours										'		
900-E904	Accidental falls	161	175	336	169	227	396	144	164	308	151	219	37
E900 E901	Fall on stairs	14	10	24	14	9	23 7	18		30 I	18	8 25	2
E902 E903	Other falls from one level to another Fall on same level	68 37	20 39	88 76	58 37	15 28	73 65	27	17 24	61 51	50 29	34	7
E904	Unspecified falls	40	105	145	56	172	228	54	111	165	50	152	20
E910	Other accidents— Blow from falling or projected object or missile	37	- 1	38	45	2	47	35	4	39	46		4
E911 E912	Accident caused by vehicle	27		28	35	1	6 36	23		23	24		2
E913	Accident caused by cutting and piercing instru- ments		1	1	1		1	2 35	1	3			
E914 E915	Accident caused by explosion of pressure vessel	27 	2	29 		4	28	2		39	23		2
E916 E917	Accident caused by fire and explosion of com- bustible material	53	40	93	23	42	65	41	41	82	45	42	8
F-9/1 /	Accident caused by hot substance, corrosive liquid, and steam	5	- 1	6	4	5	9	4	2	6	7	5	- 1
E918 E919 E920	Accident caused by radiation Accident caused by firearm Foreign body entering eye and adnexa	36	1	37	28		31	28	5	33	28	3	3

No. 32. Causes of Death, N.S.W., 1961 to 1964 (continued)

(Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

International			1961			1962			1963			. 964	
Code Number	Cause of Death	Males	Fe- males	Per- sons	Males	Fe- males	Per- sons	Males	Fe- males	Per- sons	Males	Fe- males	Per-
	ACCIDENTS, POISONINGS, AND VIOLENCE (continued)—												
	Accidents (continued)—												
E922	Inhalation and ingestion of other object causing												
E923	obstruction or suffocation	6		7 1	2		2 				3	2	2
E924 E925	Accidental mechanical suffocation in bed and cradle	17	8	25	13	13	26	17	7	24	31	12	43
E926	unspecified circumstances	4		4	5	4	9	10	,	10	5 1		
E927	Accidents caused by bites and stings of venomous animals and insects									2			
E928 E929	Other accidents caused by animals	140		184	3 127	 2 28	5 155	2 88	i 36	3	130	2 35	
E930 E 9 31	High and low air pressure Excessive heat and insolation	2		1 6	2	2							
E932 E933	Excessive cold	3		3	2		3 2			1	1		
E934 E935	Cataclysm	 21	₇	2 28	2						2		
E936	Other and unspecified accidents	21	/	28	20	3	23	16	6	22	31	10	4
E940	Complications due to non-therapeutic medical and surgical procedures— Generalized vaccinia following vaccination												
E941 E942	Postvaccinal encephalitis Other complications of smallpox vaccination												
E943 E944	Post-immunization jaundice and hepatitis Other complications of prophylactic inoculation	1		1									
E945	Complications of anaesthesia for non-therapeutic purpose												
E946	Other complications due to non-therapeutic medical and surgical procedures							1	1	2	1		
	Therapeutic misadventure and late complica- tions of therapeutic procedures—												
E950 E954	Therapeutic misadventure in surgical treatment Therapeutic misadventure in anaesthesia	1	1	2									
E951-E953,	Other and unspecified therapeutic misadventure	2	1	3	4		7			•••	2		
E956-E959	Late complications of therapeutic procedures	• • •	• • •	• • •	•••	1	1						
E960	Late effects of injury and poisoning— Late effect of motor vehicle accident							2		2	2	1	
E961 E962	Late effect of accidental poisoning Late effect of other accidental injury				 12	3	15				2		
E963, E970–E979	Suicide and self-inflicted injury	360	145	505	398	184	582	445	283	728	426	209	63
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	55	54	109	77	79	156	118	145	263	95	124	21
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	28	19	47	25	- 11	36	31	20	51	19	12	3
E972	Suicide and self-inflicted poisoning by gases in domestic use	47	41	88	45	34	79	66	55	121	58	31	8
E973 E974	Suicide and self-inflicted poisoning by other gases Suicide and self-inflicted injury by hanging or	3 I 5 I	6	32	40		40	43	3	46	32	2	3
E975	strangulation	11	10	57 21	56	13	69 21	10	15 16	58 26	64 13	13 7	7
E976	Suicide and self-inflicted injury by firearms and explosives	100	4	104	126	14	140	97	11	108	109	9	118
E977	Suicide and self-inflicted injury by cutting and piercing instruments	13	2	15	15	2	17	15	4	19	12	1	1:
E978	Suicide and self-inflicted injury by jumping from high place	8	2	10	3	5	8	9	8	17	10	6	10
	Suicide and self-inflicted injury by other and unspecified means	16	6	22	3	13	16	13	5	18	14	4	18
E979			• • •	• • • •		•••		•••	1	1			• • • •
E979 E963	Late effect of self-inflicted injury					20	61	33	28	61	38	33	7
E963	Late effect of self-inflicted injury	32	25	57	33	28							
E963 E964, E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	1	3	4	1	2	3	3	2	5	5	8	
E963 E964, E980-E985 E980 E981 E982	Homicide and injury purposely inflicted by other persons (not in war) Non-accidental poisoning by another person Assault by firearm and explosive Assault by cutting and piercing instruments	1 10 6	3 6 4	4 16 10	1 15 4	2 4 .	26 8	13 5	10	23 	14	13	2
E963 E964, E980-E985 E980 E981 E982 E983 E983	Homicide and injury purposely inflicted by other persons (not in war) Non-accidental poisoning by another person Assault by firearm and explosive	1 10 6 15	3 6 4 12	4 16 10 27	1 15 4 13	2 4 	26 8 24	13 5 11 1	10 6 10	23 2 	14 4 15	13 3 9	2
E963 E964, E980-E985 E980 E981 E982 E983	Homicide and injury purposely inflicted by other persons (not in war) Non-accidental poisoning by another person Assault by firearm and explosive Assault by cutting and piercing instruments Assault by other means Injury by intervention of police Execution Late effect of injury purposely inflicted by another	1 10 6 15 	3 6 4 12 	4 16 10 27 	1 15 4 13 	2 11 4 11 	26 8 24 	13 5 11 1	10 6 10 	23 2 	14 4 15 	13 3 9 	24
E963 E964, E980-E985 E980 E981 E982 E983 E984 E985	Homicide and injury purposely inflicted by other persons (not in war) Non-accidental poisoning by another person Assault by firearm and explosive	1 10 6 15	3 6 4 12	4 16 10 27	1 15 4 13	2 4 	26 8 24	13 5 11 1	10 6 10	23 2 	14 4 15	13 3 9	

Note. Comparisons of causes of death from year to year should be made with caution, as a number of factors (such as changes in the mode of certification and classification, improvement in diagnosis, etc.) may have influenced the figures. Information obtained from certifiers as the result of more intensive query programmes introduced in 1960 and 1961 made more precise classification possible, and led to significant changes in the number of deaths assigned to terrain disease categories. The categories principally affected have been marked with an asterisk in this table.

VITAL STATISTICS

No. 33. Causes of Death (Abbreviated), N.S.W.: Monthly, 1964

International	6 (0)	Janu	lary	Febr	uary	Ma	rch	Ap	ril	Ma	У	Ju	ine	Ju	ıly	Au	gust	Septe	mber	Oct	ober	Nov	ember	Dece	mber		Year	
Code Number	Cause of Death	М.	F.	Μ.	F.	М.	F.	М.	F.	M.	F.	Μ.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	Males	Females	Persons
001-008 010-019 020-029 040 045-048 050-051 055 056 057 080 085 100-108	Tuberculosis of respiratory system Tuberculosis, other forms Syphilis and its sequelae Typhoid fever Dysentery, all forms. Scarlet fever and streptococcal sore throat Diphtheria Whooping cough Meningococcal infections Acute poliomyelitis Measles Typhus and other rickettsial diseases Malaria All other diseases classified as infective and parasitic	8 I 	2	7	4 1 	7	3 1 1 	8 		8 I 3 2	1 "I ":" ":" "! "!	II	5 2 	17 3 2 	5	22 	3 1 2 	12 2 	5 	13 2	- I	9	4 	8 I 2 I	 1 	130 2 14 2 1 9 	33 3 8 	163 5 22 3 1 2 12 2
140-205	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues Benign and unspecified neoplasms	273	252	231	209	293	195	273	225	228	175	281	232	324	241	305	226	261	215	207	218	285	227	233	189	3,194	2,604	96 5,798
260 290–293	Diabetes mellitus	23	27	11	24	8	13	14	31	13	19	24	37 4	27	35 8	25	26 4	11 4	37 5	20 4	19 8	14 3	25 3	18	32	208 43	325 57	533 100
330–334 340	Vascular lesions affecting central nervous system Meningitis, except meningococcal and tuberculous	168	262 I	135	203 I	121	174	156 3	22 I	172	214	198 1	310	253 2	346	252 2	320 I	181	275	205	237	198	222 I	132	208 I	2,171	2,992	5,163 31
400-402 410-416 420-422 430-434 440-443 444-447 480-483 490-493 500-502	Rheumatic fever Chronic rheumatic heart disease Arteriosclerotic and degenerative heart disease. Other diseases of heart Hypertension with heart disease Hypertension without mention of heart Influenza Pneumonia Bronchitis	9 600 55 27 8 1 52 45	1 20 419 46 38 12 1 47 5	 11 466 38 15 18 42 40	1 10 310 44 26 10 39	6 488 36 12 6 1 43 30	1 13 327 46 31 10 1 29 5	 10 593 45 22 9 49	 18 333 37 27 15 32 5	5 662 49 25 11 3 52	13 422 56 34 13 1 29	754 61 31 17 1 83 73	9 558 71 48 22 4 83 12	1 15 954 110 33 21 26 150	15 647 94 53 19 22 107 27	1 15 729 79 21 19 17 99	1 15 582 72 45 17 16 101	8 720 69 21 10 3 74	13 464 79 24 13 5 64	17 623 43 21 11 1 66 57	13 444 55 25 10 1 43	5 566 45 23 11 2 63 61	8 431 56 28 15 42	12 555 42 15 17 55	1 9 335 50 26 11 37	2 125 7,710 672 266 158 55 828 762	5 156 5,272 706 405 167 51 653 138	7 281 12,982 1,378 671 325 106 1,481 900
540, 541 550-553 560, 561, 570 543, 571, 572	Ulcer of stomach and duodenum	8 2 9	2 1 16	7 1 10 4	3 1 5	13 4 10	7 1 4	15	6 II	15	3 3 12 7	17 1 8	4 2 5	19 1 11	16 1 10 9	14 2 12	11 15	19 1 9	4 3	11 4 6	8 II	17 3 8	6 3 7	18 1	8 6	173 20 97 85	78 12 105	25 I 32 202
590-594 610 640-689	Nephritis and nephrosis	17	15	13	11	16	11	12	12	12 22 13	10	12 18 13	12	16 27 11	14	14 19 15	12	7 9 6	10	9 13 12	6	15 19 13	17 	6 11 12	9	130 196 125	68 139 	335 125
750–759	puerperium	34	20	23	15	21	10	22	20	21	16	26	22	20	28		3		2		2		4		3	254	28	28
760–762 763–768 769–776	Birth injuries, postnatal asphyxia and atelectasis Infections of the newborn Other diseases peculiar to early infancy, and immaturity unqualified	18	13 1	9 4 26	19 1	18 1	17 2 24	20 5 37	12	20 2	11	24 3	12	20	16	22 	6 3	17 3	10	8	14	20 18 1	15	9 8 1	14	256 202 23	159 18	361 41
780-795 Residual	Senility without mention of psychosis, ill-defined and unknown causes	3	16 141	7 99	9	7 95	12	6	7 124	8 122	7 102	15 197	16 14 155	14 216	26 20 I	15	17 176	9	14 7 14	38 11 147	20 9 132	29 9 175	11	29	20 14 136	305 106 1,737	159 1,652	529 265 3,389
E810-E835 E800-E802.	Motor vehicle accidents	57	19	53	24	60	25	69	20	80	31	75	24	63	22	43	23	75	24	63	28	66	24	58	13	762	277	1,039
E840-E962 E963, E970- E979	All other accidents	79 39	46	66 34	37 12	66 30	32 18	66 34	33 18	55 34	47	63 48	30	57 39	35	64	44	55	48	46	36	58	42	79	30	754	460	1,214
E964, E965, E980-E999	Homicide and operations of war	2	ı	8	3	4	1		3	7	10	5	4	3	30	27	14	40	3	27 I	24	41	13	33	3	426	33	635 73
	Total	1,739	1,478	1,401	1,193	1,442	1,149	1,680	1,268	1,752	1,316	2,117	1,736	2,648	2,072	2,153	1,830	1,931	1,549	1,722	1,411	1,794	1,377	1,520	1,209	21,899	17,588	39,487

^{*} Categories 030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-096, and 120-138.

No. 34. Causes of Death (Abbreviated), Metropolis: Monthly, 1964

		Janu	lary	Febr	uary	Ma	rch	Ap	ril	Ma	ay	Jui	ne	Ju	ly	Aug	ust	Septer	mber	Octo	ber	Nove	mber	Dece	mber		Year	
International Code Number	Cause of Death	М.	F.	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F	M.	F.	Males	Females	Persons
001-008 010-019 020-029 040 045-048 050-051 055 056 057 080 085 100-108	Tuberculosis of respiratory system Tuberculosis, other forms Syphilis and its sequelae Typhoid fever Dysentery, all forms. Scarlet fever and streptococcal sore throat Diphtheria Whooping cough Meningococcal infections Acute poliomyelitis Measles Typhus and other rickettsial diseases Malaria All other diseases classified as infective and parasitic	5 ! 	2	6	1 	3	2	6 1	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	3 1 3 2 3	 	6	3 2 	11 2 2	4	10	3 1 2 3	10 1 	3 	9 2	 	3 	3	5 1 		77 2 10 2 4 1 23	23 2 8 ! 20	100 4 18 3 1 5 1 43
140-205 210-239	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	177	172 1	147	143	186 I	135	169	147 	132	102	161	148	196	161	180	144	162	143	127	121	180	142	152	116	1,969	1,674	3,643
260 290–293	Diabetes mellitus	14	17 1	6	15	3	8	8 2	21	4	10	13	21	3	6	16	17	7	19	13	5	9	3	13	21	125	192 34	317 56
330–334 340	Vascular lesions affecting central nervous system Meningitis, except meningococcal and tuberculous	99	177 1	86	125	69 I	110	98	143	103	147 1	131	211	140	210	144	190	103	168	125	143	117	140	82	132	1,297	1,896	3,193
400-402 410-416 420-422 430-434 440-443 444-447 480-483 490-493 500-502	Rheumatic fever Chronic rheumatic heart disease Arteriosclerotic and degenerative heart disease Other diseases of heart Hypertension with heart disease Hypertension without mention of heart Influenza Pneumonia Bronchitis	33 350 26 17 3 1 33 25	261 23 22 5 22 3	 7 285 20 9 12 24 26	 6 191 29 21 6 18 7	5 306 16 7 1 24 24	10 202 27 17 7 1 22 4	342 22 14 7 	224 27 16 9	3 371 23 11 7 2 34 28	 10 271 35 19 6 1	8 468 28 11 8 52 39	8 382 45 28 11 1 47 6	10 559 52 16 10 2 82 76	8 417 63 32 8 6 50	1 12 438 40 10 10 6 56 50	8 384 34 26 11 4 54 9	36 8 3 46 44	8 300 48 13 7 3 38 13	356 24 11 5 i 36 29	 10 289 28 19 4 23 5	2 344 25 10 1 36 31	5 280 39 11 8 	310 22 8 6 32 18	218 33 14 2 22 3	1 78 4,531 339 132 73 12 474 409	1 103 3,419 431 238 84 16 352 86	7,950 770 370 157 28 826 495
540, 541 550-553 560, 561, 570 543, 571, 572	Ulcer of stomach and duodenum	5 1 4 1 6	1 1 11 2 7	3 4 3 6	1 3 5 3	8 4 8	2 2 5 3	3 1 3 5 9	3 6 7	8 3	3 8 6 6	12 1 4	3 1 3 6 2	9 5 4 5	9 1 9 3 7	9 2 8 9	9 8 4 1	12 1 6 3 5	 1 6 3	9 2 4 8	6 6 3 2	9 1 3 2 8	2 3 5 3 3	7 1 4 4	5 3 2 2	94 7 47 38 82	45 7 65 51 46	139 14 112 89 128
590-594 610	Nephritis and nephrosis	10	10	7		4 5	4	6	5	13	3	13	9	16 4	9	11	9	4 4		7		7 5	9	5 8		100 63	79 	179 63
640–689	Complications of pregnancy, childbirth, and the puerperium		2		1												1				2		1		2		9	9
750–759	Congenital malformations	16	7	13	- 11	12	7	- 11	11	- 11	10	13	14	11	16	10	4	12	8	10	9	9	10	4	7	132	114	246
760–762 763–768 769–776	Birth injuries, postnatal asphyxia and atelectasis	7 9	10 7	13	5 1 4	9	10 9	10 1	8 1	7 1 16	5 1 14	14 3 8	5 	11	9 1 10	15	5 1 7	10	3 4	18	6	13 1 15	7	1 12	9	102	78 11 107	180 19 236
780-795 Residual	Senility without mention of psychosis, ill-defined and unknown causes	1 75	6 80	2 58	3 75	 48	4 74	1 79	1 75	63	3 58	7 97	110	5 113	10	5 94	5 97	2 82	5 73	2 80	4 72	2 86	3 68	2 63	5 76	31 938	53 967	84 1,905
E810-E835	Motor vehicle accidents	33	10	24	10	32	16	31	10	41	15	38	12	28	- 11	17	17	31	10	27	17	22	13	23	9	347	150	497
E800-E802, \\ E840-E962 \}	All other accidents	44	24	29	20	24	22	26	15	25	25	24	22	31	28	34	30	24	30	29	27	31	25	43	17	364	285	649
E963, E970- \\ E979 \\	Suicide and self-inflicted injury	25	7	21	10	17	16	22	17	26	22	29	7	28	20	15	13	20	13	19	19	26	9	17	- 11	265	164	429
E964, E965, E980-E999	Homicide and operations of war	1		3	2	3	1		3	6	8	3	1	2				2	3		1			3		23	21	44
2700 2777	Total	1,005	905	821	732	830	727	945	817	975	823	1,212	1,128	1,470	1,261	1,228	1,108	1,053	934	975	851	1,007	842	858	735	12,379	10,863	2

^{*} Categories 030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-096, and 120-138.

No. 35. Causes of Death, N.S.W.: Age Groups, 1964

OI INFECTIVE AND PARASITIC DISEASES Pi 17,588 701 69 83 35 20 868 80 62 111 79 81 126 225 380 520 682 901 127 1,647 2,372 2,984 2,001 2,													Age (Group (years)										
O1-18 INFECTIVE AND PARASITIC DISEASES	de	Cause of Death .	All		2	3	 under	5–9	10-14	15-19	20-24	25–29	30–34	35–39	40-44	45–49	50-54	55-59	60-64	65-69	70-74	75–79	80-84	85 or more	Age not stated
Oli-019 Tuberculosis, all forms	E999 A																							1,550 2,595	6
Tuberculosis of respiratory system	138 11	NFECTIVE AND PARASITIC DISEASES M	218 88		4	3 I		-	1					3 6	4 3								17 5	13 5	1
Color Respiratory tuberculosis with mention of occupational M 3 3 3 3 3 3 3 3 3	019 T	Tuberculosis, all forms M F												2 5	3			12	9 2				10	10	1
disease of lung	-008 T	Tuberculosis of respiratory system M F		 							1			2 5					9 I	26 4		16 1	10	10	1
Pleural tuberculosis .		disease of lung F	127	 			 													25	28			 10 2	
O04 Primary tuberculosis complex with symptoms. M O05 Tracheo bronchial glandular tuberculosis with symptoms M O07 Other respiratory tuberculosis . M O08 Tuberculosis, unspecified site . M F O10-019 Tuberculosis, other forms . M O10 Tuberculosis of intestines, peritoneum, and mesenteric glands O12 Tuberculosis of intestines, peritoneum, and mesenteric M O13 Late effects of tuberculosis of bones and joints . M O14 Tuberculosis of skin and subcutaneous cellular tissue . M O15 Tuberculosis of skin and subcutaneous cellular tissue . M O16 Tuberculosis of genito-urinary system . M O17 Tuberculosis of adrenal glands . M O18 Tuberculosis of genito-urinary system . M O19 Tuberculosis of genito-urinary system . M O19 Tuberculosis of adrenal glands . M O19 Tu)3	Pleural tuberculosis		 							'					_									
Tracheo bronchial glandular tuberculosis with symptoms M)4	Primary tuberculosis complex with symptoms M																							
Other respiratory tuberculosis)5	Tracheo bronchia! glandular tuberculosis with symptoms M		 																					
Tuberculosis, other forms M 2 1 Oldo Tuberculosis of meninges and central nervous system M M M M M M M M M M M M M M M M M M M)7	Other respiratory tuberculosis M		 																					
010—019 Tuberculosis, other forms)8	Tuberculosis, unspecified site		 			 																		
Tuberculosis of meninges and central nervous system M	-019 T	Tuberculosis, other forms M	2	 						[1						1			
Oll Tuberculosis of intestines, peritoneum, and mesenteric F M H H H H H H H H H H H H H H H H H H	0	Tuberculosis of meninges and central nervous system M	3	 															1	1		1			
glands Tuberculosis of bones and joints, active or unspecified M Ol3 Late effects of tuberculosis of bones and joints M Ol4 Tuberculosis of skin and subcutaneous cellular tissue M Ol5 Tuberculosis of lymphatic system M Ol6 Tuberculosis of genito-urinary system M Ol7 Tuberculosis of adrenal glands M Ol7 Tuberculosis of adrenal glands M Ol8 Tuberculosis of other organs	1	Tuberculosis of intestines, peritoneum, and mesenteric M		 													1								
Ol3 Late effects of tuberculosis of bones and joints M		glands F		 																					
O14 Tuberculosis of skin and subcutaneous cellular tissue M M M M M M M M M M M M M M M M M M M		F		 			 																		
O15 Tuberculosis of lymphatic system		E													1										
016 Tuberculosis of genito-urinary system		F		 																					
016 Tuberculosis of genito-urinary system		F		 																					
017 Tuberculosis of adrenal glands		F	1	 			 																		
019 Tuberculosis of other organs	7	Tuberculosis of adrenal glands M		 			 																		
	8	Tuberculosis of other organs M		 			 																		
019 Disseminated tuberculosis	9	Disseminated tuberculosis F	1	 			 															i			

International													Age G	roup (y	ears)										
Code Number	Cause of Death	Total, All Ages	Under I year	2	3	4	Total under years	5–9	10-14	15–19	20-24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60-64	65-69	70–74	75–79	80-84	85 or more	Age not stated
	INFECTIVE AND PARASITIC DISEASES (continued)— Syphilis and its sequelae—																								
020	Congenital syphilis	М		 																					
021	Early syphilis	M		 																					
022	Aneurysm of aorta	F M 14		 																		2			
023	Other cardiovascular syphilis	F 6		 														i	i		i	1	Ĭ	i	
024	Tabes dorsalis	F M		 																					
025	General paralysis of insane	F M		 																					
026	Other syphilis of central nervous system	F I		 						1															
027	Other forms of less we hills	F I		 																	*** ,				
029	Curbilla manuficad	F		 																					
027		F		 																					
030 035	Gonococcal infection and other venereal diseases—																								
030-035	Gonococcal infection	M		 																					
036–039	All other venereal diseases	M F		 																					
040	Infectious diseases commonly arising in intestinal tract— Typhoid fever	Μ		 											•••	•••		•••	•••					•••	
041	Paratyphoid fever	F M		 																					
042	Other Salmonella infections	F		 																					
043	Cholera	F		 																					
044		M		 																					
045	Brucellosis (undulant fever)	M		 																					
	Bacillary dysentery	M F		 																					
046	Amoebiasis	M 2		 												1									
047	Other protozoal dysentery	M F		 																					
048	Unspecified forms of dysentery	M		 																					
049	Food poisoning (infection and intoxication)	M I		 															1			'			
	Other bacterial diseases—			 				• • • •		• • • •	•••										1	• • • •			
050	Scarlet fever	M		 																					
051	Streptococcal sore throat	M		 																				•••	
052	Erysipelas	F		 																					
053	Septicaemia and pyaemia	F I 6		 													- 1								
054		F 6		 				1		- 1						i	1		1			'	'		
		F		 																					

													Age (Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year	ı	2	3	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45-49	50-54	55-59	60-64	6569	70-74	75–79	80-84	85 or more	Age not stated
	INFECTIVE AND PARASITIC DISEASES (continued)— Other bacterial diseases (continued)—																								
055	Diphtheria	1 1				1	1																		
056	Whooping cough	: 1					 																		
057	Meningococcal infections	1 9	1				 i																		
058	Plague	3		3			 3				'							'		'					
059	Tularaemia	· · · · · · · · · · · · · · · · · · ·					 																		
060							 																		
	Leprosy	1					 																		
061		1 4					 																		
062	Anthrax	1 1					 				1														
063	Gas gangrene	1					 																		
064	Other bacterial diseases	1 3					 																		
	Spirochaetal diseases, except syphilis—	'					 1	***			• • •													• • •	•••
070	Vincent's infection	1																							
071	Relansing fever						 																		
072	Leptospirosis						 																		
073	V						 																		
074		1					 																		
0/4	Other spirochaetal infections	1					 																		
	Diseases attributable to viruses—																						• • • •	• • •	
080	Acute poliomyelitis	1																							
081	Late effects of acute poliomyelitis	1					 																		
082	Aguta infactious anasahalisis	1					 																		
083	F	3					 																		
	Late effects of acute infectious encephalitis	1					 																		
084	Smallpox	1					 																		
085	Measles F	1					 				1														
086	Rubella (German measles)	1					 '																		
087	Chickenpox	1 6	2	ï	ï		 4								1			1							
088	Herpes zoster	!					 																		
089	Mumps	'					 																		
	F	1					 																1		

													Age	Group	(years)										
International Code Number	Cause of Death	Total, All Ages	Under 1 year	2	3	4	Total under 5 years	5-9	10-14	15-19	20-24	25–29	3034	35–39	40-44	45-49	50–54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	INFECTIVE AND PARASITIC DISEASES (continued)—																								
	Diseases attributable to viruses (continued)—																								
090	Dengue			 																					
091	Yellow fever			 																					
092	Infectious hepatitis	1		 	ï								2					2	1						
093	Glandular fever (infectious mononucleosis)	1		 			'									'	'					'			
094	Rabies	1		 																					
095	Trachoma	1		 																					
096	Other diseases attributable to viruses			 ``i		ï																			
	F	3		 • • •	1		1			•••	• • • •	• • • •	• • • •		•••	•••									
100-108	Typhus and other rickettsial diseases F			 																					
110-117	Malaria	1		 																					
120	Other infective and parasitic diseases—	1		 																					
121	Trypanosomiasis	1		 																					
122	Other protozoal diseases	1		 																					
123	Schistosomiasis	1		 																					
124	Other trematode infestation	1		 																					
125	F	1 3		 																					
126		6		 															1		'	11			
126				 																					
	Filariasis			 																					
128	Trichiniasis	· · · · · · · · · · · · · · · · · · ·		 																					
129	Anklyostomiasis			 																					
130	Infestation with worms of other, mixed, and unspecified type			 			'																		
131	Dermatophytosis			 																					
132	Actinomycosis	1 2 1		 												i							'		
133	Coccidioidomycosis	Y		 																					
134	Other fungus infections	2		 																		1			
135	Scabies	M		 																					
136	Pediculosis	M		 																					
137	Other arthropod infestation	M		 																					
138	Other infective and parasitic diseases	M 2 5															2	1							

														Age	Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40-44	45-49	50–54	55–59	60–64	65–69	70-74	75–79	80-84	85 or more	Ag no state
140-239	NEOPLASMS F	3,226 2,646	8		4 4	6 5	5 6	27 24	17	17	6	17	25 20	37 26	5 I 57	86 111	136 135	229 202	358 230	446 270	445 306	517 383	42 I 387	268 270	123	
140-199	Malignant neoplasms F	1 2,882 2,392	2	4	3	3	1	13	10	6 2	1 7	10 10	17 14	28 20	34 51	74 99	112 121	202 188	314 205	413 252	410 272	478 348	391 368	254 253	115	
140	Malignant neoplasm of buccal cavity and pharynx— Malignant neoplasm of lip	1 10															2		1	1	1			2	2	
141	Malignant neoplasm of tongue	1 17																	2			1 2				
142	Malignant neoplasm of salivary gland	1 10																1		2	3 		4	2	2 2	
143	Malignant neoplasm of floor of mouth	1 4																	1 2							
144	Malignant neoplasm of other parts of mouth and of	1 10																	2			2 2		2	2	
145	mouth unspecified F Malignant neoplasm of oral mesopharynx	1 4																			2					1:
146	Malignant neoplasm of nasopharynx	1																								1:
147	Malignant neoplasm of hypopharynx	1 5																								1:
148	Malignant neoplasm of pharynx, unspecified N	1 15															1	2	1	3 2	2 4	2	2			
150 151	Maliana	1 85 : 42 1 369										1				 14	5 1 10	5 4 25	10 1 32	6 3 44	11 3 56	14 6 74	13 9 61	12 8 32	7 7	
152	Malignant neoplasm of small intestine, including M	253													2	7	6	6	14	26	23	42			16 25	
153	duodenum	8												2				1 7	 1 27	2	40	2 39	1 47	26	 17	, :
154	Malignant neoplasm of rectum	378 1 125										2	4	3	8	5	10	21	29	28	47 20	58 19	72	49	41	
155	Malignant neoplasm of biliary passages and of liver	78											1			4 2	2	4	3	8	11	8	16		12	
156	(primary)	73															3	1 2	4 4	12	13	17			Ĭ	
157	Malignant neoplasm of pancreas	1 145															1 6	Î 8	21	2 26		3 28	3	i	3	
158	Malignant neoplasm of peritoneum	114													2	i	3	6	7	16	17	22			6	
159	Malignant neoplasm of unspecified digestive organs N	8 1 3															2						2			

														Age	Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30-34	35–39	40-44	45 -4 9	50-54	55–59	60–64	65–69	70–74	75–79	80-84	85 or more	Age not state
	NEOPLASMS (continued)—																									-
	Malignant neoplasms (continued)—																									
160	Malignant neoplasm of respiratory system— Malignant neoplasm of nose, nasal cavities, middle ear and Maccessory sinuses	6 7 46						•••								 ₂	1	1 2 6	_I		 2 10	7	I I 7		 	
162, 163	Malignant neoplasm of trachea, bronchus and lung M	830 122														17	34	83	113	167	137	138	85	41	10	
164	Malignant neoplasm of mediastinum M	122											1					20	9	13	12	14	20		5	
165	Malignant neoplasm of thoracic organs (secondary) M	6 3	•••														1				 2 1	2				
170 171 172 173 174 175 176 177 178 179 180	Malignant neoplasm of breast and genito-urinary organs— Malignant neoplasm of breast	3 509 133 61 1 9 145 22 322 18 5 65 65 34						 						6 2 2 I 4	 19 4 2 3 2	34 10 1	44 5 1 13 1 2 5 5 3	52 8 4 3 22 1 5 2 3 1	1 55 19 4 26 2 11 12 6 13 4	 49 13 10 2 19 1 27 2 11 4	 54 20 8 1 18 4 37 	 73 21 10 16 2 68 	 52 15 12 17 4 77 1 6 2 2 26	1 44 10 6 2 5 2 2 2 1 2 1 2	1 26 4 5 1 2 3 34 3 6	
190	Malignant neoplasm of other and unspecified sites— Malignant melanoma of skin	47											4 2	2	7 5	7	6 2	7 9	5 2	10	3 5	5 4		2 3		
191 192	Other malignant neoplasm of skin	36 15														2		3 	3	3	2 2	5 I	3 5	8	4	
	Malignant neoplasm of eye	7																					2			
193 194	Malignant neoplasm of brain and other parts of nervous M system	98 65 9		2 4	2 2	3	``i	8 8	3	2 2	2	2 2		7 2	8 5 	4	8	13 9	17 8 3	8	4 5 1	1 1 4	2			
195	F Malignant neoplasm of other endocrine glands M	22 5															2	2				4		5		
196	Malignant neoplasm of bone (including jaw bone) M																	4	1		i 2		4			
197	Malignant neoplasm of connective tissue M			···					2	2	3	2			1					3	1 2	4	4	i		
198 199	Malignant neoplasm of lymph nodes, secondary and M unspecified	3												2 2		 1 6	 4 5	9	3 1 8 3		 13 9	12 16	 13	 8 6		

														Age	Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40-44	45-49	50–54	55–59	60–64	65–69	70-74	75–79	80-84	85 or more	Age not stated
	NEOPLASMS (continued)—																									
	Neoplasm of lymphatic and haematopoietic tissues—																									
200	Lymphosarcoma and reticulosarcoma M	87	1				!	2	1	3	- 1	1	2	3	3	6	7	7	14	6	10	11	4	5	1	
201	Hodgkin's disease M	58 37					,	2								2	3	2	5	8	14	15 7	2 2	5 2	1	
202	Other forms of lymphoma (reticulosis) M	19											1				3 2	1	2		2	4	2			
203	Multiple myeloma (plasmocytoma) M	7 34					;												1 4	2	2 5	1				
204	F Leukaemia and aleukaemia	21 146	3		··;			9		 7 8							1 8		17	15	4	3	4	2 5	i	
205	Mycosis fungoides M	107		3		3	2	10	7		6	3		3	4	5	4	7	7	5	7	10	8	10	2	
	F	•••								•••																
210	Benign neoplasm— Benign neoplasm of buccal cavity and pharynx M																									
211	Benign neoplasm of other parts of digestive system M	2	1					1																		
212	Benign neoplasm of respiratory system M	1								•••													2		1	
213	Benign neoplasm of breast M	2																1								
214 215 216 217 218 219	Uterine fibromyoma	3 6 														 2 									 2 	
220	Benign melanoma of skin M	• • • •																								
221	F Pilonidal cyst																									
222	Other benign neoplasm of skin M																									
223	F Benign neoplasm of brain and other parts of nervous M	8									•••															
224	system F Benign neoplasm of endocrine glands M	17				Ï		1	1				3	i	2	1	2	i	3	1	i	1				
225	F Benign neoplasm of bone and cartilage M	I									• • • •	•••					'	1								
226	F Lipoma	i									• • • •	•••									1		• • • • • • • • • • • • • • • • • • • •			
227	Other benign neoplasm of muscular and connective tissue																									
228	Haemangioma and lymphangioma	'									• • • •															
229	Haemangroma and symphangroma	•••								•••	•••		•••	•••		•••				***			•••			

														Age G	Group (y	ears)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15-19	20-24	25–29	30–34	35–39	40-44	45-49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not sta ted
	NEOPLASMS (continued)—																									
230	Neoplasm of unspecified nature— Neoplasm of unspecified nature of digestive organs M	2															1					1				
231	Neoplasm of unspecified nature of respiratory organs M	2																								
232	Neoplasm of unspecified nature of breast M																									
233 234 235	Neoplasm of unspecified nature of uterus F Neoplasm of unspecified nature of ovary F Neoplasm of unspecified nature of other female genital organs							• • • • • • • • • • • • • • • • • • • •	•••	•••						•••	•••									
236	Neoplasm of unspecified nature of other genito-urinary	2																								
237	organs F Neoplasm of unspecified nature of brain and other parts M	9															2									
238	of nervous system													2							'					
239	musculoskeletal system	•••																								
240–289	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, MAND NUTRITIONAL DISEASES F	397 481	7 5	3 2				11	I 4	6	9	9 5	3 5	8 6	9	17	14 19	24 18	53 36	40 51	50 58	48 80	52 76	30 46	13 38	
240	Allergic disorders— Hay fever																									
241	Asthma	136		''i	··;			2				7	2				4	8	26	15	15					
242	Angioneurotic oedema M	94								5	2	3	3	6	6		9	6	7	9	8	9	8	2	2	
243	Urticaria																									
244	F Allergic eczema																									
245	Other allergic disorders M																									
250	Diseases of thyroid gland— Simple goitre																									
251	Non-toxic nodular goitre M									• • • • • • • • • • • • • • • • • • • •																
252	Thyrotoxicosis with or without goitre M	3																					'			
253	Myxoedema and cretinism M	4																			'		1	_!		
254	Other diseases of thyroid gland M	2	•••			• • • • • • • • • • • • • • • • • • • •																!				
260	Diabetes mellitus M	208 325										2	1	1	5 2	8 2	7 4	10	23	2 I 35	31 47	27 68	38	24 40	10	

														Age C	Group ()	(ears)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45–49	50-54	55–59	60–64	65–69	70-74	75–79	80-84	85 or more	Age not stated
	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES (continued)—																									
	Diseases of other endocrine glands—																									
270	Disorders of pancreatic internal secretion other than M																									
271	diabetes mellitus F Diseases of parathyroid gland M		'					'																		
272	Diseases of pituitary gland	5												2												
273	Diseases of thymus gland M	6 3																		'						
274	Diseases of adrenal glands M	2	2					2																		
275	F Ovarian dysfunction F	6	1																							
276 277	Testicular dysfunction M Polyglandular dysfunction and other diseases of M endocrine glands																									
280	Avitaminoses and other metabolic diseases— Beriberi	2																I				1				
281	Pellagra M																									
282	Scurvy M																									
283	Active rickets M																									
284	Late effects of rickets M																									
285	F																									
286	Other avitaminoses and nutritional deficiency states M																				2	2	2	2		
287	Obesity, not specified as of endocrine origin M	- 11		1													2						1	2	3	
288	Gout	7																1 2	3	1			1			
289	Other metabolic diseases M	3	2					3										2		2		2				
290-299	DISEASES OF THE BLOOD AND BLOOD- M FORMING ORGANS F		2 	1 2	 'i			1 5	1 2	2 2		2					2 2	3 3	2 3	9 5	6 9	15		6 8	 I 9	
290	Pernicious and other hyperchromic anaemias M																			1	1	3	4	2		
291	F Iron deficiency anaemias (hypochromic anaemias) M	1 2																				7	4	2	4	
292	Other anaemias of specified type	1 27																		4		";1	3	3 4		
293	Anaemia of unspecified type	28	1	I	I			3	1	2		i						2	2	1	6	6	2	2		
294	Folycythaemia M	6		I					1																2	
295	F Haemophilia	5								2								1			ii	1				
296	Purpura and other haemorrhagic conditions M																			2						

														Age G	Group ()	(ears)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40-44	45-49	50-54	55–59	60–64	65–69	70–74	75–79	80–84	85 or more	Age not stated
	DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS (continued)—																									
297	Agranulocytosis M																									
298	Diseases of spleen M																									
299	Other diseases of blood and blood-forming organs	6							1		'								'	1			2			
300-326	MENTAL, PSYCHONEUROTIC, AND M PERSONALITY DISORDERS F	110	2 5	2			 'i	5 7			1		2 	 4 1	8 I	13	20	13	10	7 4	14	5 6	3 7	I 5	4 5	
300	Psychoses— Schizophrenic disorders (dementia praecox) M	1		Ì														l								
301	F Manic-depressive reaction	1 2																				1				
302	F Involutional melancholia M																									
303	F Paranoia and paranoid states M																									
304	F Senile psychosis	8																								
305	F Presenile psychosis	15																				2	6	4	3	
307	Alcoholic psychosis	11																 1 2	2		2					
309	F. F.	1																		1	2					
	Other and unspecified psychoses M F	3																				1				
310	Psychoneurotic disorders— Anxiety reaction without mention of somatic symptoms M	2															1		1							
311	Hysterical reaction without mention of anxiety reaction																									
312	Phobic reaction M	'																								
313	Obsessive-compulsive reaction M																									
314	Neurotic-depressive reaction M																									
315-317	Psychoneurosis with somatic symptoms (somatization M																									
318	reaction)	1																					1			
320	Disorders of character, behaviour, and intelligence— Pathological personality																									
321	Immature personality M																									
322	Alcoholism	65																		,						
323	Other drug addiction	16														,	4	3	í	2	2	2	1		1	
324	Primary childhood behaviour disorders M	6											'	1	1		1	1	1	i						
325	Montal deficiency																									
326	F Other and unspecified character, behaviour, and M	11	5	1			ï	7	1	1									1							
	intelligence disorders F	•••	•••									• • • •					•••									

														Age	Group	(years)										
International Code Number	Cause of Death	Total, All Ages	Under I year	1	2	3		Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40-44	45-49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 or more	Age not stated
330–398	DISEASES OF THE NERVOUS SYSTEM AND M SENSE ORGANS F	2,365 3,181	7	2 2	5	1	2	17 15	7 4	4 3	6	11	10	6	25 26	45 54	54 77	101	145 138	232 193	269 270	431 470	442 650	320 595	240 531	
330-334	Vascular lesions affecting central nervous system MF	2,171 2,992	1		.;			- 1		2 	1 5	7	7 2	4 8	16 20	32 47	49 69	93 109	134 131	214 179	248 250	405 449	416 623	309 575	233 519	
330	Subarachnoid haemorrhage M	90 153								1	1 3	4 2	5		6 15	8 20	11	15 20	10	10	8	5 9	4	2 2		
331	Cerebral haemorrhage	873 1,190								i	2	2	2	2	8	19	33	61 68	85 81	115		148	146 223	80	51	
332	Cerebral embolism and thrombosis	922	1					1				1	'	2	2	3	4	17	34	71	94	185	205	172	131	
333	Spasm of cerebral arteries	. , .													'											
334	Other and ill-defined vascular lesions affecting central R nervous system	286 327														2	 I 3		5 4	18		67 48	61 79	55 79	51 88	
340	Inflammatory diseases of central nervous system— Meningitis, except meningococcal and tuberculous M	18	4	1	1		1	7							3		2		1	1	1	2		1		
341	Phlebitis and thrombophlebitis of intracranial venous M											'	'	'	'								'			
342	sinuses F Intracranial and intraspinal abscess M	5																				1	1			
343	Encephalitis, myelitis, and encephalomyelitis (except Macute infectious) F	2									1	'	'		1	'									'	
344	acute infectious)	1	'					'			1															
345	Multiple sclerosis F	6											1					1 2			2 2					
350	Other diseases of central nervous system— Paralysis agitans	61																1	1	3	7	16	21	7	5	
351	Cerebral spastic infantile paralysis M	69			2				2		!									4	10	14	18	15	7	
352	Other cerebral paralysis M	5	2					2																		
353	Epilepsy M	34			·::		ï	2	4		2	2		_!	2					5	2					
354	Migraine								2		3	2			2	3	3				2					
355	Other diseases of brain M	17		ï				1											2					2	2	
356	Motor neurone disease and muscular atrophy M	32									2							2	5	2 5		5	3 2	5		
357	Other diseases of spinal cord	19														2	2	2		4	4		2			

International		Tanal												Age	Group	(years)										
International Code Number	Cause of Death	Total, All Ages	Under I year	1	2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60–64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (continued)—																									
360	Diseases of nerves and peripheral ganglia— Facial paralysis																									
361	Trigeminal neuralgia M																									
362	Brachial neuritis M	'																								
363	F Sciatica																									
364	Polyneuritis and polyradiculitis M	3																								
365	F Erythroedema polyneuritica M	2											1										1			
366	Other and unspecified forms of neuralgia and neuritis M																									
367	Other diseases of cranial nerves																									
368	Other diseases of peripheral nerves except autonomic																									
369	Diseases of peripheral autonomic nervous system	2.													1							1				
307	F																									
370	Inflammatory diseases of eye— Conjunctivitis and ophthalmia																									
371	Blepharitis M																									
372	Hordeolum (stye)																									
373	Iritis																									
374	Keratitis																									
375	Chancidiaia																									
376	F. F.																									
377	F F																									
378	F																									
379	Inflammation of lachrymal glands and ducts M																									
3/9	Other inflammatory diseases of eye F																									
	Other diseases and conditions of eye-																									
381	Corneal ulcer M																									
382	Corneal opacity M																									
383	Pterygium																									
384	Strabismus F	1			ï			1																		
385	Cataract																									
386	Detachment of retina	'																								
387	Glaucoma	,																								
388	Other diseases of eye M	'																								
	F			• • • •																						

														Age (Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under years	5–9	10-14	15–19	20–24	25–29	30-34	35–39	40-44	45-49	50-54	55–59	60-64	65–69	70–74	75–79	80–84	85 or more	Age not stated
	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (continued)—																									
390	Diseases of ear and mastoid process— Otitis externa M																									
391 392	Otitis media without mention of mastoiditis	2																								
393	Mastoiditis without mention of otitis media																									
394	Other inflammatory diseases of ear M					ï																				
395	F Ménière's disease																									
396	Other diseases of ear and mastoid process M																									
400–468	DISEASES OF THE CIRCULATORY SYSTEM M	9,591 7,291	2 3	3				 5 6			2 4		9 9	36 14	94 30	228 87	361 128	656 159	914 333		1,24l 799	1,558	1,507	1,051	779	
400	Rheumatic fever— Rheumatic fever without mention of heart involvement	1																								
401	Rheumatic fever with heart involvement M	1 2									2	1 2				1										
402	Chorea	1																								
410	Chronic rheumatic heart disease— Diseases of mitral valve	1 73										3 2	1	4	1 3	6 7	9	4	6 5	12	6 3	6		2 6		
411	Diseases of aortic valve specified as rheumatic P	1 12										Ī	1	3		2		2	1 2	1						
412	Diseases of tricuspid valve	1 2																								
413	Diseases of pulmonary valve specified as rheumatic P	1																								
414	Other endocarditis specified as rheumatic F	1 7 15												1				2	2 2	2	2		2		1	ı
415	Other myocarditis specified as rheumatic	1 2																								
416	Other heart disease specified as rheumatic F	1 31														2 2	2	4	6	7	5	5 7	9	3	3	
420	Arteriosclerotic and degenerative heart disease— Arteriosclerotic heart disease, including coronary disease F	4,006										3	3	15	73 16			104	249	373	598	707	797	574	467	
421	Chronic endocarditis not specified as rheumatic	70												1		2	23	2	4	6	7	10	18	9	10	0
422	Other myocardial degeneration P	1 983			· i								2	1	3	7	12	9	20				214	283		

ternational		Total,												Age	Group	(years)										
Code Number	Cause of Death	All Ages	Under I year		2	3	4	Total under 5 years	5-9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45–49	50-54	55–59	60–64	65–69	70-74	75–79	80–84	85 or more	Ag
	DISEASES OF THE CIRCULATORY SYSTEM (continued)—																									
430	Other diseases of heart— Acute and subacute endocarditis	15	1					1				1	1		1	3				3		. 2				
431	Acute myocarditis not specified as rheumatic M	10	1	···				2				1							,	Ī						
432	Acute pericarditis specified as non-rheumatic M	11																		2			3		2	
433	Functional disease of heart M	109																		 13		15				
434	Other and unspecified diseases of heart M	118 533 571	2	ï	···			 					2	4			5	20	3 21 10	9 42 16	11 52	22 87	18 110		17 24 86	
440	Hypertensive heart disease— Essential benign hypertensive heart disease M	3													•••	'		7		16	43	61	131	129	166	
441	Essential malignant hypertensive heart disease M	7														1						'				
442	Hypertensive heart disease with arteriolar nephro- M	6 13															Ĭ	1	1	Ĩ		2	 ₂			
443	sclerosis	12 243 386														 1 6	 3 9	 2 11		20	 1 34	3 6 37	1 45	2 48	1 1 24	
444	Other hypertensive disease— Essential benign hypertension	59														I	2	3	13	17	39	62	82	91	57	
445	Essential malignant hypertension M	80 34													1		5	l 8	3	2	2	15	25	13	12	
446	Hypertension with arteriolar nephrosclerosis M	37 64 49											2		4	9	8	6	2 2	2	i		16		 17	:
447	Other hypertensive disease M F	49 														'				2	i	6	11	10	16	
450	Diseases of arteries— General arteriosclerosis	371																							1	
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm M	431 161																3	3	8 28	25 15	40	77 88	84 103	104 171	1:
452	Other aneurysm, except of heart and aorta	52 12														2 2	2		2	3 2	28	32 	17	7	6	
453	Peripheral vascular disease M	4																i		2		1	2			
454	Arterial embolism and thrombosis M	3 4																	2	1	2	5		2		
455	Gangrene of unspecified cause M	6																	Ī	'			2			
456	Other diseases of arteries	16																		 4 2		2	 I 2		2	

														Age G	roup (y	ears)										
International Code Number	Cause of Death	Total, All Ages	Unde I ye		2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE CIRCULATORY SYSTEM (continued)—																									
460	Diseases of veins and other diseases of circulatory system— Varicose veins of lower extremities M	5 7																	1	2		2	1			
461	Haemorrhoids M	3																								
462	Varicose veins of other specified sites M	11														2			3	3	2					
463	Phlebitis and thrombophlebitis of lower extremities	7															,				4	2	1	1		
464	Phlebitis and thrombophlebitis of other sites M	2 7																			3					
465	Pulmonary embolism and infarction	20															2			2	2	5	3 4	4	3	
466	Other venous embolism and thrombosis	1 19													2		ii		2	1	4		6	3	2	
467	Other diseases of circulatory system	1 9														i		i			1	4	2		3	
468	Certain diseases of lymph nodes and lymph channels F	1		· · ·															i							
470-527	DISEASES OF THE RESPIRATORY SYSTEM F	1,870 937		2 24 7 10		4 7	2 2	121 89	9	4 5	6	4	4 4	11	12 8	26 13	39 11	46 29							209 200	
470 471	Acute upper respiratory infections— Acute nasopharyngitis (common cold)	1		1																						
472	F																									
473	Acute pharyngitis	i i																								
474	Acute tonsillitis	7																								
475	Acute laryngitis and tracheitis	1 2					ï	!																		
480-483	Influenza F	1 55		 		2		5 I	1		2		1			2 I			3 2	3	6	10				
480	Influenza with pneumonia	1 34		1 1	I	2		5			2		1			2			3	3	2	. 3	5 6	6		
481	Influenza with other respiratory manifestations, and	1 20								'						'				·		7	7 1	4 4		
482	influenza unqualified F Influenza with digestive manifestations, but without	1 1 1															'	'								
483	respiratory symptoms	1																								

International		Total.												Age	Group	(years)										
Code Number	Cause of Death	All Ages	Unde I yea		2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	A ne stat
	DISEASES OF THE RESPIRATORY SYSTEM	(con-																								
490-493	Pneumonia	M 828 F 653	73 60			2 6	·ï	98 75	5 6	3	3	2	2 2	7	9	15	18	21	32 I 7	48 19	61 30	111	141	136	116	
490	Lobar pneumonia	M 174	11	1	2	!		16		1	1		1	2	5	6	4	5	8		22	69 22	118	1 21 26	149	
491	Bronchopneumonia	M 589	43	12	2			9 58	3 5		2			2	4	6	3	6	2 23	5 36	8	22 85	26 109	27 104	21	
492	Primary atypical pneumonia	F 465	42 15	4		5		54 20	3	2			2	1	2	3	2	9	14	12	22	44	86	90	118	
493	Pneumonia, other and unspecified	M 33 F 23	8 4 2		 			9 4 3						1			1 2 	2 I		2	4	3	3 4 3	3	7 8	
500-502	Bronchitis	M 762 F 138	5 2	1	1		1	8 7	2 I		2	1	2		1	6 2	12	21	60	83	116	160	146	84 24	62 21	
500	Acute bronchitis	M 27	5		1		1	7	- 1									2			2	2	20	6	41	
501	Bronchitis, unqualified	M 34 F 20	2	2				5								1		2			5	4	3	2	6	
502	Chronic bronchitis	M 701 F 99										1		•••			 11	17 7	58	80	1 109 13	1 154	2 135	4 74	4 54	
510	Other diseases of respiratory system— Hypertrophy of tonsils and adenoids	M 2											1			'	•••	,	2	6		22	15	18	11	
511	Peritonsillar abscess (quinsy)	M							1																	
512	Chronic pharyngitis and nasopharyngitis	M																								
513	Chronic sinusitis	M																								
514	Deflected nasal septum	M					:::																			
515	Nasal polyp	F																								
516	Chronic laryngitis	F																								:
517	Other diseases of upper respiratory tract	F																								:
518	Empyema	F I 8		···i													2									
519	Pleurisy	F 3																								:
520	Spontaneous pneumothorax	M 2													'											:
521	Abscess of lung	F I 4						1																		1
522	Pulmonary congestion and hypostasis	M 39 F 32																				5			 18 17	

														Age (Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under years	5-9	10-14	15-19	20-24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60-64	65-69	70-74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE RESPIRATORY SYSTEM (continued)—																									
523	Other diseases of respiratory system (continued)— Pneumoconiosis due to silica and silicates (occupational)																2	3		7			6	2		
524 525	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	1 52		···																₇	 'ii		 6 4	4	2	
526	Bronchiectasis	2 l 1 l 5 24								1	1			'		2		 1 2		1 2	1 3	5	5	2		
527	Other diseases of lung and pleural cavity		3	··i				3						1			2 		7	6	7	7 2	8	5	3	
530-587	DISEASES OF THE DIGESTIVE SYSTEM M	609	34 27	11	7	1	2	55 51	4 2	1	4 3	4 6	1	5	11	17 14	30 23	52 26	57 23	74 35	67 38	64 68	87 74		24 45	
530	Diseases of buccal cavity and oesophagus— Dental caries	1																								
531	Abscesses of supporting structures of teeth	1																								
532	Other inflammatory diseases of supporting structures of	1																								
533	teeth F Disorders of occlusion, eruption, and tooth development	1																								
535	Other diseases of teeth and supporting structures	1						'																		
536	Stomatitis	1'																								
537	Diseases of salivary glands	1																				1				
538	Other diseases of buccal cavity	1																								
539	Diseases of oesophagus	1 6																1			2		2 2	1		
540	Diseases of stomach and duodenum— Ulcer of stomach	90		1				1						2	2	2	5	4	13	15	13		11	10	5	
541	Ulcer of duodenum	1 83										'	'	Ĭ	Î	2	7	8	1	8	8 2	18	13	4 3	2 4	
542	Gastrojejunal ulcer	1																								
543	Gastritis and duodenitis	м <u>Г</u>																								
544	Disorders of function of stomach																									
545	Other diseases of stomach and duodenum	M 2 5																2						1		
550	Appendicitis— Acute appendicitis	M 19		1				1 2	1	1	2	2			1		2					1 3	2	2	2 2	
551	Appendicitis, unqualified														1											
552	Other appendicitis																									
553	Other diseases of appendix	 1																								

International		Tanal												Age	Group	(years)										
Code Number	Cause of Death	Total, All Ages	Under I year	I	2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30-34	35–39	40-44	45-49	50–54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not state
	DISEASES OF THE DIGESTIVE SYSTEM (continued)—																									
560	Hernia of abdominal cavity— Hernia of abdominal cavity without mention of obstruction F	22	12					12										1		2		3	1	2		
561	Hernia of abdominal cavity with obstruction F														***	2	***			2 2	2 2	3 2 3	6	4 2 7	₂	
570	Other diseases of intestines and peritoneum— Intestinal obstruction without mention of hernia M	56	1					1			1	2	1					5		,	5				2	
571	Gastro-enteritis and colitis, except ulcerative, age M	62 53	16	7	4		··;	28		1	2			,	3			3	1	7	2	12 7	14 17 5	12	5	
572	4 weeks and over F Chronic enteritis and ulcerative colitis M	50 31	10	12	4			27	1								2			3	2	3	7	6 4 3	3	
573	Functional disorders of intestines M	37 I		ï													}	3	ĭ	4		10	6	8	4	
574	Anal fissure and fistula M																							•••	1	
575	Abscess of anal and rectal regions M																									
576	Peritonitis	4																	{							
577	Peritoneal adhesion	,										'									1					
578	Other diseases of intestines and peritoneum M F	8 7		 				2											1			1 2		2		
580	Diseases of liver, gallbladder, and pancreas— Acute and subacute yellow atrophy of liver M	2															•••		•••	'	'		'		1	
581	Cirrhosis of liver	130	2					2							3			22	 17	21						
582	Suppurative hepatitis and liver abscess M	68										1		2		2	14	7	10	8	8	5	18	2	i	
583	Other diseases of liver M	4								1											 1 2					
584	Cholelithiasis M	17																il		4	4	1	1		 1	
585	Cholecystitis and cholangitis, without mention of calculi M	35 14					:::									1		2	3	3 2	3	5	5	9	4	
586	Other diseases of gallbladder and biliary ducts M	29														1	1	2			3	Ĩ	7	5	9	
587	Diseases of pancreas M F	33 30	4 6		3	1		 8 9	1		1							4	-	2 4 2	6	 	1	3	 1 2	

														Age G	roup (y	ears)										
International Code Number	Cause of Death	Total, All Ages	Under I year	I	2	3	4	Total under 5 years	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40-44	45-49	50-54	55-59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
590-637	DISEASES OF THE GENITO-URINARY SYSTEM M	499 469	5				2	8	1	1	2 3	4 3	5 2	3 4	10 22	8 27	20 35	32 50	27 50	42 42	39 46	72 41	91 50	83 45	51 44	
590-594	Nephritis and nephrosis M	196 139						1	1	- 1	1	4 1	4	3 I	7 12	3 12	H	25 15	15 12	22 12	20 9	23 10	26 17	19	10 16	
590	Acute nephritis								1		- 1							1	2		1		1			
591	Nephritis with oedema, including nephrosis M	2 8														1				!	2					
592	Chronic nephritis	10 169										4	4		7		8	23	12	18	16	20	23			
593	Nephritis not specified as acute or chronic M	111													9	10	2			8	7	8	15	8		
594	Other renal sclerosis	15 2 1																					2 I			
600	Other diseases of urinary system— Infections of kidney	133 258 2	3 I					4 I			I 3	2	1	2	I 6	3 11	6 19	7 22	8 27 I	14 25	12 32 1	20 25	28 32	15 27	13 23	
602	Calculi of kidney and ureter M	4 15															2	2							2	
603	Other diseases of kidney and ureter M	13																2	4			1		2		
604	Calculi of other parts of urinary system M	13												1						4						
605	Cystitis	I 3																								
606	Other diseases of bladder M	6 I																						5		
607	Urethritis (non-venereal) M	3						1																		
608	Stricture of urethra M	2																						1		
609	Other diseases of urethra		1					1									1					₂	 2 1	 2 2	 3 3	
610 611 612 613 614 615	Diseases of male genital organs— Hyperplasia of prostate	125 2 3 1 					···												2	2	6	25	30	40 3 	20 2 	

International Code Number	Cause of Death		Age Group (years)																							
		Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30–34	35–39	40-44	45-49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE GENITO-URINARY SYSTEM (continued)—																									
620 621 622 623 624 625 626	Diseases of breast, ovary, Fallopian tube, and parametrium— Chronic cystic disease of breast																									
630 631 632 633 634 637	Diseases of uterus and other female genital organs— Infective disease of uterus, vagina, and vulva F Uterovaginal prolapse F Malposition of uterus F Other diseases of uterus F Disorders of menstruation F Other diseases of female genital organs F	3 7 5 5														 2 		2 3	₂			3				
640-689	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUER-PERIUM	28									3	6	5	4	9	1										
640 641	Complications of pregnancy— Pyelitis and pyelonephritis of pregnancy																									
642 643 644 645 646 647 648	pregnancy Toxaemias of pregnancy Placenta praevia Other haemorrhage of pregnancy Fctopic pregnancy Anaemia of pregnancy Pregnancy with malposition of foetus in uterus Other complications arising from pregnancy F	7 1 1											2		3											
650 651 652	Abortion— Abortion without mention of sepsis or toxaemia F Abortion with sepsis F Abortion with toxaemia, without mention of sepsis F	3 4									1	!														
670 671 672 673 674	Delivery with specified complication— Delivery complicated by placenta praevia or antepartum haemorrhage Folivery complicated by retained placenta Folivery complicated by other post-partum haemorrhage Folivery complicated by abnormality of bony pelvis Folivery complicated by disproportion or malposition of foetus Folivery complicated by Folivery complicated by disproportion or malposition of foetus Folivery complicated by disproportion or malposition of foetus Folivery Complicated Proportion of Section Folivery Complicated Proportion Folivery Complicated Proportion Folivery Complex Folivery Co	 2 												 1	 ₁											
675 676 677 678	Delivery complicated by prolonged labour of other origin Delivery with laceration of perineum, without mention of other laceration Delivery with other trauma Delivery with other complications of childbirth F	1																								

													Age G	roup (y	ears)										
International Code Number	Cause of Death	Total, All Ages	Under I year	1	2	3	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45-49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUER-PERIUM (continued)—																								
680 681 682 683 684 685 686 687 688	Complications of the puerperium— Puerperal urinary infection without other sepsis F Sepsis of childbirth and the puerperium F Puerperal phlebitis and thrombosis F Pyrexia of unknown origin during the puerperium F Puerperal pulmonary embolism F Puerperal eclampsia F Other forms of puerperal toxaemia F Cerebral haemorrhage in the puerperium F Other and unspecified complications of the puerperium F Mastitis and other disorders of lactation F	2 2 2 2					 							::: ::: ::: ::: :::											
690-716	DISEASES OF THE SKIN AND CELLULAR TISSUE MF	25 33					 -	1						1						2	4	6 5	4 8	3 4	
690 691 692 693 694 695 696 697 698	Infections of skin and subcutaneous tissue— Boil and carbuncle																						1 2 2	 	
701	Eczema	1					 																		
702	Occupational dermatitis	1					 																		
703	Other dermatitis	1					 																		
704	Pemphigus	1 2					 														1	1			
705	Erythematous conditions	1 4			ï		 												•••	1		1			
706	Psoriasis and similar disorders F	1 1					 	'							'						1				
707	Lichen planus	1					 																		
708	Pruritus and related conditions F						 																		

													Age	Group	(years)										
International Code Number	Cause of Death	Total, All Ages	Under I year	2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30–34	35–39	40-44	45–49	50–54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE SKIN AND CELLULAR TISSUE (continued)—																								
709	Other diseases of skin and subcutaneous tissue (continued)— Corns and callosities			 																					
710	Other hypertrophic and atrophic conditions of skin M	3		 													2								
711	Other dermatoses			 											'				2	2					
712	Diseases of nail			 																					
713	Diseases of hair and hair follicles M			 																					
714	Diseases of sweat and sebaceous glands M			 																					
715	Chronic ulcer of skin	4		 																				2	
716	Other diseases of skin M	9		 																	1	3	4		
720-749	DISEASES OF THE BONES AND ORGANS OF MOVEMENT F	 54 61	 I 2	 			 I 2			6					1		 6 2	3 2	7 6	8 8	 5 12	 5 12	3 8	 6 5	
720	Arthritis and rheumatism, except rheumatic fever— Acute arthritis due to pyogenic organisms			 																	,				
721	Acute non-pyogenic arthritis	2		 										:::					'		'				
722	Rheumatoid arthritis and allied conditions M			 											1			2	2	5	3				
723	Osteo-arthritis (arthrosis) and allied conditions M	21		 															3 I	2	3	4	3	3	
724	Other specified forms of arthritis			 																	4		2		
725	Arthritis, unspecified M			 																					
726	Muscular rheumatism			 																					
727	Rheumatism, unspecified M			 																					
720	Osteomyelitis and other diseases of bone and joint—			 •••	•••				•••	***		•••	***			•••	•••	•••		•••	•••				
730	Osteomyelitis and periostitis M	2 2		 																					
731	Osteitis deformans M	8 10		 													1		1	3	1 2	2 2	2 2		
732	Osteochondrosis M			 																					
733	Other diseases of bone M	3		 													2		1						
734	Internal derangement of knee joint			 																					
735	Displacement of intervertebral disc M			 															1						
736	Affection of sacro-iliac joint M			 																					
737	Ankylosis of joint M			 																					
738	Other diseases of joint			 																					
	F			 																					

														Age G	Group ()	ears)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60–64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE BONES AND ORGANS OF MOVEMENT (continued)—																									
740	Other diseases of musculoskeletal system— Bunion																									
741 742	Synovitis, bursitis, and tenosynovitis without mention of Moccupational origin																									
743 744	origin							 I 2			 5							2	 I 2							
745	Curvature of spine	2 2							'									'		ii		'				
746	Flat foot M																									
747	Hallux valgus and varus M																									
748	Clubfoot																									
749	Other deformities																									
750-759	CONGENITAL MALFORMATIONS MF	256 201	177 143	13	2 2	2 4	2 6	196 160	10 10	4	6	8	4 I		2 2	5 5	5	4 3	2	1 2	1	3	1		- 1	
750	Monstrosity	7	7					7																		
751	Spina bifida and meningocele	12	10	2				12																		
752	Congenital hydrocephalus	14	11		1 2		ï	13				'														
753	Other congenital malformations of nervous system and sense organs		5	···				6	ĺ						'											
754	Congenital malformations of circulatory system	126	78 61	7 5	ï	1	Ţ.	88	7	4 4	2 3	7	2			3	3		2	1		2				
755	Cleft palate and harelip	5	5			2	6	5				'														
756	Congenital malformations of digestive system M	30	24	2		ï		27																		
757	Congenital malformations of genito-urinary system M	26	16					16			1		2				2									
758	Congenital malformations of bone and joint	3	2					2	'		1					'				2	'		'		'	
759	Other and unspecified congenital malformations, not Melsewhere classified F	25 23	19 17	ï		ï		20 18	 1 2		1															

lana and and													Age (Group ((years)										
International Code Number	Cause of Death	Total, All Ages	Unde I yea	2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45-49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
760–776	CERTAIN DISEASES OF EARLY INFANCY* M	530 401	529 401	 			530 401																		
760	Birth injuries, asphyxia and infections of newborn— Intracranial and spinal injury at birth	46	46				46																		
761	F.	36 79	36 79	 			36 79																		
762	F M	68 77	68 77	 			68 77																		
763	F	55 17	55 17	 			55																		
	F	15	15	 			17																		
764	Diarrhoea of newborn M	'		 																					
765	Ophthalmia neonatorum			 																					
766	Pemphigus neonatorum M			 																					
767	Umbilical sepsis M			 																					
768	Other sepsis of newborn M	4 3	4 3	 			4																		
769	Neonatal disorders arising from certain diseases of the mother during pregnancy F	17	17	 			17																		
770	Other diseases peculiar to early infancy— Haemolytic disease of newborn (erythroblastosis)		15				15																		
771	F M	15					15																		
772	F Mutaticianal maladiusement	8	8				8																		
773	F	57		 			57																		
774	F	38	56 38	 			38																		
	Immaturity with mention of any other subsidiary M condition	2	5 2	 			5 2																		
776	Immaturity, unqualified M	199 150	199 150	 			199 150																		
780-795	SYMPTOMS, SENILITY, AND ILL-DEFINED M CONDITIONS	106 159	5	 			6		1	1		1 2		2	1		2 2	1	8	3	6 7	10	17 43	45 81	
780, 781	Symptoms referable to systems or organs— Symptoms referable to nervous system and special senses M			 								ļ 													
782	Symptoms referable to cardiovascular and lymphatic M	1 4		 									•••												
783	system F Symptoms referable to respiratory system M	2		 													1								
784	Symptoms referable to upper gastro-intestinal tract M	2		 																					
785	Symptoms referable to abdomen and lower gastro- M	î		 														'	'					1	
786	intestinal tract F			 																					
787	F			 																					
	Symptoms referable to limbs and back M			 																					
788	Other general symptoms			 																					
789	Abnormal urinary constituents of unspecified cause M			 																					

^{*} See Table 49 for dissection of categories 760-773 to show with or without immaturity and for further dissection of categories 769 and 770.

VITAL STATISTICS

No. 35. Causes of Death, N.S.W.: Age Groups, 1964 (continued)

														Age G	iroup (y	rears)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3		Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70-74	75–79	80-84	85 or more	Age not stated
	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS (continued)—																									
790	Senility and ill-defined diseases— Nervousness and debility																									
792	Uraemia	2																				!			1	
794	Senility without mention of psychosis M	72																				3 5	9	16	44 79	
795	III-defined and unknown causes F F	134 26 18	5 3				ï	6				2	 1 2		1	1		₂		 6 1	3	1		1 3		2
E800-E999	ACCIDENTS, POISONINGS, AND VIOLENCE M	1,982 979	62 28	17 17	14	9	14	116 85	52 31	62 20	163 58	174 37	136 27	142 42	145 46	147	145 69	158 52	134 50	100 44	86 50	75 67	66 81	43 83	38 84	
E800-E962	Accidents F	1,516 737	60 28	16 15	14 21	7 13	13	110 81	51 26	58 15	148 52	152 23	94 12	90 21	98 20	97 23	100 35	115 33	92 35	71 27	57 35	60 54	53 79	36 81	34 83	
E800-E802	Railway accidents M	35				-1		. !		2	3	4	1	4	3	2	3	4	4	2	1	1				
E800	Railway accident involving railroad employee M	1 16						'			1	4	i	2	2		2			2						
E80 I	Railway accident involving passenger M	8								2	2			1				2				1				
E802	Railway accident involving other and unspecified person F	1 1			 	``i										2	1	1	3							
E810-E825	Motor vehicle traffic accidents F	736 274	1 4	2 2	6	2 5	5 I	16 18	23	21	102	100	53	43 12	51	44	37 14	64 20	40 14	38	33 18	28 24	23 22	17	3	
E810	Motor vehicle traffic accident involving collision with M	8 4									2			1				3								
E811	Motor vehicle traffic accident involving collision with M	'	1																							
E812	Motor vehicle traffic accident to pedestrian M	1 216		2	4 5		3	9	17	5	4 7	3	2	4	15	7	9	28	19	21	24	16	18	14		
E813	Motor vehicle traffic accident to pedal cyclist	1 33								10	8			2		4	i	í	2	ĺ		4			'	
E814	Motor vehicle traffic accident to rider or passenger of motor cycle in collision with non-motor vehicle or object F	i i	1									1														
E815	Motor vehicle traffic accident to rider or passenger of motor cycle in collision with other motor vehicle F										8	5	2					1		1						
E816	Other motor vehicle traffic accident involving two or M				2	ï	2	5	2	I	25	29	17	15	14	17	14	20	13	10	4	5				
E817	more motor vehicles F	88	1						'				4	6	4			6	5		′	4	2	5		
E818	vehicle in collision with pedestrian or pedal cycle F Motor vehicle traffic accident involving collision with M	1									1															
E819	animal or animal-drawn vehicle F													1												
E820	fixed or unspecified object F Motor vehicle traffic accident while boarding and M	1																								
E821	alighting F Motor vehicle traffic accident to rider of motor cycle M										5															
E822	without antecedent collision F Motor vehicle traffic accident involving overturning in M									!	9						3									
E823	roadway F	5 1 204	1			ï				2	39	53	25	 17		 12			1		4	2	2		2	
E824	roadway F Other non-collision motor vehicle traffic accident M	52	2			i			2	2 2		8 2	2	4	1		5	5	1		4	3	2			
E825	Motor vehicle traffic accident of unspecified nature M																					1				

														Age C	roup (years)										
International Code Number	Cause of Death	Total, All Ages	Unde I yea		2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70–74	75–79	80–84	85 or more	Age not stated
	ACCIDENTS, POISONINGS, AND VIOLENCE (continued)—																									
	Accidents (continued)—																									
E830	Motor vehicle non-traffic accidents— Motor vehicle non-traffic accident to pedestrian	4		1		1		2									1			1						
E83 I	Motor vehicle non-traffic accident to pedal cyclist							'																		
E832	Motor vehicle non-traffic accident to rider or passenger of motor cycle	1											1													
E833	Other motor vehicle non-traffic accident involving two M																									
E834	or more motor vehicles																									
E835	Alighting	21	1						1	3	2	1	1	1	4	•••		2	4	2						
E840-E841	Other road vehicle accidents— Tramcar accidents, except collision with motor vehicle																									
E842	Accident to pedestrian caused by pedal cycle	!																								
E843	Accident to rider of pedal cycle not involving collision	2																								
E844	with a motor vehicle F Accident to pedestrian caused by other non-motor road	'																								
E845	vehicle F Other non-motor road vehicle accidents F F	9 2									 4 1		•••	1				1				2	1			
E850	Water transport accidents— Submersion of occupant of small boat	22							1		1	4		3	3	2	3	2	2		1					
E85 I	Other water transport injury by submersion M	2																								
E852	Fall on stairs and ladders in water transport M														1											
E853	Other falls from one level to another in water transport M	1																								
E854	Falls on same level in water transport M																									
E855	Unspecified falls in water transport M														1											
E856	F Machinery accident in water transport																									
E857	Other specified accidents in water transport M	2																2								
E858	F Water transport accident of unspecified cause M																									
	F				• • • •																					

VITAL STATISTICS

No. 35. Causes of Death, N.S.W.: Age Groups, 1964 (continued)

													Age	Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	ACCIDENTS, POISONINGS, AND VIOLENCE (continued)— Accidents (continued)—																								
E860	Aircraft accidents— Accident to personnel in military aircraft	1					 				1														
E861	Injury to occupant by accident to commercial "transport" M aircraft						 							•••											
E862	Other injury in commercial "transport" aircraft M						 																		
E863	Injury to occupant by accident to other specified aircraft M	9					 					1	5	3											
E864	Aircraft accident at airfield to person not in aircraft M						 																		
E865	Aircraft accident elsewhere to person not in aircraft						 																		
E866	Other and unspecified aircraft accidents M	1					 				1														
E870-E888	Accidental poisoning by solid and liquid substances	66 63	1	 I	1 3	_i	 2 6		1	1	1	6 2	3	5 9	14	10	9 5	6 8	6 4	1 2				1	
E870	Accidental poisoning by morphine and other opium M						 																		
E87 I	derivatives	5 2 50					 				1	5 2	2	5 8	14	8 7	6	5 8	4	1				1	
E872	Accidental poisoning by aspirin and salicylates M						 																		'
E873	Accidental poisoning by bromides M	,	'				 '						2												
E874	Accidental poisoning by other analgesic and soporific M	!					 										!								
E875	drugs	'					 																		
E876	Accidental poisoning by strychnine M						 																		
E877	Accidental poisoning by belladonna, hyoscine, and M	4			2		 																		
E878	atropine F Accidental poisoning by other and unspecified drugs M						 																		
E879	Accidental poisoning by noxious foodstuffs M						 																		
E880	Accidental poisoning by alcohol	2					 																		
E881	Accidental poisoning by petroleum products M						 																		
E882	Accidental poisoning by industrial solvents M						 																		
E883	Accidental poisoning by corrosive aromatics, acids, and M						 																		
E884	caustic alkalis F Accidental poisoning by mercury and its compounds M						 																		
E885	Accidental poisoning by lead and its compounds M				···		 2																		
E886	Accidental poisoning by arsenic and antimony, and their M	5					 									2									
	compounds F						 																		
E887	F						 																		
E888	Accidental poisoning by other and unspecified solid and M liquid substances F				1		 																		

														Age	Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under 1 year		2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45–49	50-54	55–59	60-64	65-69	70–74	75–79	80–84	85 or more	Age not state
	ACCIDENTS, POISONINGS, AND VIOLENCE (continued)—																									
	Accidents (continued)—																									
E890-E895	Accidental poisoning by gases and vapours M	13									1							2		2	- 1	2	4			
E890	Accidental poisoning by utility (illuminating) gas M	25							2		2			!	!					2	- 1	2	2 4	5	3	·
E891	Accidental poisoning by motor vehicle exhaust gas M	24 							2		2										1		2	5	2	
E892	Accidental poisoning by other carbon monoxide gas M																									
E893	Accidental poisoning by cyanide gas M																									
E894	Accidental poisoning by other specified gases and vapours M	1																								
E895	Accidental poisoning by unspecified gases and vapours M																									
E900-E904	Accidental falls M	151	3		ï		ï		3	2	2	6	3	6	6		10	9			7				20	
E900	Fall on stairs	219 18	2		ï			2			'			- 1		3	2	3		3	8 2	20	46 3	55	72 1	·
E901	Fall from ladders	8																	1		2				2	2
E902	Other falls from one level to another M	50							2	2	2	5										2	3			
E903	Fall on same level	25 29	2											2	2	3	4	1 2			2 2	3	3	7	5	
E904	Unspecified falls	34 50 152														2 2				2	2	5	10 10 32	6 11 41	19 58	
E910	Other accidents— Blow from falling or projected object or missile M	46						2		3	2	4	4	5	5	4	3	8	2	1						
E911	Accident caused by vehicle M								'					,		2								'		
E912	Accident caused by machinery													5		4										
E913	Accident caused by cutting and piercing instruments M																									
E914	Accident caused by electric current M	23			 I												2									
E915	Accident caused by explosion of pressure vessel M	2																					'			
E916	Accident caused by fire and explosion of combustible M			 I									2	2												
E917	material F Accident caused by hot substance, corrosive liquid, and M	42	1	 I	5			6 2	2		1			î		3	4	5	5		3	5	2	2	I	
E918	steam F Accident caused by radiation M	5	ii	3				4									1		'						'	
E919	Accident caused by firearm M	28																								
E920	Foreign body entering eye and adnexa M	3		ï				l i			2															
E921	Inhalation and ingestion of food causing obstruction or M	39			_i			22		2																
E922	suffocation F Inhalation and ingestion of other object causing ob- M	14	4	2	2	1		9	2										i					1		
E923	struction or suffocation F Foreign body entering other orifice M	2			i			2																		
E924	Accidental mechanical suffocation in bed and cradle M	31 12	29	ï				30		1																

														Age G	roup (y	ears)										
International Code Number	Cause of Death	Total, All Ages	Unde I yea		2	3		Total under 5 years	5–9	10- 14	15–19	20-24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70-74	75–79	80-84	85 or more	Age not stated
	ACCIDENTS, POISONINGS, AND VIOLENCE (continued)— Accidents (continued)—																									
	Other Accidents (continued)—																									
E925 E926 E927	Accidental mechanical suffocation in other and unspecified circumstances	5 I						 																		
E928	and insects	2																								
E929	Accidental drowning and submersion M	130	2	7	3	4	4 2	17	19	9	16	15	8	1	1	2	10		2	3	1		'			
E930	High and low air pressure F																									
E931	Excessive heat and insolation						···	1 2										'				2			2	
E932	Excessive cold	1 1																								
E933	Hunger, thirst, and exposure	'																								
E934	Cataclysm	1 2																								
E935	Lightning	1																2		1						
E936	Other and unspecified accidents F	1 31		3		1		2 4	1	4				2	3		2	2	2		'			1		
	Complications due to non-therapeutic medical and surgical procedures—																									
E940	Generalized vaccinia following vaccination P	1																								
E941	Postvaccinal encephalitis	1																								
E942	Other complications of smallpox vaccination	1																								
E943	Post-immunization jaundice and hepatitis	1																								
E944	Other complications of prophylactic inoculation	1																								
E945	Complications of anaesthesia for non-therapeutic pur-																									
E946	ose	1 1						1																		
	Therapeutic misadventure and late complications of therapeutic procedures—																									
E950	Therapeutic misadventure in surgical treatment	1																								
E954	Therapeutic misadventure in anaesthesia	1																								
E951-E953,	Other and unspecified therapeutic misadventures																									
E955 E956–E95 9	Late complications of therapeutic procedures																									
	F	-,					• • • •				• • •				• • • • • • • • • • • • • • • • • • • •											

1														Age G	roup (y	ears)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40-44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80-84	85 or more	Age not state
	ACCIDENTS, POISONINGS, AND VIOLENCE (continued)— Accidents (continued)—																									
	Late effects of injury and poisoning—																									
E960	Late effect of motor vehicle accident M	2																			1					
E961	Late effect of accidental poisoning M	- 1																		1					'	
E962	Late effect of other accidental injury M F	 2 5															1									
E963, E970 E979	Suicide and self-inflicted injury M F	426 209								I 2	12	20 13	37 12	46 17	43 21	48 28	44	39 16	41	29	28	15	12	7 2	4	
E970 E971 E972 E973 E974 E975 E976 E977 E978 E979	Suicide and self-inflicted poisoning by analgesic and soporific substances Suicide and self-inflicted poisoning by other solid and liquid substances Suicide and self-inflicted poisoning by gases in domestic use Suicide and self-inflicted poisoning by other gases My Suicide and self-inflicted injury by hanging or strangulation Suicide and self-inflicted injury by submersion (drowning) Suicide and self-inflicted injury by firearms and explosives Suicide and self-inflicted injury by cutting and piercing instruments Suicide and self-inflicted injury by jumping from high place Suicide and self-inflicted injury by other and unspecified means Late effect of self-inflicted injury by ther and unspecified firearms Face Suicide and self-inflicted injury by other and unspecified means Late effect of self-inflicted injury by the suicide misses	95 124 19 12 58 31 32 2 2 64 13 13 7 7 109 9 12 11 10 6 6 14 4									 	35 4 1 2 3 3 2 1 8 1	12 4 1 1 5 3 6 3 8 2 1 1 2 1 2	12 12 8 1 5 4 3 1 12 1 1 3 3 3	15 12 1 1 6 4 4 2 2 9 4 1 2 	137 22 68 83 36 1 155 1155	8 23 1 3 8 2 7 2 1 1 3 1	10 11 2 1 3 3 3 3 10 5 1 2	8 10 4 2 2 5 1 3 3 7 1 2 1	29 	10 1 4 2 4 1 1 5 2 2 2 1	16 2 1 4 2	 	 		
E964, E980-E985	Homicide and injury purposely inflicted by other M persons (not in war) F	38 33	2	1	2	2		6 4	1 5	3	3	2 I	5 3	6	4 5	2	1	4	-							
E980	Non-accidental poisoning by another person M	5		-1			1	2	1	!	1															
E981	Assault by firearm and explosive M	14			2					2			2	1 2	2			1								
E982	Assault by cutting and piercing instruments M	13				``i								2 I												
E983	Assault by other means	15	2			ï							2		1 2			2								
E984	Injury by intervention of police M	9		2									1	1							1				• • • •	
E985	Execution																									
E964	Late effect of injury purposely inflicted by another M person (not in war)																									
E965	Late effects of injuries due to war operations	2																			₁					

No. 36. Causes of Death, Metropolis: Age Groups, 1964 (Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

														Age G	roup (y	ears)										
International Code Number	Cause of Death	Total, All Ages	Under I year	1	2	3	4	Total under 5 years	5–9	10-14	15-19	20-24	25–29	30–34	35–39	40-44	45-49	50–54	55–59	60–64	65-69	70–74	75–79	80–84	85 or more	Age not stated
00 I-E999	ALL CAUSES M	12,379	438 343	35 37	2 I 23	10	13	517 432	52 40	53 27	105 56	120 56	98 45	129	197	345 247	520 322	813 406	1,094 558	1,323 759	1,450 1,036	11,838 1,494	1,731	1,211	778 1,629	5 2
001-138	INFECTIVE AND PARASITIC DISEASES M		5	1		2	1	9				2 3		2 2	1 3	3 1	7 4	7 10	9 2	10	15	24	16	8 4	7 4	
001-019	Tuberculosis, all forms F	79 25													1 2	2	5 2	5 6	7 1	6	12 5	19 1	13	4 3	5 2	
001-008	Tuberculosis of respiratory system	77 23													1 2	2	4 2	5 6	7	6	12	19 1		3	5 2	
001 002	Respiratory tuberculosis with mention of occupational M disease of lung	2 75 22														 2 1	3 2	 5 6	 6 1	6	 12 4	 19 1	 12 	 4 3	 5 2	
003	Pleural tuberculosis	1																								
005	Tracheo-bronchial glandular tuberculosis with symptoms F	1																								
007	Other respiratory tuberculosis	1																								
010-019	Tuberculosis, other forms P	1 2 2															1						-			
010	Tuberculosis of meninges and central nervous system	1																								
011	Tuberculosis of intestines, peritoneum, and mesenteric plands																	***								
013	Late effects of tuberculosis of bones and joints	1																								
014	Tuberculosis of skin and subcutaneous cellular tissue N	1																								
015	Tuberculosis of lymphatic system	1																			1					
016	Tuberculosis of genito-urinary system	1																								
018	Tuberculosis of other organs	1																								
019	Disseminated tuberculosis	1																					'			

No. 36. Causes of Death, Metropolis: Age Groups, 1964 (continued) (Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

International													Age (Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year	2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30–34	35–39	40-44	45-49	50-54	55-59	60–64	65–69	70–74	75–79	80-84		Age not stated
	INFECTIVE AND PARASITIC DISEASES (continued)—																		-						}
	Syphilis and its sequelae—																								
020	Congenital syphilis M			 																					
021	Early syphilis M			 																					
022	Aneurysm of aorta M			 																					
023	Other cardiovascular syphilis	6		 																1	3	2	2		
024	Tabes dorsalis			 																					
025	General paralysis of income			 																					
026	F			 																					
027	Other syphilis of central nervous system M			 																					
	Other forms of late syphilis M			 															'						
029	Syphilis, unqualified M			 																					
	Gonococcal infection and other venereal diseases—								• • • •	•••	•••	•••			•••	• • • •	•••	•••			•••	• • • •			
030–035	Gonococcal infection M			 																					
036–039	All other venereal diseases			 																					
	Infectious diseases commonly arising in intestinal tract—	•••	•••	 			•••					•••													
040	Typhoid fever M			 																					
041	Paratyphoid fever M			 																					
042	Other Salmonella infections M			 																					
043	Cholera			 																					
044	Brucellosis (undulant fever) M			 																					
045	Bacillary dysentery			 																					
046	F			 																					
047	Other protozoal dysentery	2		 						{						- 1			- 1						
048				 																					
049	Unspecified forms of dysentery			 																					
047	Food poisoning (infection and intoxication) M			 																					
	Other bacterial diseases—				***						• • • •				• • •				• • •		1				
050	Scarlet fever M			 																					
051	Streptococcal sore throat M			 																					
052	Erysipelas M			 																					
053	Septicaemia and pyaemia M			 																					
054	Bacterial toxaemia M												1												
	F																								

														Age C	Group ((ears)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60–64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	INFECTIVE AND PARASITIC DISEASES (continued)— Other bacterial diseases (continued)—																									
055	Diphtheria	1				- 1		1																		
056	Whooping cough																									
057	Meningococcal infections M	4	3																							
058	F Plague M																									
059	Tularaemia M																									
060	Leprosy M																									
061	F Tetanus																									
062	F																									
063	F																									
	F																									
064	Other bacterial diseases M	2																								
	Spirochaetal diseases, except syphilis—																									
070	Vincent's infection M																									
071	Relapsing fever	1																								
072	Leptospirosis	1																								
073	Yawa																									
074	Cohen animala and infanting																									
0/4	Other spirochaetal infections F																									
	Diseases attributable to viruses—																									
080	Acute poliomyelitis M	1																								
081	Late effects of acute poliomyelitis M	1																								
082	Acute infectious encephalitis	1 1																								
083	Late effects of acute infectious encephalitis	1 2																								
084	F Smallpox	1																								
085	F																									
086	Rubella (German measles)	'						***				'														
	F																									
087	Chickenpox M	3	'					2								'										
088	Herpes zoster M																									
089	Mumps M			•••																						

International		Total												Age	Group	(years										
Code Number	Cause of Death	Total, All Ages	Under I year	1	2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30–34	35–39	40-44	45~49	50-54	55–59	60–64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	INFECTIVE AND PARASITIC DISEASES (continued)—																									
	Diseases attributable to viruses (continued)—																									
090	Dengue M																									
091	Yellow fever M																									
092	F Infectious hepatitis M	6																		•••						
093	Glandular fever (infectious mononucleosis) M	3		1										'	***		'	- 1								
094	Rabies																									
095	Trachoma M																									
096	Other diseases established to views																									
	F	1						'																	1	
100-108	Typhus and other rickettsial diseases M																									
110-117	Malaria M																					•••	•••		•••	•••
120	Other infective and parasitic diseases— Leishmaniasis M														•••		• • •									
121	F Trypanosomiasis M														•••											
122	Other protozoal diseases M																									
123	Schistosomiasis																									
124	Other trematode infestation	•••																								
125	Hydatid disease																									
126	Other cestode infestation	2																								
127	F	• • • •																								
128	Table 1991																									
129	F.																									
	Ankylostomiasis M																									
130	Infestation with worms of other, mixed, and unspecified M type F																									
131	Dermatophytosis M																									
132	Actinomycosis M																									
133	Coccidioidomycosis M																'									
134	Other fungus infections								• • • •													1				
135	Scables																									
136	Pediculosis																									
137	Other arthropod infestation M																									
138	Other infective and parasitic diseases M	 1 3																								

No. 36. Causes of Death, Metropolis: Age Groups, 1964 (continued) (Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

														Age Gr	roup (ye	ears)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60–64	65–69	70–74	75–79	80-84	85 or more	Age not stated
140-239	NEOPLASMS M	1,986 1,696	6		3 4	2 2	2 3	16	15	7	2 8	11	14	24 11	34 29	60 74	88 90	145	231 144	263 174	262 196	325 253	251 266	167 172	71 106	
140-199	Malignant neoplasms F	1,778 1,541	1	3	2 3		1	7	9	3 2	4	6 4	9	19	23 26	51 66	71 82	131 120	208 127	242 161	245 171	300 232	231 257	158 161	65 104	
140 141 142	Malignant neoplasm of buccal cavity and pharynx— Malignant neoplasm of lip	 13 4 3 2																			3 2 	 2 	 3 2 			
144 145	Malignant neoplasm of other parts of mouth and of mouth unspecified	5 6 2 4																			2	2 I I		 2 	2 I	
147	Malignant neoplasm of nasopharynx M Malignant neoplasm of hypopharynx	5 3 9																2		 I 2	 I 2 3		 I ₂			
150 151 152 153 154 155 156 157 158	Malignant neoplasm of digestive organs and peritoneum— Malignant neoplasm of oesophagus	566 277 201 148 2 8 171 243 78 477 255 500 115 9 9667 1											 		 	1 10 3 6 3 3 4 1	2 1 7 2 8 4 1 2 1 5 1 2	4 16 3 13 16 3 3 2 2 5 4 	9 1 20 6 1 15 19 6 2 2 5 2 3 15 4 	2 2 2 2 8 10 2 26 19 11 7 7 7 17 17 17 13	5 27 13 23 26 13 4 4 3 9 2 15 8 	10 4 399 29 1 228 41 13 2 5 12 17 11 	10 77 30 43 130 466 122 9 11 122 22 9 11 	10 5 17 24 15 34 11 6 3 5 3 1 8 9 	2 4 4 6 15 11 244 2 10 3 3 1 3 3 1 1	

International		Total												Age	Group	(years)										
Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45-49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Ag no state
	NEOPLASMS (continued)—																									-
	Malignant neoplasms (continued)—																									
160 161	Malignant neoplasm of respiratory system— Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	1 3 3 1 32 5													•••	 ₂	1	 I 4				4	 I 4		 ₂	
162, 163	Malignant neoplasm of trachea, bronchus and lung M	514														9		50	78	98	2 8 4	91	49	27	6	
164	Malignant neoplasm of mediastinum															4	4		8	8	9		15	7	3	
165	Malignant neoplasm of thoracic organs (secondary)	2													•••									1		
170	Malignant neoplasm of breast and genito-urinary organs— Malignant neoplasm of breast M	2											***	***	•••	•••		•••	***	•••	***	***	***	···I		
171 172 173 174 175 176 177 178 179	Malignant neoplasm of cervix uteri F Malignant neoplasm of corpus uteri F Malignant neoplasm of other parts of uterus, including chorionepithelioma F Malignant neoplasm of uterus, unspecified F Malignant neoplasm of ovary, Fallopian tube and broad ligament F Malignant neoplasm of other and unspecified female genital organs F Malignant neoplasm of prostate F Malignant neoplasm of testis Malignant neoplasm of testis Malignant neoplasm of other and unspecified male genital	334 92 41 5 95 14 185 14										2 3		3 2	8 3 	25 6 1 7	34 	34 34 2 15	36 13 2 13 1 9	34 7 5 	39 15 5 4 2 20	 47 15 6 10 2 44	34 12 9 17	25 7 4 2 4 2 36 	 14 3 5 1 2 20 	
180	organs Malignant neoplasm of kidney M	2															1	4		1 7		,				
181	Malignant neoplasm of bladder and other urinary organs																4	Í	2 8	3 2	3	3 14	1	2		
190	Malignant neoplasm of other and unspecified sites— Malignant melanoma of skin	43 36 27													3 2	5 3	5 2	5	3 4 2	6	3 3	7	7	9	3	
191	Other malignant neoplasm of skin M	23													Ī	Ī	Ī	2	3	2	- 1	3	2	5	4	
192	Malignant neoplasm of eye M	1 1															•••	'		I		'		'		
193	Malignant neoplasm of brain and other parts of nervous M system F	71	1	2	2 2			5	6	 1 2		2		6		6		iī	9	6	3					
194	Malignant neoplasm of thyroid gland M													'			2	5 I	5		4	2	'			
195	Malignant neoplasm of other endocrine glands									1							2	2 		2		2		3	3	
196	Malignant neoplasm of bone (including jaw bone)																	3								
197	Malignant neoplasm of connective tissue M								2		'							2		2		3	4	1		
198	Malignant neoplasm of lymph nodes, secondary and	-																	2		1			1		
199	unspecified F Malignant neoplasm of other and unspecified sites M	2 55 54																	1			9				

														Age G	iroup (y	rears)										
International Code Number	Cause of Death	Total, All Ages	Unde I yea		2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55-59	60-64	65–69	70–74	75–79	80–84	85 or more	Age not stated
	NEOPLASMS (continued)—																									
200	Neoplasm of lymphatic and haematopoietic tissues— Lymphosarcoma and reticulosarcoma	61 39	1					1	1				2	2	2	5 2	4 3	6	9 5	4 5	7 9	8 7	3	4 4		
201	Hodgkin's disease	24										1	2	2	2	Ī		2	2	2	2 2	5 4	2	1		
202	Other forms of lymphoma (reticulosis) M	15	ï					ï									2									
203	Multiple myeloma (plasmocytoma)	16															ï	2	2	3	1	2	3 2	1		
204	F Leukaemia and aleukaemia	14 87	2		ij	2		5 7	5	3	 I 3	3 2	ï		5	3	7	3	7	11	7 4	10	10	3 5	4	
205	Mycosis fungoides M	60		3																						
210	Benign neoplasm— Benign neoplasm of buccal cavity and pharynx M																									
211	Benign neoplasm of other parts of digestive system	2	ï					ï											i i							
212	Benign neoplasm of respiratory system M	1																		1						
213	Benign neoplasm of breast M																									
214 215 216 217 218 219	Uterine fibromyoma F Other benign neoplasm of uterus F Benign neoplasm of ovary F Benign neoplasm of other female genital organs F Benign neoplasm of male genital organs M Benign neoplasm of kidney and other urinary organs M	 2 3 1													····	···					···		::: ::: :::			
220	Benign melanoma of skin M	1																								
221	Filonidal cyst M	1																								
222	Other benign neoplasm of skin M	1																								
223	Benign neoplasm of brain and other parts of nervous M	1 4								ï				ï												
224	system F Benign neoplasm of endocrine glands M	1 10													· · i		i									
225	Benign neoplasm of bone and cartilage M	1																								
226	F Lipoma	1																								
227	Other benign neoplasm of muscular and connective tissue M																	···								
228	Haemangioma and lymphangioma	1																								
229	Benign neoplasm of other and unspecified organs and M tissues F																									

International														Age(Group (years)										
Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under years	5–9	10-14	15–19	20–24	25–29	30-34	35–39	40-44	45-49	50-54	55–59	60–64	65–69	70–74	75–79	80–84	85 or more	Age not stated
	NEOPLASMS (continued)—																									
230	Neoplasm of unspecified nature— Neoplasm of unspecified nature of digestive organs M	1																								
231	Neoplasm of unspecified nature of respiratory organs M	2																								
232	Neoplasm of unspecified nature of breast M																									
233	Nagalawa () ()																									
234 235	Neoplasm of unspecified nature of ovary F Neoplasm of unspecified nature of other female genital																									
236	organs F Neoplasm of unspecified nature of other genito-urinary M																									
237	organs F Neoplasm of unspecified nature of brain and other parts M	1 3																			1					
238	of nervous system F	2														'	'		i							
239	musculoskeletal system F																									
239	Neoplasm of unspecified nature of other and unspecified Morgans F																									
240–289	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, MAND NUTRITIONAL DISEASES	232 285	2 2	1				4 3	2	5	8	6 4	1	5	6	11	9	14	29 17	21 26	33 29	27 55	30 47	15 28	8 27	
240	Allergic disorders— Hay fever M																									
241	Asthma	83						2														,				
242	Angionouverie code	59	1					Í		3	2	3	2	3	6	3	4	3	2	5	5	5	8	Í	2	
243	F																									
	Urticaria																									
244	Allergic eczema M																									
245	Other allergic disorders M																									
250	Diseases of thyroid gland— Simple goitre		•••	•••	•••	•••		•••		•••			•••					•								
251	Non-toxic nodular saissa																									
252	Thyrotoxicocic with an aid to a																									
253	F	3																								
	Myxoedema and cretinism M	2 4																	2							
254	Other diseases of thyroid gland M	2																								
260	Diabetes mellitus M	125 192								***		1		1	3 2	5	4 4	5 4	15 10	9	22 22	19 47	24 37	12 24	5 23	

/ITAL STATISTIC:

No. 36. Causes of Death, Metropolis: Age Groups, 1964 (continued)

														Age (Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3		Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60–64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES (continued)—																									
	Diseases of other endocrine glands—																									
270	Disorders of pancreatic internal secretion other than M																									
27	diabetes mellitus F Diseases of parathyroid gland																									
272	Diseases of pituitary gland	4												2				1			1					
273	Diseases of thymus gland M	4					:::													'						
274	Diseases of adrenal glands																									
275	Ovarian dysfunction F	2																					'			
276 277	Testicular dysfunction M Polyglandular dysfunction and other diseases of M																									
	endocrine glands F																		• • • •							
	Avitaminoses and other metabolic diseases—																									
280	Beriberi M																									
281	Pellagra M																									
282	Scurvy M																									
283	Active rickets M																									
284	Late effects of rickets M																									
285	Osteomalacia																									1
286	Other avitaminoses and nutritional deficiency states	6]	1				2	1	l
287	Obesity, not specified as of endocrine origin	′													'		'									
288	Gout	4																		1	1					
289	Other metabolic diseases M	5	1															1				i				
	F	6	I	1				2																		
290 -299	DISEASES OF THE BLOOD AND BLOOD- M FORMING ORGANS F	33 42			ï			2				2						2	3	5 2	7	10	5	3	6	5
290	Pernicious and other hyperchromic anaemias M	7																			1	1	4	!		
291	Iron deficiency anaemias (hypochromic anaemias) M	9																				4	2		1	
292	Other anaemias of specified type	2																				4	2	3		
293	Anaemia of unspecified type	20			i			2	1			1							2		5	4	2	2		
294	Polycythaemia	3																							2	2
295	Haemophilia	2																								
296	F																									
270	Purpura and other haemorrhagic conditions M	3 3																		ĺ		i				1

No. 36. Causes of Death, Metropolis: Age Groups, 1964 (continued) (Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

															_											
International		Total,												Age	Group	(years)										
Code Number	Cause of Death	All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25-29	30-34	35–39	40-44	45-49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS (continued)—																									
297	Agranulocytosis M																									
298	Diseases of spleen M																									
299	Other diseases of blood and blood-forming organs M	2 3									1						• • • • • • • • • • • • • • • • • • • •		ï							
300-326	MENTAL, PSYCHONEUROTIC, AND M PERSONALITY DISORDERS	59 31	 I 3	2	 I		 'ï	 4 5			 I				4	9	 9 2	 5 3	3 2	 5 3	 9 3	4	i 2	 I	:::	
300	Psychoses—							3	•••	•••		•••	1	'		•••	2	3		3	3	3	3	3	ı	
301	Manic depressive reasting																									
302	Involutional malanahalia	'																								
303	Paranois and paranoid assess																									
304	Sonilo povehecia																									
305	F	5																						1 3	1	
307	F																									
309	Alcoholic psychosis	6													1				1		2					
309	Other and unspecified psychoses M	2 2																			2					
310	Psychoneurotic disorders— Anxiety reaction without mention of somatic symptoms M																				•••		•••		,	
311	Hysterical reaction without mention of anxiety reaction M																									
312	Phobic reaction																									
313	Obsessive-compulsive reaction M																									
314	Neurotic-depressive reaction																									
315-317	Psychoneurosis with somatic symptoms M	1																			1					
318	(somatization reaction) F Psychoneurotic disorders, other, mixed, and unspecified M																									
	types F																									
320	Disorders of character, behaviour, and intelligence— Pathological personality																									
321	Immature personality M																									
322	Alcoholism																									
323	Other drug addiction M	12												'			2	3	Í		2	3 2				
324	Primary childhood behaviour disorders	3												1	1	'				1						
325	Mental deficiency M	7															,									
326	Other and unspecified character, behaviour, and M intelligence disorders F	, , , , , , , , , , , , , , , , , , ,	3	Ĭ 			ï	5						•••												

														Age G	roup ()	rears)										
International Code Number	Cause of Death	Total, All Ages	Under I year	I	2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30-34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
330–398	DISEASES OF THE NERVOUS SYSTEM AND M SENSE ORGANS F	1,406 2,007	5 4		2 2	1 2		9	2 2	2 3	4	6 7	6	2 6	14 17	26 33	30 44	62 61	89 82	146 108	173 155	251 283	271 419	193 400	120 373	
330-334	Vascular lesions affecting central nervous system \dots M F	1,297 1,896						1		1		3	4 2	1 3	11	15 28	29 41	57 57	82 76	134	160	238 272	259 403	186 387	116 367	
330	Subarachnoid haemorrhage M	58 99								1		2	4	2	5 9	4	7	10	6	7	6 7	3 7	10	1 2		
331	Cerebral haemorrhage	495 689										I			5 3	9 17	20 25	37 32	5 I 45	72 57	72 60	82 103	82 134	43 127	21 83	
332	Cerebral embolism and thrombosis	560 885	1					1						i	- 1		2 2	10	22 17	45 37	67 63	114	129 199	98 202	69 219	
333	Spasm of cerebral arteries																									
334	Other and ill-defined vascular lesions affecting central M nervous system F	184 223																		10	15	39 28	46 60	44 56	26 64	
340	Inflammatory diseases of central nervous system— Meningitis, except meningococcal and tuberculous	10	3 2				1	4 3							1		1		1 2		1	1				
341	Phlebitis and thrombophlebitis of intracranial venous M sinuses F																									
342	Intracranial and intraspinal abscess M	3 2																								
343	Encephalitis, myelitis, and encephalomyelitis (except Macute infectious) F	2																								
344	Late effects of intracranial abscess or pyogenic infection M																									
345	Multiple sclerosis M F	5															1				2					
350	Other diseases of central nervous system— Paralysis agitans	29 39																I		2	3 6	7 6	9	4	3	
351	Cerebral spastic infantile paralysis	5			ï			 1				1														
352	Other cerebral paralysis								'																	
353	Epilepsy	17			ï						1	2 2				4 2		2		4	2 2					
354	Migraine																									
355	Other diseases of brain	12													1	3			2			2	1	1		
356	Motor neurone disease and muscular atrophy	1 19								'						3 2		ii	2	2	5 4	3	Ī	Î		
357	Other diseases of spinal cord							'																		

No. 36. Causes of Death, Metropolis: Age Groups, 1964 (continued) (Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

Intonnetional													Age	Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year	2	3	4	Total under 5 years	5–9	10-14	15-19	20-24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60–64	65–69	70–74	75–79	80-84	85 or more	Ag no
	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (continued)—																								
360	Diseases of nerves and peripheral ganglia— Facial paralysis	1		 																					
361	Trigeminal neuralgia	1		 																					
362		1		 																1					
363	F Sciatica	1		 																					
364	Polyneuritis and polyradiculitis M	1 3		 																					
365	Erythroedema polyneuritica M	1		 														'	2						
366	Other and unspecified forms of neuralgia and neuritis M			 																					
367	Other diseases of cranial nerves			 																					
368	Other diseases of peripheral nerves except autonomic			 																					
369	Diseases of peripheral autonomic nervous system	. 1		 																					
307	F			 																					
370	Inflammatory diseases of eye-																								'
371	Conjunctivitis and ophthalmia			 																					
	Blepharitis M	1		 																					:
372	Hordeolum (stye) M			 																					:
373	Iritis M			 																					:
374	Keratitis M			 																					1:
375	Choroiditis			 																					1:
376	Other inflammation of uveal tract M			 																					
377	Inflammation of optic nerve and retina M			 																					į .
378	F Inflammation of lachrymal glands and ducts M			 																					1:
379	Other inflammatory diseases of eye M			 																					1:
	F			 ***																					1
381	Other diseases and conditions of eye— Corneal ulcer																								
382	Corneal			 																					:
383	F	•••		 																					
	Pterygium M			 																					
384	Strabismus M			 																					:
385	Cataract			 																					
386	Detachment of retina M			 																					:
387	Glaucoma			 																					:
388	Other diseases of eye M			 																					
	F																								

													Age	Group	(years)										
International Code Number	Cause of Death	Total, All Ages	Under I year	I	2	3	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45–49	50-54	55–59	60-64	65-69	70–74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (continued)—																								
390	Diseases of ear and mastoid process— Otitis externa						 																		
391	Otitis media without mention of mastoiditis						 																		
392	Otitis media with mastoiditis						 																		
393	Mastoiditis without mention of otitis media M	1					 																		
394	Other inflammatory diseases of ear					ï	 1																		
395	Ménière's disease						 																		
396	Other diseases of ear and mastoid process M						 																		
400–468	DISEASES OF THE CIRCULATORY SYSTEM M			2			 2			2	6	6	20	59 21	127	242	403 106	540	655 327	732 514	903 709	826 911	570 798	402 856	2
100 100	F	4,605	2		1		 3	1	• • • •	2	3	4	8	21	57	/0	100	209	321	317	707	/ / /	770	050	
400	Rheumatic fever— Rheumatic fever without mention of heart involvement						 																		
401	Rheumatic fever with heart involvement						 																		
402	Chorea F						 																		
410	Chronic rheumatic heart disease— Diseases of mitral valve M	42					 				1	1	1	1	5	8	1	4	3	4	5 7	4	1	3 5	
411	Diseases of aortic valve specified as rheumatic M	55 9					 					1		'		Ī	Ĭ	İ	ĺ						
412	F Diseases of tricuspid valve M	2					 																		
413	Diseases of pulmonary valve specified as rheumatic M						 																		
414	Other endocarditis specified as rheumatic M	5					 											2			1				
415	Other myocarditis specified as rheumatic M	9					 				1		'		'										
416	Other heart disease specified as rheumatic M						 								2		4	2	2	5	3			2	
	F	35					 								2	2	1	7	3	3			_		
420	Arteriosclerotic and degenerative heart disease— Arteriosclerotic heart disease, including coronary	3,885					 				2	2	9	50 13						566 381	476	504	369	172 288	3
421	disease F Chronic endocarditis not specified as rheumatic						 								4				11	15	5	13	5	4 5	
422	Other myocardial degeneration	567 812					 						2	3	3 6	18			44	40		109	99		

International														Age	Group	(years)										
Code Number	Cause of Death	Total, All Ages	Unde I yea		2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40-44	45-49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not
	DISEASES OF THE CIRCULATORY SYSTEM (continued)—																									
430	Other diseases of heart— Acute and subacute endocarditis	8														2										
431	Acute myocarditis not specified as rheumatic M	2 4										i					'			i	'	'				
432	Acute pericarditis specified as non-rheumatic M	7 4			1								'	'					2			2	2			
433	Functional disease of heart M	3 55						'																		
434	Other and unspecified diseases of heart M	69 268 350	1	ï							1						 3 4 3	10	1 2	5 25 14	9 8 34 24	12 12 40 37	7 12 53 85	8 13 54 80	10 12 33 100	
440	Hypertensive heart disease— Essential benign hypertensive heart disease M	!															ı									
441	Essential malignant hypertensive heart disease M	4														1										1
442	Hypertensive heart disease with arteriolar nephro- M	3															i	1				1				
443	sclerosis	124 228															 1 2 7	 7 3		8	 17 23	 2 16	24 48	23		
444	Other hypertensive disease— Essential benign hypertension	28																ı	,	5	4	31	48	60	35	
445	Essential malignant hypertension																3 2	i	2	Ĭ	Ĭ	5	13	8	9	::
446	Hypertension with arteriolar nephrosclerosis M	18 28											2		3	2	3	4	i							1 ::
447	Other hypertensive disease M F	23 I																	i	1		4	6	6	8 9 	
450	Diseases of arteries— General arteriosclerosis	180																				32	43	40		
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm M	241 87																 8	2	5	12	23	50	56	43 92	
452	Other aneurysm, except of heart and aorta M	30 8														1 2	i		2	2	2	21	6	8	3	
453	F Peripheral vascular disease M	- 1																i				2				
454	Arterial embolism and thrombosis M	2																	'	'	2	4				
455	Gangrene of unspecified cause M	5 2																								
456	Other diseases of arteries	3 9 5													1				2			::: [I 2			

													Age	Group ((years)										
International Code Number	Cause of Death	Total, All Ages	Under I year	ı	2	3	Total under 5 years	5–9	10-14	15-19	20–24	25–29	30–34	35–39	40-44	45-49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE CIRCULATORY SYSTEM (continued)—																								
460	Diseases of veins and other diseases of circulatory system— Varicose veins of lower extremities	3					 										1				1				
461	Haemorrhoids	1 7					 																		
462	Varicose veins of other specified sites M	1 6					 								- 1	1		1	3						
463	Phlebitis and thrombophlebitis of lower extremities	1 7					 										1	1		1		2		1	
464	Phlebitis and thrombophlebitis of other sites M	1 2					 																		
465	Pulmonary embolism and infarction	1 10					 										'			I	3	2		2	
466	Other venous embolism and thrombosis M	7 1 H					 												i	3		5	2		
467	Other diseases of circulatory system	1 6					 													1	1	2	'		
468	Certain diseases of lymph nodes and lymph channels	1					 																	2	
	F	1					 																		• • •
470-527	DISEASES OF THE RESPIRATORY SYSTEM F	1 1,005 503	31 26	9	4	1	 45 35	5 2		3	4	2 3		5	18	31 6	23 15	66 15	88 18	101 32	171 58	178 87	152 93	107	
470	Acute upper respiratory infections— Acute nasopharyngitis (common cold)	1					 																		
471	Acute sinusitis	1					 																		
472	Acute pharyngitis	1					 											1							
473	Acute tonsillitis	1 '					 																		
474	Acute laryngitis and tracheitis	1 4		ï	2		 								1										
475	Acute upper respiratory infection of multiple or unspecified sites	1					 																		
480-483	Influenza F	1 12					 	1			1							2 I	1	1		5	3		
480	Influenza with pneumonia	1 9					 											2	1	1	2		3		
481	Influenza with other respiratory manifestations, and	1 15					 	1																	
482	influenza unqualified Finfluenza with digestive manifestations, but without N	1 1					 															'			
483	respiratory symptoms F Influenza with nervous manifestations, but without h digestive or respiratory symptoms	1					 																		

														Age G	Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year	I	2	3	4	Total under 5 years	5–9	10-14	15-19	20–24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE RESPIRATORY SYSTEM (continued)—																									
490-493	Pneumonia	1 474 352	26 24	7 4	2	1	ï	36 30	2 1	1	3 I	2	2 I	2 2	4 3	12	14	10	17 10	28	30 17	63 36	84 62	94 65	70 96	
490	Lobar pneumonia	1 79	3	1				4		- 1	1		1		3	5	4	2	3	2	8	10	10	14	- 11	
491	Bronchopneumonia	79 1 370	15	6		·::		23	2		2	2		2	2 I	7	9	7	13	4 26	5 21	11 52	14 71	14 76	16 55	
492	Primary atypical pneumonia	256 1 13	21	3	ï.			26 7								2	2	5 	7	5		25	44	48 2	77	
493	Pneumonia, other and unspecified	1 12	2 2					3 2										2	1					2	1	
500-502	Bronchitis		3		 'i		···	3 3				1	2			 4 I	9	12 5	 39 2	48	 59 12	 84 14	79 14	3 42 14	2 28 13	
500	Acute bronchitis	1 14	3					3	1								1	1		1	1	1		4	1	• • • •
501	Bronchitis, unqualified	1 21						2								1			2	2			2 7	2	5	
502	Chronic bronchitis	1 374 59					 					1				4	8	1 10 4	37 2	45 4	57 11	80 13	72 10	36 8	2 24 6	
510	Other diseases of respiratory system— Hypertrophy of tonsils and adenoids	1 !							!																	
511	Peritonsillar abscess (quinsy)	1							'																	
512	Chronic pharyngitis and nasopharyngitis	1																								
513	Chronic sinusitis	1																								
514	Deflected nasal septum	1																								
515	Nasal polyp	1																								
516	Chronic laryngitis	1																								
517	Other diseases of upper respiratory tract	: 1 I																								
518	Empyema	1 6															2							1		
519	Pleurisy	1 2																								
520	Spontaneous pneumothorax	1																								
521	Abscess of lung	1																						'		
522	Pulmonary congestion and hypostasis	1 13																				2			4	
		17												• • •	•••	•••			• • • •		'	1		6	6	

													Age G	roup ()	years)										
International Code Number	Cause of Death	Total, All Ages	Unde I yea	2	3	4 u	Total inder years	5–9	10-14	15-19	20-24	25–29	30–34	35–39	40-44	45-49	50-54	55–59	60-64	65-69	70–74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE RESPIRATORY SYSTEM (continued)—																								
523	Other diseases of respiratory system (continued)— Pneumoconiosis due to silica and silicates (occupational)	1 17		 														1	3	4		3	2		
524 525	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	13		 			1											 3 I	3 2		 6 4 3	5 2		2 1	
526	Bronchiectasis M	1 8		 					'							2 2	i	2	2	2 4	1	4		2	
527	Other diseases of lung and pleural cavity M	1 29	1	 														Î			2				
530–587	DISEASES OF THE DIGESTIVE SYSTEM M	333	14		2	1	25 28	1	1	3 2	1 4	1	4 4	4 7	13	13 16	31 16	32 14	37 24	38 24	38 39		28 34		
530	Diseases of buccal cavity and oesophagus— Dental caries																								
531	Abscesses of supporting structures of teeth	1		 																					
532	Other inflammatory diseases of supporting structures of			 																					
533	teeth Disorders of occlusion, eruption, and tooth development	1		 																					
535	Other diseases of teeth and supporting structures	·		 			'																		
536	Stomatitis	·		 																					
537	Diseases of salivary glands	y																							
538	Other diseases of buccal cavity	y :::		 																					
539	Diseases of oesophagus	 M 5 = 2		 													1					1			:::
540	Diseases of stomach and duodenum—	M 46		 										1	2	2	3	8	7	5		6	6 6		
541	Ulcer of duodenum	F 32 M 48	3	 									Ī	1	2	3	7	7	3	5	11	6		1 3	
542		F 13 M	3	 																					
543		F M		 																					1
544		F	4	 														'		'					
545		F M		 																					
	Appendicitis—		7	 		•••				2										2				I	
550	Acute appendicitis	F :	7	 	ï		1														2	2		2	
551	Appendicitis, unqualified	M F	1																						
552	Other appendicitis	M F																							
553	Other diseases of appendix	M F																							

t and and														Age C	Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30-34	35–39	40-44	45-49	50-54	55–59	60–64	65–69	70–74	75–79	80-84		Age not stated
	DISEASES OF THE DIGESTIVE SYSTEM (continued)—																									
560 561	Hernia of abdominal cavity— Hernia of abdominal cavity without mention of obstruction	10 13 6 16	5 5					5 5														2 3 1		2 2 1		
570	Other diseases of intestines and peritoneum— Intestinal obstruction without mention of hernia M	31															***		2		2		3	4	2	
57 I 572	Gastro-enteritis and colitis, except ulcerative, age M 4 weeks and over	36 22 20 16	 5 3	5 5 1	 I 2	 'i								1	 2 					4 1 2 2		6	10 12 2 3	5 4	2 1 2	
573	Functional disorders of intestines	27 I		_i														i	i	4	Í	5	5	6	2	
574	Anal fissure and fistula M																									
575	Abscess of anal and rectal regions M																									
576	Peritonitis																									
577	Peritoneal adhesion M	!										1									'	'	'			
578	Other diseases of intestines and peritoneum M F	1 3 5		 																						
580	Diseases of liver, gallbladder, and pancreas— Acute and subacute yellow atrophy of liver M	2					ı	1													'		1	•••	•••	
581	Cirrhosis of liver M	7 82	1					1							2		8	12				 7	 1 12			
582	Suppurative hepatitis and liver abscess M	46												i	2	2	IĬ	6	7	6	6	3	1	'	'	
583	Other diseases of liver M	8																			 1 2					
584	Cholelithiasis M	4 8													,							1	i			
585	F Cholecystitis and cholangitis, without mention of calculi M	18																2	i	2	i	2	3	4	3	
586	Other diseases of gallbladder and biliary ducts M	23 2															1	2		,	1	i	5	4		
587	Diseases of pancreas	3 22 20	3 4		::i			 4 7			1				:::			 2 I	·:: 	2 2	5		 i	 3		

													Age C	Group (years)										
International Code Number	Cause of Death	Total, All Ages	Under I year	2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not state
590-637	DISEASES OF THE GENITO-URINARY SYSTEM	M 261 F 292	1	 		2	4 I	1	1	1	3 2			5 10	6 15	11	13 26	18	29 34	16 31	37 27	49 33	41 30	23 26	
590-594	Nephritis and nephrosis	M 100 F 79		 			1	1	1		3 1	2		4 5	7	5 5	8	10	12 10	8 6	12	13	9	6 10	
590	Acute nephritis	M 4		 				- 1									- 1	- 1				1			
591	Nephritis with oedema, including nephrosis	M 3		 																					
592	Chronic nephritis	M 85		 		ï	1				3	2		4	 7	3	10	8	11		9	10	8	6 7	
593	Nephritis not specified as acute or chronic	F 65		 											í	I			1		2		1		
594	Other renal sclerosis	F 6 M 2 F I		 																	1				
600	Other diseases of urinary system— Infections of kidney	M 73		 	1		1			ı		1			2	4	2	. 4	11	5	9	18	8 20	7	
601	Hydronephrosis	F 173		 										5	6	16		17	20	22					
602	Calculi of kidney and ureter	M 10		 															3			1		1	
603	Other diseases of kidney and ureter	F 7 M 3		 														2			i	1			
604	Calculi of other parts of urinary system	F 8		 														3	3						
605	Cystitis	F I I		 																				'	
606	Other diseases of bladder	F 2 M		 																					
607	Urethritis (non-venereal)	F I		 			!																		
608	Stricture of urethra	F M I		 																					
609	Other diseases of urethra	F M 4 F 7	1	 			1																2	 I 3	
610 611 612 613 614 615 617	Diseases of male genital organs— Hyperplasia of prostate Prostatitis Other diseases of prostate Hydrocele Orchitis and epididymitis Redundant prepuce and phimosis Other diseases of male genital organs	M 63 M I M I M I M		 		 												2	2	3	15	14	20	7	

No. 36. Causes of Death, Metropolis: Age Groups, 1964 (continued) (Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

				-					10				Age C	Group (years)										
International Code Number	Cause of Death	Total, All Ages	Unde I yea	2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30–34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE GENITO-URINARY SYSTEM (continued)—																						,		
620 621 622 623 624 625 626	Diseases of breast, ovary, Fallopian tube, and parametrium— Chronic cystic disease of breast			 																					
630 631 632 633 634 637	Diseases of uterus and other female genital organs— Infective disease of uterus, vagina and vulva F Uterovaginal prolapse F Malposition of uterus F Other diseases of uterus F Disorders of menstruation F Other diseases of female genital organs F	3 2 1		 																	3				
640-689	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUER-PERIUM	9		 							2	3		4											
640 641	Complications of pregnancy— Pyelitis and pyelonephritis of pregnancy								/																
642 643 644 645 646 647 648	pregnancy . F Toxaemias of pregnancy . F Placenta praevia . F Other haemorrhage of pregnancy . F Ectopic pregnancy . F Anaemia of pregnancy . F Pregnancy with malposition of foetus in uterus . F Other complications arising from pregnancy . F	2		 																					
650 651 652	Abortion— Abortion without mention of sepsis or toxaemia	I		 																					
670	Delivery with specified complication— Delivery complicated by placenta praevia or antepartum haemorrhage																								
671 672 673 674	Delivery complicated by retained placenta FDelivery complicated by other post-partum haemorrhage FDelivery complicated by abnormality of bony pelvis FDelivery complicated by disproportion or malposition of polivery complicated by disproportion or malposition of polivery complicated by disproportion or malposition of the polivery complete	1		 										1											
675 676	foetus F Delivery complicated by prolonged labour of other origin F Delivery with laceration of perineum, without mention of other lacerations F			 																					
677 678	Delivery with other trauma FDelivery with other complications of childbirth F	•••		 							•••														

														Age G	roup ()	years)										
International Code Number	Cause of Death	Total, All Ages	Under I year	1	2	3	4	Total under 5 years	5-9	10-14	15-19	20–24	25–29	30-34	35–39	40-44	45-49	50-54	55–59	60-64	65–69	70-74	75–79	80-84	85 or more	Age not state
	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUER-PERIUM (continued)—																									
680 681 682 683 684 685 686 687 688 689	Complications of the puerperium— Puerperal urinary infection without other sepsis F Sepsis of childbirth and the puerperium F Puerperal phlebitis and thrombosis F Pyrexia of unknown origin during the puerperium F Puerperal pulmonary embolism F Puerperal eclampsia F Other forms of puerperal toxaemia F Cerebral haemorrhage in the puerperium F Other and unspecified complications of the puerperium F Mastitis and other disorders of lactation F	::: ::: ::: ::: :::																								
690-716	DISEASES OF THE SKIN AND CELLULAR TISSUE F	l 11 12						1									2	2				4	2 2	1	1	
690 691 692 693 694 695 696 697	Infections of skin and subcutaneous tissue— Boil and carbuncle	1																								
700 701 702 703 704	Other diseases of skin and subcutaneous tissue— Seborrhoeic dermatitis	1																								
706 707 708	Psoriasis and similar disorders	2 1 1																								
708	Pruritus and related conditions	1																								

														Age	Group ((years)										
International Code Number	Cause of Death	Total, All Ages	Under I year	I	2	3	4	Total under years	5–9	10-14	15-19	20-24	25–29	30–34	35–39	40-44	45-49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age
	DISEASES OF THE SKIN AND CELLULAR TISSUE (continued)— Other diseases of skin and subcutaneous tissue (continued)—																									
709	Corns and callosities M																									
710	Other hypertrophic and atrophic conditions of skin M	3																2								
711	Other dermatoses M																									
712	Diseases of nail																									
713	Diseases of hair and hair follicles																									
714	Diseases of sweat and sebaceous glands M																									
715	Chronic ulcer of skin M	2																								
716	Other diseases of skin	2																								
720-749	DISEASES OF THE BONES AND ORGANS OF M MOVEMENT	35 41								1			1				•••	5	 I 2	6 4	7 4	 2 7	 4 12	 3 7	 2 2	
720	Arthritis and rheumatism, except rheumatic fever— Acute arthritis due to pyogenic organisms M																									
721	Acute non-pyogenic arthritis M	2																		1		1				
722	Rheumatoid arthritis and allied conditions	9																								
723	Osteo-arthritis (arthrosis) and allied conditions M	16 5												1	1						2 1	3	4	3	-	
724	Other specified forms of arthritis M	4																				1		2		
725	Arthritis, unspecified M																									
726	Muscular rheumatism M																									
727	Rheumatism, unspecified M																									
	Osteomyelitis and other diseases of bone and	•••	•••		•••	• • •		•••	•••	• • •	• • •	•••	•••	• • •	•••	•••										
730	joint— Osteomyelitis and periostitis M	i i															·						1			
731	Osteitis deformans	8	•••																				2			
732	Osteochondrosis	8																		i	2	2	2	ī		
733	Other diseases of bone M	2																								
734	Internal derangement of knee joint M	4																					4			
735	Displacement of intervertebral disc M																									
736	Affection of sacro-iliac joint M																									
737	Ankylosis of joint																								• • • •	
738	Other diseases of joint M																									
	F																									

														Age G	roup (y	rears)										
International Code Number	Cause of Death	Total, All Ages	Under I year	I	2	3		Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35-39	40-44	45-49	50-54	55–59	60-64	65-69	70-74	75–79	80-84	85 or more	Age not stated
	DISEASES OF THE BONES AND ORGANS OF MOVEMENT (continued)—																									
740	Other diseases of musculoskeletal system— Bunion										***															
741	Synovitis, bursitis, and tenosynovitis without mention of																									
742	occupational origin F Synovitis, bursitis, and tenosynovitis of occupational M																									
743	origin																									
744	tendon and fascia F	6									2							2								
745	Curvature of spine	1 4 2	'																2							
746	Flat foot	2																								
747	F																									
	Hallux valgus and varus M																									
748	Clubfoot																									
749	Other deformities M	1																								
750-759	CONGENITAL MALFORMATIONS M	132	97 78	3 4	2	2 2		104 90	3 5	1 3	5 2	4 3	1	2	1	1	3	3 1	1	1 2		2	,	1	1	
750	Monstrosity	1 2	2					2																		
751	Spina bifida and meningocele	1 7	7					7																		
752	Congenital hydrocephalus M	1 7	6		i ii			5 7				'														
753	Other congenital malformations of nervous system and M	1 6	5	·:i				2			1															
754	sense organs	1 67	45	2		1		7 49	2					2			2					2				
755	Cleft palate and harelip	53	33	4		1	5	43	2		2	1				2										
756	Congenital malformations of digestive system M	1 14	12					13																		
757	Congenital malformations of digestive system	1 10	10					10																		
	F	7							1							1		i		2			11			
758	Congenital malformations of bone and joint	4	3					3									1									
759	Other and unspecified congenital malformations, not Melsewhere classified F	1 13						10	2		'	1												1		

													Age	Group	(years)										
nternational Code Number	Cause of Death	Total, All Ages	Under I year	2	3	4	Total under 5 years	5–9	10-14	15–19	20–24	25–29	30-34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70-74	75–79	80-84	85 or more	Age not state
760–776	CERTAIN DISEASES OF EARLY INFANCY* M	239 196	239 196	 			239 196																		
760	Birth injuries, asphyxia and infections of newborn— Intracranial and spinal injury at birth M		2.4	 			24															•••	•••		
761	Other birth injury		19 38	 			19 38																		
762	Postnatal asphyxia and atelectasis		40 40	 			40 40																		
763	Pneumonia of newborn M	1 6	19	 			19																		
764	F Diarrhoea of newborn M	1 9	9	 			9																		
765	F Ophthalmia neonatorum			 																					
766	F Pemphigus neonatorum			 																					
767	I Imbiliant consis			 																					
768	Other capsis of newhorn			 																					
	F	2	2	 			2																		
769	Neonatal disorders arising from certain diseases of the M mother during pregnancy F	3	9	 			9																		
770	Other diseases peculiar to early infancy— Haemolytic disease of newborn (erythroblastosis) M	4	4	 			4													•••			•••	•••	
771	Haemorrhagic disease of newborn M	8 5	8 5	 			8 5																		
772	Nutritional maladjustment M	5	5	 				•••			•••														
773	F III-defined diseases peculiar to early infancy M		23	 			23																		
774	F Immaturity with mention of any other subsidiary M	22	22	 			22																		
776	condition F	Ī	I	 			1																		
770	Immaturity, unqualified M	68	86 68	 			86 68																		
780-795	SYMPTOMS, SENILITY, AND ILL-DEFINED M CONDITIONS F	31 53	5 2	 			5 2		1					1			2		2	2	2 4	3	5	6 25	
780, 781	Symptoms referable to systems or organs— Symptoms referable to nervous system and special senses M			 																					
782	F Symptoms referable to cardiovascular and lymphatic M			 																					
783	system F Symptoms referable to respiratory system M	1		 							1														
784	F Symptoms referable to upper gastro-intestinal tract M			 																					
785	F Symptoms referable to abdomen and lower gastro- M	- 1		 																					
786	intestinal tract F			 																					
	F Symptome referable to limbe and healt			 																					
787	Symptoms referable to limbs and back M			 																					
788	Other general symptoms M			 																					
789	Abnormal urinary constituents of unspecified cause M			 																					

^{*} See Table 50 for dissection of categories 760-773 to show with or without immaturity and for further dissection of categories 769 and 770.

			1																							
														Age (Group ((years)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS (continued)—																									
790	Senility and ill-defined diseases— Nervousness and debility																									
792	Uraemia																									
794	Senility without mention of psychosis M																						1			
795	III-defined and unknown causes	38 1 16 10	 5 2					 5 2										2		2	2	2	5	8 1 2	23	2
E800-E999	ACCIDENTS, POISONINGS, AND VIOLENCE		32	6	5	I 5	6 2	50 36	25	32	73 32	75 20	63	65 28	63	71 40	77 46	96 30	74 35	55 31	58 34	42 43	40 60	23	17	
E800-E962	Accidents M	711	30 12	6 5	5 9		5 2	46 33	24 15	29	67 29	57	37	35 12	33	41	51	68 17	47 25	39	37	34 32	31 59	20 59	15 47	2
E800-E802	Railway accidents M	1 14								2	3			2		1	1	3	1			1				
E800	Railway accident involving railroad employee	1 2									1		1	1	1						1					
E80 I	Railway accident involving passenger M	1 8								2	2			1				2								
E802	Railway accident involving other and unspecified person F	1 4 3														1		1	1							
E810-E825	Motor vehicle traffic accidents M		1	- 1	1		2	5	12		41	34	16	18	18	16	20	38	24	23	23	17	14	- 11	1	
E810	Motor vehicle traffic accident involving collision with	1 1	2		2			7	8	4	25	7	1	5	4	3	8	9	10	6	8	14	18	- 11	ii	
E811	railway train F	12																								
E812	tramcar F				 I		2	4			2		2	2				21	16				12	 ii		
E813	Motor vehicle traffic accident to pedal cyclist	1 89 1 15			2			6		2 5	6			2		3		6	7	6	7	12	16		1	
E814	Motor vehicle traffic accident to rider or passenger of motor cycle in collision with non-motor vehicle or N	1																								
E815	object F Motor vehicle traffic accident to rider or passenger of M	1 10										2														
E816	motor cycle in collision with other motor vehicle F Other motor vehicle traffic accident involving two or								2											5						
E817	more motor vehicles F Motor vehicle traffic accident to occupant of motor	37							1	2	12		1	3	3		4	ii	2		Ī	ii	2	3		
E818	vehicle in collision with pedestrian or pedal cycle F Motor vehicle traffic accident involving collision with	1																								
E819	animal or animal-drawn vehicle F Motor vehicle traffic accident involving collision with																									
E820	fixed or unspecified object F Motor vehicle traffic accident while boarding and N																									
E821	alighting F																	'								
E822	without antecedent collision F Motor vehicle traffic accident involving overturning in										2															
E823	roadway F												6				,			2	2					
E824	roadway	20	1					1			7	4		I	Ī		2	2				i	'		'	
E825	Motor vehicle traffic accident of unspecified nature											'														
2023	F	Ī																								

													Age G	roup ()	/ears)										
International Code Number	Cause of Death	Total, All Ages	Under I year	2	3	4	Total under 5 years	5–9	10–14	15–19	20-24	25–29	30-34	35–39	40-44	45-49	50-54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	ACCIDENTS, POISONINGS, AND VIOLENCE (continued)—																								
	Accidents (continued)—																								
E830	Motor vehicle non-traffic accidents— Motor vehicle non-traffic accident to pedestrian			 																					
E83 I	Motor vehicle non-traffic accident to pedal cyclist M	'		 																		'			
E832	Motor vehicle non-traffic accident to rider or passenger			 																					
E833	of motor cycle F Other motor vehicle non-traffic accident involving two M			 																					
E834	or more motor vehicles F Motor vehicle non-traffic accident while boarding and M			 																					
E835	alighting F Motor vehicle non-traffic accident of other and un- specified nature F	3		 						1		1		1			•••								
E840-E841	Other road vehicle accidents— Tramcar accidents, except collision with motor vehicle M			 																					
E842	Accident to pedestrian caused by pedal cycle M			 																					
E843	Accident to rider of pedal cycle not involving collision M			 																					
E844	with a motor vehicle F Accident to pedestrian caused by other non-motor road M			 																					
E845	vehicle			 						1															
E850	Water transport accidents— Submersion of occupant of small boat	- 11		 							3		1	2		1	1	2							
E851	Other water transport injury by submersion M	2		 												2									
E852	Fall on stairs and ladders in water transport M			 																					
E853	Other falls from one level to another in water transport M			 																					
E854	Falls on same level in water transport M			 																					
E855	Unspecified falls in water transport M			 																					
E856	F Machinery accident in water transport M			 																					
E857	Other specified accidents in water transport M	2		 																					
E858	Water transport accident of unspecified cause M			 																					
2000	F			 																					

No. 36. Causes of Death, Metropolis: Age Groups, 1964 (continued)

														Age G	iroup ()	ears)										
nternational Code Number	Cause of Death	Total, All Ages	Und I ye		2	3	4	Total under 5 year		10-1	4 15-19	20-24	25–29	30-34	35–39	40-44	45–49	50-54	55-59	60-64	65–69	70-74	75–79	80-84	85 or more	Age not stated
E860	ACCIDENTS, POISONINGS, AND VIOLENCE (continued)— Accidents (continued)— Aircraft accidents— Accident to personnel in military aircraft																									
E861 E862	Injury to occupant by accident to commercial "transport" M aircraft																									
E863	Injury to occupant by accident to other specified aircraft M	2												1	1											
E864	Aircraft accident at airfield to person not in aircraft M																									
E865	Aircraft accident elsewhere to person not in aircraft M		::																							
E866	Other and unspecified aircraft accidents M		::								1															
E870-E888	Accidental poisoning by solid and liquid substances M	43		1					2		.		5	2 2	3		8	6	2	4	1			,		
E870	Accidental poisoning by morphine and other opium M	46							3				'													
E871	derivatives F Accidental poisoning by barbituric acid and derivatives M	35		: ::		.							4	2	3	9	6 7	5	2	3 4						
E872	Accidental poisoning by aspirin and salicylates	37	::										'													
E873	Accidental poisoning by bromides M	,																								
E874 E875	Accidental poisoning by other analgesic and soporific drugs	l																								
E876	Accidental poisoning by strychnine											ı														
E877	Accidental poisoning by belladonna, hyoscine, and M	1														'										
E878	atropine F Accidental poisoning by other and unspecified drugs M	1																								
E879	Accidental poisoning by noxious foodstuffs	1'						:																		
E880	Accidental poisoning by alcohol	1						: :::			.															
E881	Accidental poisoning by petroleum products	1)				::																
E882	Accidental poisoning by industrial solvents	1	:	: :		: ::																				
E883	Accidental poisoning by corrosive aromatics, acids, and			: :																						
E884	caustic alkalis F Accidental poisoning by mercury and its compounds	1	1																							
E885	Accidental poisoning by lead and its compounds	1	3	1 .		i			2																	
E886	Accidental poisoning by arsenic and antimony, and their	1	3					:									2		1							
E887	compounds FAccidental poisoning by fluorides	1																								
E888	Accidental poisoning by other and unspecified solid and liquid substances F	1		. .		i			1																	

No. 36. Causes of Death, Metropolis: Age Groups, 1964 (continued) (Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

International		Total												Age (Group	(years)										
Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45-49	50-54	55–59	60-64	65-69	70-74	75–79	80-84	85 or more	Age not
	ACCIDENTS, POISONINGS, AND VIOLENCE																								-	
	Accidents (continued)—																									
E890-E895	Accidental poisoning by gases and vapours M	12																								
E890	Accidental poisoning by utility (illuminating) gas M	23 10							2		2		i	1	1		1			2	1	2	3 2			
E891	Accidental poisoning by motor vehicle exhaust gas M	23 I							2		2		i		1					2		2	3 2		2	
E892	Accidental poisoning by other carbon monoxide gas M																									
E893	Accidental poisoning by cyanide gas M																									
E894	Accidental poisoning by other specified gases and vapours M																									
E895	Accidental poisoning by unspecified gases and vapours M																									
E900-E904	Accidental falls M	98											2													
E900	Fall on stairs	1 44 16	1			- 1		2								3	2	2		5	8	12	10 32	9	7 42	
E901	Fall from ladders	8 2				1		1									1		3		2 2	2	3 		1 2	
E902	Other falls from one level to another M	36															,	,								
E903	Fall on same level M	18 21	1										'			1	1 2				2		2			
E904	Unspecified falls	28 23 0														2 2					4 2	3 4 3	 7 4	4 4 5	 6 6	
E910	Other accidents— Blow from falling or projected object or missile M	10										•••				•••		2	•••	2	•••	7	22	28	29	
E911	Accident caused by vehicle M							'	'	'	'		'													
E912	Accident caused by machinery M																									
E913	Accident caused by cutting and piercing instruments M													2		'										
E914	Accident caused by electric current M																 ₂									
E915	Accident caused by explosion of pressure vessel M										'		'		***	'	2	'								
E916	Accident caused by fire and explosion of combustible M																									
E917	Accident caused by hot substance, corrosive liquid, and M	22			3			3	2								3 	2	2	2 	3 2	3 2	2		2	
E918	steam F Accident caused by radiation M			ï				i				'													1	
E919	Accident caused by firearm M																									
E920	Foreign body entering eye and adnexa	i									Î		2													
E921	F Inhalation and ingestion of food causing obstruction or M																									
E922	Inhalation and ingestion of other object causing ob-	8 2	2	Ī	i			4	1												1		1			
E923	struction or suffocation	Ī	1					i		'																
E924	Accidental mechanical suffocation in bed and cradle M	 17 5	16	ï				 17																		

No. 36. Causes of Death, Metropolis: Age Groups, 1964 (continued)

														Age G	roup (y	rears)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45–49	50-54	55–59	60-64	65–69	70-74	75–79	80-84	85 or more	Age not stated
	ACCIDENTS, POISONINGS, AND VIOLENCE (continued)— Accidents (continued)—																									
	Other Accidents (continued)—																									
E925 E926	Accidental mechanical suffocation in other and un-specified circumstances F Lack of care of infants under one year of age																									
E927 E928	Accidents caused by bites and stings of venomous animals and insects																									
E929	Accidental drowning and submersion M	58	2	ï			3	7	9	2	13	8	3	!		2	3	1	2			1			2	
E930	High and low air pressure M				2				2						'	2			2	'						
E931	Excessive heat and insolation	2																								
E932	Excessive cold M																								'	
E933	Hunger, thirst, and exposure M																									
E934	Cataclysm																									
E935	F Lightning																									
E936	Other and unspecified accidents	 16 9		2		 			ï	4	1		2	₂		2		2	 1 2	1						
	Complications due to non-therapeutic medical and surgical procedures—																									
E940	Generalized vaccinia following vaccination M																									
E941	Postvaccinal encephalitis																									
E942	Other complications of smallpox vaccination																									
E943	Post-immunization jaundice and hepatitis																									
E944	Other complications of prophylactic inoculation M																									
E945	Complications of anaesthesia for non-therapeutic pur-																									
E946	poses																									
	Therapeutic misadventure and late complications of therapeutic procedures—																									
E950	Therapeutic misadventure in surgical treatment M																									
E954	Therapeutic misadventure in anaesthesia M																									
E951-E953,	Other and unspecified therapeutic misadventures M																	1								
E955 E956–E959	Late complications of therapeutic procedures MFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF																									

No. 36. Causes of Death, Metropolis: Age Groups, 1964 (continued) (Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

														Age	Group	(years)										
International Code Number	Cause of Death	Total, All Ages	Under I year		2	3	4	Total under 5 years	5–9	10-14	15–19	20-24	25–29	30-34	35–39	40-44	45–49	50–54	55–59	60-64	65–69	70–74	75–79	80-84	85 or more	Age not stated
	ACCIDENTS, POISONINGS, AND VIOLENCE (continued)— Accidents (continued)—																									
	Late effects of injury and poisoning—																									
E960	Late effect of motor vehicle accident	2																			1				1	
E961	Late effect of accidental poisoning M																									
E962	Late effect of other accidental injury																									
E963, E970-E979	Suicide and self-inflicted injury M	265 164									5 2	!6 2	24 10	26 13	28 16	29 26	25 24	26 11	27	16	20	 8 11	9	3 2	2	
E970	Suicide and self-inflicted poisoning by analgesic and M	70									1	3	10	9	7	- 11	3	9	6	1	7	1	1	1		
E971	soporific substances F Suicide and self-inflicted poisoning by other solid and M	102										5	4	10	10	16		8	7	8	9	5		2		
E972	liquid substances F Suicide and self-inflicted poisoning by gases in domestic M											2					2 8	1 2	5	3	4	3		2	2	
E973	use F Suicide and self-inflicted poisoning by other gases M	29 18										3	3 2	2	3	7 2	2 3	2 3	1 2	2	2	2	1		1	
E974	Suicide and self-inflicted injury by hanging or strangu-	34										2		2		2	3		3			3				
E975	lation F Suicide and self-inflicted injury by submersion (drowning)	7												2	3 2							1				
E976	Suicide and self-inflicted injury by firearms and explosives M	5 1 45										5					1				1	1	3			
E977	Suicide and self-inflicted injury by cutting and piercing M	4 8											1			1						1				
E978	instruments F Suicide and self-inflicted injury by jumping from high M	1 7											1							4						
E979	place F Suicide and self-inflicted injury by other and unspecified M	1 12								1		1	1 2			2										
E963	means F Late effect of self-inflicted injury M	2													i		- 1				'					
	F																									
E964, E980-E985	Homicide and injury purposely inflicted by other M persons (not in war) F	22 21	2	·ï	2	1		4	3	2 2	-	2	2 3	4 3	2 	1	-	2 2		***	1					
E980	Non-accidental poisoning by another person M	1 4					- 1	1 2	1 2	1	- 1															
E981	Assault by firearm and explosive	1 6								i			1					i								
E982	Assault by cutting and piercing instruments								'	'				i	'											
E983	Assault by other means	1 1	2			ï		3					2	2		1										
E984	Injury by intervention of police	1						'													'					
E985	Execution	1																								
E964	Late effect of injury purposely inflicted by another	1																								
E990-E999	person (not in war) F Injury resulting from operations of war M	1																								
E965	Late effects of injuries due to war operations M																									
	F																									

No. 37. Causes of Death (Abbreviated), Statistical Divisions of N.S.W.: Males, 1964

International Code Number	Cause of Death	Metro- polis	Balance of Cumber- land	North Coast	Newcastle Urban Area	Balance of Hunter and Manning	Greater Wollon- gong				Southern Tableland	North Western Slope	Central Western Slope	South Western Slope	North Central Plain	Central Plain	Riverina	Western Division	Lord Howe Island	New South Wales
001-008 010-019 020-029 040 045-048 050-051 055 056	Tuberculosis of respiratory system Tuberculosis, other forms Syphilis and its sequelae Typhoid fever Dysentery, all forms Scarlet fever and streptococcal sore throat Diphtheria Whooping cough Meningococcal infections	77 2 10 2 1	4	3 1 		 		5 ! 	2 	3 	3 				2 2 	 		2 I 		130 14 2 1
080 085 100-108 110-117	Acute poliomyelitis	 23				 														 58
140-205 210-239	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues Benign and unspecified neoplasms	1,969 17	55 2	105	176	249	95 I	52	42	117	37 I	43	41	89		17	54 	36		3,194
260 290–293	Diabetes mellitus	125 22	2	12	7 2	13	5 2	5 I	3	11	1 2	2	4	7	5	1			1	208 43
330–334 340	Vascular lesions affecting central nervous system Meningitis, except meningococcal and tuberculous		45 	95 	118	168 4	50 I	48 		88 I	30	27	38	58 I			35	34		2,171 18
400-402 410-416 420-422 430-434 440-443 444-447 480-483 490-493 500-502	Rheumatic fever Chronic rheumatic heart disease Arteriosclerotic and degenerative heart disease Other diseases of heart Hypertension with heart disease Hypertension without mention of heart Influenza Pneumonia Bronchitis	4,531 339 132 73 12	 135 22 7 11 20	283 40 10 16 8 23 27	 3 435 52 13 14 5 54	 10 614 57 25 12 3 72 70	 5 155 16 11 6 2 23 8	 190 7 10 3 1 22 12	 95 12 3 4 12	6 323 27 14 9 7 39 29	 139 8 16 5 10 20	2 105 12 3 2 2 11	3 119 15 4 2 7 17 13	261 23 6 4 2 19 30	3 53 13 2 1 3 4	 42 5 2 1 3 9	124 15 4 2 21	 106 9 4 4 7 13		2 125 7,710 672 266 158 55 828 762
540, 541 550-553 560, 561, 570 543, 571, 572	Ulcer of stomach and duodenum Appendicitis Intestinal obstruction and hernia Gastritis, duodenitis, enteritis, and colitis, except diarrhoea of the newborn	94 7 47	3 I 2	8 2 2	10 2 5	12 4 10 7	 I 3	3 1 5	2 ₄	9 5	3 1 2	3 1 2 3	4 1 5	4 5	2 2	3 1 1	I	4 1 2		173 20 97 85
581	Cirrhosis of liver	82	3	3	10	5	3	İ	3	4	2	3	3	3				4		130
590–594 610	Nephritis and nephrosis	100 63	8	8	5	9	8	5	6	13	3	1	5	7	2	Ī	4	2		125
750–759	Congenital malformations	132	5	11	23	15	7	10	3	16	4	3	3	10	4	3	3	4		256
760–762 763–768 769–776	Birth injuries, postnatal asphyxia and atelectasis Infections of the newborn Other diseases peculiar to early infancy, and immaturity unqualified	102 8 129		10	10 3	13 3 26	13	12	7	20	5	8 2 4	4	12	4 2 4	6	8			202 23 305
780–795	Senility without mention of psychosis, ill-defined and unknown causes	31	2	7	2	9	1	8	2	9	4	2	7	7	2	2	7	4		106
Residual	All other diseases	938	39	71	102	141	42	33	31	85	24	31	31	80	11	9	35	34		1,737
E810-E835	Motor vehicle accidents	347	31	38	38	62	26	29	12	27	27	13	15	40	13	8	24	12		762
E800-E802, E840-E962	All other accidents	364	22	39	34	70	29	29	13	32	22	11	14	22	8	4	19	22		754
E963, E970-	Suicide and self-inflicted injury	265	11	- 11	31	21	8	12	6	11	13	5	4	. 14	2		5	6		426
E964, E965, E980-E999	Homicide and operations of war	23	2		3	2	I			1		2		3			3			40

^{*} Categories 030-039, 041-044, 049, 052-05 058-074, 081-084, 086-096, and 120-138.

STATISTICAL REGISTER

No. 38. Causes of Death (Abbreviated), Statistical Divisions of N.S.W.: Females, 1964

International Code Number	. Cause of Death	Metro- polis	Balance of Cumber- land	North Coast	Newcastle Urban Area	Balance of Hunter and Manning	Greater Wollon- gong	Balance of South Coast	Northern Tableland	Central Tableland	Southern Tableland	North Western Slope	Central Western Slope	South Western Slope	North Central Plain	Central Plain	Riverina	Western Division	Lord Howe Island	New South Wales
001-008 010-019 020-029 040 045-048 050-051 055 056 057 080 085 100-108 110-117	Tuberculosis of respiratory system Tuberculosis, other forms Syphilis and its sequelae Typhoid fever Dysentery, all forms Scarlet fever and streptococcal sore throat Diphtheria Whooping cough Meningococcal infections Acute poliomyelitis Measles Typhus and other rickettsial diseases Malaria All other diseases classified as infective and parasitic	23 2 8 1 	3			2 				2 			1		::					33 3 8 3
140–205 210–239	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	1,674 22	51	85 4	141	162 	73 I	60	27 2	93 6	27	42 	23 	79 1	20	6	25 I	16 		2,604 42
260 290–293	Diabetes mellitus	192 34	8	11	15 4	22 5	9 1	7 I	7 2	10		5 I	3 2		4 I	1	9 2	5 I	1	325 57
330–334 340	Vascular lesions affecting central nervous system Meningitis, except meningococcal and tuberculous	1,896 8	45 I	115 	173	173 1		60	43	120 1	52 	40 	41 1			4	40	34 	1	2,992
400-402 410-416 420-422 430-434 440-443 440-447 480-483 490-493 500-502	Rheumatic fever Chronic rheumatic heart disease Arteriosclerotic and degenerative heart disease Other diseases of heart Hypertension with heart disease Hypertension without mention of heart Influenza Pneumonia Bronchitis	1 103 3,419 431 238 84 16 352 86	86 37 8 1 2 21 2	2 4 158 35 13 9 7 24 8	3 321 43 22 13 5 66 4	17 340 47 28 14 6 52	 118 11 5 9 1 11 4	 3 110 8 11 2 4 8 3	 3 58 9 9 4 2 9	23 I 22 25 3 2 28 2	 52 10 5 4 1 6	 52 51 5 2 2 2 11	1 2 55 8 5 3 1 5 1	 4 139 17 16 7 32 3	 26 5 4 1 7 3	 16 3 2 3 1 	2 53 6 4 5 1 9	 38 38 3 5 5 3		5 156 5,272 706 405 167 51 653
540, 541 550-553 560, 561, 570 543, 571, 572	Ulcer of stomach and duodenum Appendicitis Intestinal obstruction and hernia Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn Cirrhosis of liver	45 7 65 51 46	3 2 	3 1 2 3 3	7 3 9 3	7 9 2 4	 2 2	 I 2 	 6 	2 1 4 6 3	₂	::: ::: ::: ₁	3 1 2 1	₂	!	 I 4 3	 2 2 	 4 		78 12 105 92 68
590–594 640–689	Nephritis and nephrosis	79 9	5	5 5	9	7	6 I	3	2	11		2	1	2			3	3		139
750–759	Congenital malformations	114	12	9	12	8	5	2	5	3	6	2	6	5	3	4	3	2		201
760–762 763–768 769–776	Birth injuries, postnatal asphyxia and atelectasis Infections of the newborn	78 11 107	9 1 8	⁷ 	9	11 3 19	 9	3	6	3 7	 I	1	I	 16	l	3 I 2	4	7		159 18 224
780–795 Residual	Senility without mention of psychosis, ill-defined and unknown causes	53	2 35	10 69	5 105	21 104	9 40	10 37	2 19	15 66	4 20	8 37	1 26	8 58	4	2 9	3 26	2 22		159 1,652
E810-E835	Motor vehicle accidents	150	- 1	8	21	10	9	3	6	15	11	7	9	16	3	2	4	2		277
E800-E802, }	All other accidents	285	12	12	16	29	9	13	4	24	10	7	7	12	2	5	6	7		460
E963, E970-}	Suicide and self-inflicted injury	164	3	1	10	10		2	3	5	1	I		4			2	3		209
E964, E965 E980–E999	Homicide and operations of war	21	4		2	•••	1			I		•••	1	2			1			33
	Total		369	626	1,047	1,127	413	363	244	724	225	244	220	529	115	75	222	180	2	17,588

^{*} Categories 030-039, 041-044, 049, 052-054, 058-074, 081-084 ,086-096, and 120-138.

No. 39. Deaths of Females from Malignant Neoplasms, N.S.W.: Conjugal Condition and Issue, 1964

(Including neoplasms of lymphatic and haematopoietic tissues)

- 5										Mar	ried [†]	i.								lition	s
Numbe	Cause of Death						Wit	:h iss	ue n	umb	ering	:							Single	I Cond stated	Total Deaths
International Code Number	Cause of Delta.	0	1	2	3	4	5	6	7	8	9	10	П	12		l4 or more	N.S.	Total	Si	Conjugal Condition not stated	Tota
140 141 142 143 144 145 146 147 148	Malignant Neoplasms— Buccal Cavity and Pharynx— Lip	3		 2 1 4	 	 2 I 			 2 								 I	2 11 2 5 3 	 		2 12 2 5 4
150 151 152 153 154 155 156 157 158 159	Digestive Organs and Peritoneum— Oesophagus	25 53 15 9	36 55 15 12 2 20 3	8	1 47	 29 10 7 2		 15 1	 10 1	 1	 2 2 1	 6 1 1						36 226 7 333 73 64 15 105 8 3	4 27 1 45 5 9 9		42 253 8 378 78 73 15 114 8 3
160 161 162 163 164 165	Nose, nasal cavities, middle ear and accessory sinuses	22 22 83	22	1 2 17 	 56	 I 50	 7 23	 8 1		 I 				 1 			 2 	6 6 113 2 450	9 1 1		7 6 122 1 3
171 172 173 174 175	Cervix uteri	31		1	17 6 2		9 5 1											125 54 1 8	8 7 1		133 61 1 9
176 180 181 190 191 192	Other and unspecified female genital organs	4	2 10 6	6	4 8 13 5		6	3	3		···							21 29 55 44 13 6	1 5 5	 I	22 34 61 47 15 7
194 195 196 197 198	Brain and other parts of nervous system	5 5 3 1	8	11 3 1 2 4	9 2 	6 2 I 	3 2 1	2 2 I 	 I 	:: :::	2							44 20 2 13 8 2 77	2I I 6 2		65 22 2 19 10
			378				_					18		6				2,128	258	6	2,392
200 201 202 203 204 205	Neoplasms of Lymphatic and Haematopoietic Tissues— Lymphosarcoma and reticulosarcoma Hodgkin's disease	3 3 1 3		2 1 5	5 	3 1 2	2 2											44 15 7 18 68	14 4 3 39		58 19 7 21 107
	Total, Neoplasms of Lymphatic and Haematopoietic Tissues	20	23	36	30	16	13	6	4	 I							ı	152	60	•••	212
	Grand Total	367	401	475	343	238	154	111	74	52	18	18	8	6	-	3	11	2,280	318	6	2,604

* Includes widowed and divorced.

Note. Causes of death are classified according to the Seventh Revision, 1955, of the International List of Causes of Death.

No. 40. Deaths of Males from Malignant Neoplasms, N.S.W.: Occupation and Age Group, 1964

(Including neoplasms of lymphatic and haematopoietic tissues)

										A	ge ()	/ears)										
Occupation	0 4	5 9	10	15	20	25	30	35	40	45 	50	55	60	65	70 	75 	80	85 — 89	90	95	l00 or	Age not stated	All Ages
																						Stated	
Professional, Technical, and Related																							
Workers Administrative, Executive, and					- 1	3	2	4	7	6	12	15	17	23	25	23	17	3	- 1				159
Managerial Workers							4	3	7	20 7	24	23 21	39 32	40 30	40			6	7				278
Clerical Workers Sales Workers					- 1	2	3	5	7 3 5	7	15 14		32 20			25	9	5					191
Sales Workers Farmers, Fishermen, Hunters,	• • • •	• • •	• • • •	• • • •	• • •				5	8	14	15	20	26	30	12	12	/	• • • •	- 1	• • • •		156
Timber Getters, and Related												_											
Workers Miners, Quarrymen, and Related	• • •	• • •		• • • •	2	2	• • •	3	3	8	22	34	45	50	56	61	46	23	4	- 1			360
Workers							- 1			- 1		5	7	13	16	11	7	2	- 1				64
Workers in Transport and Com-					4	4	2	5	12	9	26	32	20	2.5	43	27	П	4	1				252
Craftsmen, Production Process	• • • •	• • • •		• • • •	7	7		3	14	7	20	32	30	33	43	21	11	4	'	• • • •	• • •	• • •	253
Workers, and Labourers n.e.i				- 1	6	10	17	20	39	58	96	174	194	164	210	174	115	34	8	2			1,322
Service, Sport, and Recreation Workers						- 1	2	4	2	8	9	18	40	46	45	26	14	6					222
Members of Armed Services									2	Ĭ		I	2			2	2						10
Occupation Inadequately Described or Not Stated							- 1	- 1	5	2	5	11	9	9	12	11	6	2					74
Persons Not in Work Force	26	17	16	3	2	ı	i			3	Ĭ	6	2	7	7	5	5	3					105
Total, All Occupations	26	17	16	5	17	25	35	47	85	131	224	355	445	443	516	419	267	95	22	4			3,194

No. 41. Deaths in Childbirth, N.S.W.: Cause, Age, and Conjugal Condition, 1964

									Cause of D						
Age at Death (years)		Number o Women	of	Toxaemias of Pregnancy, 642	Haemorrhage of Pregnancy, 643, 644	Ectopic Pregnancy, 645	Other Complications of Pregnancy, 640, 641, 646-649	Criminal Abortion 650.2, 651.2, 652.2	Other Abortion with Sepsis, 651.0, 651.1, 651.3	Other Abortion without mention of Sepsis†	Haemorrhage of Childbirth 670-672	Other Complications of Childbirth, 673-678	Puerperal Sepsis, 680-684	Puerperal Toxaemias, 685, 686	Other Complications of the Puerperium,
	Total	Married	Single*	Toxa Pre 642	Haer of F 643	Ecto Pre 645	Other (ations nancy, 646-649	Criminal Abortio 650.2, 6 652.2	Othe wit 651 651	Othe with mer Sep	Haer of 670	Othe cati Chi 673.	Puer Sep 680	Puer Tox 685,	Othe atio Pue
16 18	2		2	1		1								•••	
	(· i				'	•••	• • • • • • • • • • • • • • • • • • • •	• • • •		***	• • • •	
20	2 {		ï		• • •				•••			• • • • • • • • • • • • • • • • • • • •	ï		
2.1	- (1						1							
21	2 {		- 1					1							
22	1	- 1													
23				• • • •											
24	- 1	- 1		• • • •			• • • •	• • • •	• • •						
25			• • •	• • • •	• • •	• • • •		• • • •	• • •	• • • •	• • •	• • •			
26			• • •	• • • •	• • •	• • •			• • •	• • • •	• • •	• • • •	• • •	•••	
27 28	2	2	• • •			• • • •	***	'	• • • •	•••		• • • •	• • •	•••	• • • •
28	2	2		i		•••	• • • •	• • • •	•••	•••	'	• • • •		•••	
30								•••		•••	• • • •	• • • •	1	• • • •	
31		• • • •													
32	· · · i	· i								· · · ·					
33	İ														1
34	2	2							- 1		- 1				
35	3	3		2				1							
36													- 1		
37	I	I		- 1		• • • •				• • • •					
38	2	2 2	• • • •	• • • •	• • •	• • • •	1			• • • •		1	• • •		
39 40	2		•••			• • • •	• • • •		• • • •	•••	1		• • • •	• • • •	
41	· · · ·	· · ·		•••			• • • •			• • • •				• • • •	• • • •
42															
43															
Married		23		6				3	ı	1	3	3	3		2
Single		• • •	5	I	•••	- 1	• • •	2	•••	•••	• • •		1		
Total	28	23	5	7		I	1	5	1	I	3	3	4		2

^{*} Includes divorced women.

[†] International Code Numbers, 650.0, 650.1, 650.3, 652.0, 652.1, and 652.3.

Note. Causes of death are classified according to the Seventh Revision, 1955, of the International List of Causes of Death.

No. 42. Deaths of Married Women in Childbirth, N.S.W.:
Age at, and Duration of, Marriage, 1964

Age	Total								Du	ration	of Ma	rriage	* (yea	rs)									
Marriage* (years)	Married Women	0	1	2	3	4	5	6	7	8	9	10	П	12	13	14	15	16	17	18	19	20	21
16 17 18	 2 2 				 2 							 I						 					
20 21 22 23 24	3 1 4 2	 					 	 I 	 I 			 	 I				2 				 I 		
25 26 27 28 29	 2 I					 I		 															
30 31 32 33 34	 							 															
35 All Ages	23	 I		•••	4	 I	 I	5	2	 I		2	 I				2	 I					1

^{*} Existing marriage only.

No. 43. Deaths of Married Women in Childbirth, N.S.W.:

Age and Previous Issue, 1964

Age at	Total				Number of	Married W	omen with	Previous Iss	sue* of:—				
Death (years)	Married Women	0	1	2	3	4	5	6	7	8	9	10	11
19 20 21 22		 		 									
23 24	i						•••					•••	
25 26 27 28 29	 I 2 2		::: ::: ::	 I I	 I	 							
30 31 32 33 34	 			 I 	 	 		 					
35 36 37 38 39	3 	 	 I 	 I			 		 			 	
40 41 42					 								
All Ages	2.3	5	2	6	3	2	2	ı	I			I	

^{*} Issue of existing marriage only; excludes still-births.

No. 44. Deaths of Married Women in Childbirth, N.S.W.: Duration of Marriage and Previous Issue, 1964

Duration of	Total Married				Number of	Married W	omen with	Previous Iss	ue† of:—				
Marriage* (years)	Women	0	ı	2	3	4	5	6	7	8	9	10	- 11
0												-	
	I	1				•••		• • • •			• • • •		
2			•••	• • • •			•••		•••			• • • •	• • • •
3	4	2					• • • •			• • • •	• • • •		
4	i		'		• • • •		• • • •			• • • •	• • • •	• • • •	
5	- 1	•••	• • • •		• • • •		• • • • • • • • • • • • • • • • • • • •			• • • •	• • • •		
4	-				:	• • • •	• • • •		• • • •				
6	5	'		2	1		• • • •						
/			• • • •	1		1							
8	- 1	1	• • • •										
9													
10	2				1								
11	1								1				
12													
15	2						1						
16	1												• • • •
19	1				I				•••	•••	•••	• • • •	• • • •
21	1							•••		•••	•••	• • • •	
-								•••		•••	•••	• • •	• • •
Total	23	5	2	6	3	2	2	I	ı			1	

No. 45. Deaths in Childbirth, Metropolis: Cause, Age, and Conjugal Condition, 1964

									Cause o	of Death					
Age at Death (years)	Num	ber of W	omen	mias of nancy,	orrhage of nancy, 644	Ectopic Pregnancy, 645	er Complica- of Pregnancy, , 641,	nal tion, , 651.2,	Abortion Sepsis, , 651.1,	Abortion out Mention psis	Haemorrhage of Childbirth, 670-672	Other Complications of Childbirth, 673-678	ral 84	rral mias, 86	Other Complications of the Puerperium, 687-689
	Total	Married	Single*	Toxaemias Pregnancy 642	Haemor Pregna 643, 64	Ectopi Pregr 645	Other tions of 640, 6 646-64	Criminal Abortion, 650.2, 651 652.2	Other A with S 651.0, 651.3	Other Abo without I of Sepsis	Haemo Child 670-6	Compose Character 673-67	Puerperal Sepsis, 680-684	Puerperal Toxaemias, 685, 686	Other Comp the Pi
21	2 {	1						1						•••	•••
27	, ,		1	• • • •				!	• • • •						
28	i	i		- 1		• • • •	• • • •			• • • •		• • •	• • •	• • • •	• • •
29 35	İ	i										• • • •		•••	•••
35	1	- 1						ï							•••
37 39	1	1		- 1											
39		2		• • •	• • • •	•••			•••		- 1				1
Married Single		8	 I	2		•••	•••	3 I	•••	•••		•••		•••	I
Total	9	8	1	2				4			1		1		1

No. 46. Infantile Mortality, Metropolis and N.S.W.: Age at Death, 1964

		Metro	opolis			New Sou	th Wales	
Age at Death	Males	Females	То	tal	Males	Females	То	tal
			Number	Rate*	114163	Temates	Number	Rate*
Under I day	163	131	294	6.97	355	290	645	8.01
I day	55	47	102	2.42	100	82	182	2.26
2 days	32	22	54	1.28	73	38	111	1.38
3 days	12	18	30	0.71	23	27	50	0.62
4 days	13	2	15	0.36	27	9	36	0.45
5 days	9	4	13	0.31	16	9	25	0.31
6 days	2	3	5	0.12	4	5	9	0.11
Total, Under I week	286	227	513	12.17	598	460	1,058	13.14
l week	9	13	22	0.52	24	23	47	0.58
2 weeks	6 5	5	11	0.26	14	15	29	0.36
3 weeks	5	4	9	0.21	13	5	18	0.22
Total, Under I month	306	249	555	13.16	649	503	1,152	14.31
I-2 months	55	22	77	1.83	110	55	165	2.05
3–5 months	39	37	76	1.80	96	70	166	2.06
6–11 months	38	35	73	1.73	78	73	151	1.88
Total, Under I year	438	343	781	18.52	933	701	1,634	20.29

^{*} Existing marriage only. † Issue of existing marriage only; excludes still-births.

^{*} Includes divorced women.
† International Code Numbers, 650.0, 650.1, 650.3, 652.0, 652.1, and 652.3.
Note. Causes of death are classified according to the Seventh Revision, 1955, of the International List of Causes of Death.

No. 47. Causes of Death (Abbreviated) of Children under One Year of Age, N.S.W.: Monthly, 1964 (Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

International	Cause of Death	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Total	
Code Number	Cause of Death	,												Males	Females	Persons
001-E999	All Causes M	86 57	67 55	66 63	93 67	83 68	98 54	84 74	72 60	76 44	73 56	75 52	60 51	933	 701	} 1,634
001-138	Class I. Infective and Parasitic Diseases	- 1				2		2	İ	2	Ĭ		2	12		} 15
140-239	Class II. Neoplasms	ï	ï	2					i	ï	ï			8		} 9
240–289	Class III. Allergic, Endocrine System, Metabolic, and Nutritional M				1 2	- 1				3		· · ·	i i	7	5	} 12
290–299	Class IV. Diseases of the Blood and Blood-forming Organs														2	} 2
300–326	Class V. Mental, Psychoneurotic, and Personality Disorders		•••				•••					1		2	5	7
330–398	Class VI. Diseases of the Nervous System and Sense Organs	1 2	•••	•••		2 2	3	•••	1				1 2	7	7	} 14
400–468	Class VII. Diseases of the Circulatory System	. 1		• • • •							i		ĺ	2		5
470–527	Class VIII. Diseases of the Respiratory System M	5 7	4	8	5	5	9	14	9	7	9	2 3	5	82	67	149
490–493	Pneumonia	1 4 6	4	7	4	5	9	13	7	6	7	2	5	73	60	33
500-502	Bronchitis	1 Ĭ		Ĭ	Ĭ				I		Ĭ			5	2	7
470–483, \ 510–527	Other respiratory diseases		•••					1 2		ï			• • •	4	5	} 9
530–587	Class IX. Diseases of the Digestive System	1 5	3	3 2	3 2	4		5 5	4	3	ï	3		34		61
571	Gastro-enteritis and colitis, except ulcerative, age four weeks and over			1 2	2	2		3	3 2	2		i		16		26
530–570, \ 572–587	Other diseases of the digestive system	1 3	3 2	2	i	2 4		2 2	1 2	i	1	2		18		35
590–637	Class X. Diseases of the Genito-urinary System	1	- 1		i		1					i			3	8
690–716	Class XII. Diseases of the Skin and Cellular Tissue												•••			} 1
720–749	Class XIII. Diseases of the Bones and Organs of Movement	1					•••	•••					•••		2	3
750–759	Class XIV. Congenital Malformations	1 24	14	12	18 14	13	21 15	16 17	12	17	11	14	5 7	177	143	320
760–776	Class XV. Certain Diseases of Early Infancy	1 42 28	39	36 43	62 43	50	53	42 37	34 27	38 24	47 37	48	38 35	529	401	330
760, 761	Injury at birth		6	12	14	15	18	8	17	7 3	3	13	3	125	104	229
763	Pneumonia of newborn	1	3		4	2	3			2			ĺ	17		32
764	Diarrhoea of newborn M	1								•••				1		} 1
776	Immaturity, unqualified M	1 I7 9	16	10	25 21	15 17	17	15 12	8 12	8	25 14	20	23 13	199	150	349
762, 765–775	Other diseases of early infancy		13	13	19	18	15	19	9 7	21	18	15	11	187	130	319
780–795	Class XVI. Symptoms and III-defined Conditions					1	2	1	1					5	3	8
E800-E999	Class XVII. Accidents, Poisonings, and Violence M	1 7 3	5 4	2 3	3	5 5	9 2	4 2	9	5	2 3	4 2	7	62	28	} 90

No. 48. Causes of Death (Abbreviated) of Children under One Year of Age, Metropolis: Monthly, 1964

International	Cause of Death	las	Feb.			.,									Total	
Code Number	Cause of Death	Jan.	reb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Males	Females	Persons
001-E999	All Causes	M 32 F 27	28 26	32 29	43 40	44 35	52 34	41 34	33 21	37 18	32 27	44	20	438		781
001-138	Class I. Infective and Parasitic Diseases	M				2		1		10	1		27	5	343	{ 5
140-239	Class II. Neoplasms	M	···	2								 I				{
240–289	Class III. Allergic, Endocrine System, Metabolic, and	M		l 										2		{
290–299	Nutritional Diseases	F M			2										2	} 4
300–326	Class V. Mental, Psychoneurotic, and Personality Disorders	F M											ï		1	}
330–398	Class VI. Diseases of the Nervous System and Sense Organs	F M											3	'	3	} 4
400–468	Class VIII Diseases of the Circulate C	F I				2								5		} 9
470–527	, ,	M	···												2	} 2
	Class VIII. Diseases of the Respiratory System	M 2 F 3	2	3 	2 2	3 2	5	6	2 3	5 2	4	l		31	26	} 57
490–493	Pneumonia	M I F 3	2	2	2 2	3 2	5 2	5	2	4 2		I	1	26		> 50
500-502	Bronchitis	M I		İ			<u>-</u>				i	•••				} 4
470–483, 510–527	Other respiratory diseases	M												2		3
530–587	Class IX. Diseases of the Digestive System	M			3			2	3			···			'	28
571		M	3		2 2	3	2		2						14	{ 8
530–570, 572–587	weeks and over	F												9	3	1
590–637	Class X. Diseases of the Genito-urinary System	F I M	2		1	3	2	i					1	,	- 11	20
690–716	Class XII. Diseases of the Skin and Cellular Tissue	F										ï		'		} 2
720–749		F	• • •													}
	Class XIII. Diseases of the Bones and Organs of Movement	F														} 1
750–759	Class XIV. Congenital Malformations	M 12 F 3	10	8	10	7		8	6	10	5	8 7	2	97	 78	} 175
760–776	Class XV. Certain Diseases of Early Infancy	M 16 F 17	15	17 19	26 28	24 20	25 17	21 20	17	14	22 15	29 15	13 15	239	196	} 435
760, 761	Injury at birth	M 4 7	2	5 7	7	4	11	3 7	11	4	1 5	9	1	62		121
763	Pneumonia of newborn	M				Ī	3			i						15
764	Diarrhoea of newborn	M										2			9	{
776	Immaturity, unqualified	F 7		6	9		6	7		···	13	12		86		154
762, 765–775	Other diseases of early infancy	F 4 M 5 F 6	2 5 4	6 6	13 10 8	10 11 5	6 5	7	4 5	2 8	3 7	6 8	5	85	68	154
780–795	Class XVI. Symptoms and III-defined Conditions	M	4			5	6 2	5 1	3	4	6	3	4	5	60	\{\ \ \ \ \ 7\\\\\
E800-E999	Class XVII. Accidents, Poisonings, and Violence	F M I F 2	 I 2	2	ï	 4 2	6	 2 I	3	3	2	3	4	32	 12	44

No. 49. Causes of Death of Children under One Year of Age, N.S.W.: Age Groups, 1964 (Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

								Ag	e at Dea	th									
International Code Number	Cause of Death		W	eeks							Months							Total	
		Under IWeek	I	2	3	1	2	3	4	5	6	7	8	9	10	11	Males	Females	Persons
001-E999		1 598 460	24 23	14 15	13	55 28	55 27	42 28	29 27	25 15	19	16 14	8	10	13	12	933	701	} 1,634
001-138	Infective and Parasitic Diseases	1						-	• • •	2		1				3	12		} I:
053 056 057	Septicaemia and pyaemia	1						1		2							3 4		
064 085 087	Other bacterial diseases	1 1																 	}
096 134	Other fungus infections	1 1 1									• • •						2 		
140–239	Neoplasms						3	• • •						•••		ï	8	··i	}
155 193	Malignant neoplasm of biliary passages and of liver (primary) Malignant neoplasm of brain and other parts of nervous system	1	• • •								• • •				•••		1		
200 202 204	Lymphosarcoma and reticulosarcoma Mother forms of lymphoma (reticulosis) Mother forms and aleukaemia Mother forms of lymphoma (reticulosis) Mother forms of lymphoma (reticulo	1 1	•••	•••	•••										i 		1 1 3		1
211	Benign neoplasm of other parts of digestive system M		• • • •		• • •		 I		•••		• • • •						 I		}
240–289	Allergic, Endocrine System, Metabolic and Nutritional Nutritional Diseases	1 I			• • •			 I		1	I	2			1		7		} 1
241 270	Asthma		• • •							I								1	
273 274	mellitus		•••		• • • • • • • • • • • • • • • • • • • •	 		•••	•••		 i		•••				3 2		1
289	Other metabolic diseases							 I			 						2	 2	}
290–299	Diseases of the Blood and Blood-forming Organs F							- 1	1									2	
292 296	Other anaemias of specified type F Purpura and other haemorrhagic conditions F	• • •		• • • •				;										I	

No. 49. Causes of Death of Children under One Year of Age, N.S.W.: Age Groups, 1964 (continued)

								Age	at Death	1									
International Code Number	Cause of Death		W	eeks							Months							Tota!	
		Under I Week	ı	2	3	I	2	3	4	5	6	7	8	9	10	Н	Males	Females	Persons
300–326	Mental, Psychoneurotic, and Personality Disorders M	1	 I				 I		··i			 I					2		} 7
325	Mental deficiency M	1					 I		 I			 I					2	 5	} 7
330–398	Diseases of the Nervous System and Sense Organs M		1 2						1 2	I				1	 I		7	7	} 14
332 340	Cerebral embolism and thrombosis M Meningitis, except meningococcal and tuberculous M		 I 2								 İ	 İ					1) } 8
343 351	Encephalitis, myelitis and encephalomyelitis (except acute infectious)							 							 I			4 I 	
356	Motor neurone disease and muscular atrophy M																···	2	1
400–468	Diseases of the Circulatory System F							1					 I				2		} 5
430 431 433 434	Acute and sub-acute endocarditis	 I								 I 			 I					 I 2	1 1 1 2
470–527	Diseases of the Respiratory System P					16 6	17 11	14 7	10 8	6	4 8	4 9	3 5	3 2	3 4	2 i	82	67	} 149
470 480	Acute nasopharyngitis				•••	 I		•••		•••								 	} 2
490	Lobar pneumonia					3	3	3	;			 1 2			ï		ii		} 19
491	Bronchopneumonia F					9 2	8 9	5 4	5 4	3 4	2 5	3 5	3	2 2	 1 3	2	43	42	85
492	Primary atypical pneumonia F					1 2	5	4 2	2	2	Ĭ						15		} 23
493	Pneumonia, other and unspecified F							Ĩ 	2						i		4	2	} 6
500	Acute bronchitis F					2		- 1		i							5	2	} 7
520 527	Spontaneous pneumothorax										 			 I			3	 2	} 5

								А	ge at De	ath									
International Code Number	Cause of Death		W	eeks							Months							Total	
		Under I Week	ĺ	2	3	1	2	3	4	5	6	7	8	9	10	11	Males	Females	Persons
530–587	Diseases of the Digestive System P	1 12		 I	1	ï	2 2	3	3 I	3 I	1 2	2 1	ï	3 2	1 2	2 	34	 27	} 61
550 560	Acute appendicitis						•••	 I				•••					12	 6] 18
561 570 571	Hernia of abdominal cavity with obstruction	 		•••			 i	2							 I 2	2	 		} 26
578 580 583 587	Other diseases of liver Other diseases of liver Other diseases of liver Other diseases of liver Other diseases of liver F Diseases of pancreas F		···				 I 2		2	 I 	2						 4	10 1 2 1 	1
590-637	Diseases of the Genito-urinary System	1	• • •	·ï		2	• • •							 I		ï	5		} 8
590 600	Acute nephritis F Infections of kidney					 I						• • •	 I					- I 	} 4
603 606 609	Other diseases of kidney and ureter		•••		i 			•••	•••			•••		 I	• • • • • • • • • • • • • • • • • • • •		 		J
690-716	Diseases of the Skin and Cellular Tissue F					1												- 1	1
698	Other local infections of skin and subcutaneous tissue F					1												I	1
720–749	Diseases of the Bones and Organs of Movement F	1	•••		•••								•••			ïi	, I	2	} 3
744	Other diseases of muscle, tendon, and fascia M		•••	• • •	•••	•••			•••							 I			} 3

									Age	at Death	1								
International Code Number	Cause of Death		We	eeks							Months							Total	
		Under I Week	1	2	3	I	2	3	4	5	6	7	8	,	10	П	Males	Females	Persons
750–759	Congenital Malformations M	75 63	12	5 8	9	19 15	18	9	10	3 2	8	2 3	I		2	3 4	177		} 320
750	Monstrosity	7															7		} 17
751	Spina bifida and meningocele	10			2	2					···						10	10	26
752	Congenital hydrocephalus	5	2			3	2	2	2	 I	 I					 I	 11	16	18
753	Other congenital malformations of nervous system and sense M	1	• • • •		2	 I					•••				 I			7	15
754	organs F Congenital malformations of circulatory system M	27	6	3	3	10	7	4	8	2	3		 I		 I		78	10	1
755	Cleft palate and harelip M	20	4 	2 		9	4 	5	5		4	2			l 	2		61	
756	Congenital malformations of digestive system M	9		 İ	2	2										 I	24	1	6
757	Congenital malformations of genito-urinary system M	7 8		2		2			 I			 I					16	14	38
758	Congenital malformations of bone and joint M	2	• • •														2	4	20
759	Other and unspecified congenital malformations, not elsewhere classified	1 14 12		 		 I	1 2 	 2			 					 	19	3	5 36
760–776	Certain Diseases of Early Infancy P		9 12	8 4		4 2	3			I							529	401	930
760.0	Intracranial and spinal injury at birth— (a) Without mention of immaturity		1														37) 61
760.5	(b) With immaturity		2														9	24	21
761.0	Other birth injury— (a) Without mention of immaturity																	12	
761.5	(b) With immaturity	63															63	23	39
762.0	Post-natal asphyxia and atelectasis— (a) Without mention of immaturity	32	I	•••	•••		•••	•••	•••		•••	•••	•••	•••	•••	•••		45	108
762.5	(a) Without mention of immaturity	33	•••												•••		33 44	34 21	6765

								Ag	e at Dead	th									
International Code Number	Cause of Death		We	eeks							Months							Total	
		Under I Week	1	2	3	I	2	3	4	5	6	7	8	9	10	11	Males	Females	Persons
	Certain Diseases of Early Infancy (continued)—																		
763.0	Pneumonia of newborn— (a) Without mention of immaturity M	9		5													15		26
763.5	(b) With immaturity M	1	i														2		6
764.0	Diarrhoea of newborn— (a) Without mention of immaturity M Umbilical sepsis—			1													 I		I
767.0	(a) Without mention of immaturity M Other sepsis of newborn—			1													1		1
768.0	(a) Without mention of immaturity M	3 2															4		} 6
768.5	(b) With immaturity F Neonatal disorders arising from certain diseases of the mother	• • •		1			***											Ĭ	1
769.0	during pregnancy— (a) Attributed to "toxaemia of pregnancy", without mention of immaturity	3																	
769.1	(b) Attributed to maternal diabetes, without mention of M immaturity	I															3 		3 2
769.4	 (e) Attributed to other or unspecified diseases of the mother during pregnancy, without mention of im- 									•••	•••		•••	•••	•••		•••	'	J
769.5	maturity	6 5																	1
769.6	maturity F (g) Attributed to maternal diabetes, with immaturity M	3			• • • •	• • • •		• • • •										5	}
769.7	(h) Attributed to maternal rubella, with immaturity M	i											• • • •					• • •	
769.9	(j) Attributed to other or unspecified diseases of the M mother during pregnancy, with immaturity F	5 4															5		} 9
770.0	Haemolytic disease of newborn (erythroblastosis)— (a) Erythroblastosis without mention of nervous affectory tion or immaturity	11	• • •														11		} 24
770.5	(d) Erythroblastosis, without mention of nervous affec- M tion but with immaturity	4 2															4	13	\{\begin{array}{c} 24 \\ 6 \\ \ 6 \end{array}
771.0	Haemorrhagic disease of newborn— (a) Without mention of immaturity M	6				2											8		} 13
771.5	(b) With immaturity	3 3													•••			5	4

									Α	ge at Dea	ath								Total	
	national Number	Cause of Death		We	eeks							Months							local	
			Under I Week	ı	2	3	I	2	3	4	5	6	7	8	9	10	11	Males	Females	Persons
		Certain Diseases of Early Infancy (continued)—																		
77	72.0 72.5 73.0	Nutritional maladjustment— (a) Without mention of immaturity	1 1 I2					 2				::: 1						2 15		2 1
77	73.5	(b) With immaturity F	8 1 39 29	 2														41 	8 30	\begin{cases} 23 \\ 71 \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
7	774	Immaturity with mention of any other subsidiary condition	1 4				 											5	2	} 7
7	776	Immaturity unqualified P	1 195 144	3 5		 I							•••	•••				199	150	} 349
780	0–795	Symptoms and III-defined Conditions	5 2					•••	•••	·ï					•••			5		} 8
7	795	III-defined and unknown causes P	1 5 2							 I				•••	•••			5	3	} 8
E800	0- E999	Accidents, Poisonings, and Violence M	1 I 2		¨ï	2 	12 3	10 6	11	5 2	6	2 	3	2 3	2 2	4 2	2 I	62	28	} 90
	812	Motor vehicle traffic accident to pedestrian F Motor vehicle traffic accident to rider of motor cycle without				•••					•••					• • •	1		1	1
	822	antecedent collision	1	•••					- 1						•••			1	***	1
E	823 872 885	way	1	•••										 	 			 I	1 2 	1 2 1

									Age at	Death									
International Code Number	Cause of Death		W	eeks							Months							Total	
		Under I Week	ı	2	3	ı	2	3	4	5	6	7	8	9	10		Males	Females	Persons
	Accidents, Poisonings, and Violence (continued)—																		
E902	Other falls from one level to another	1								- 1			1			1	3		1
E916 E917	Accident caused by fire and explosion of combustible material F Accident caused by hot substance, corrosive liquid, and steam	1	•••			2				1					 		 I	2 	\begin{cases} 1 & 2 & 2 & \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
E921 E922	Inhalation and ingestion of food causing obstruction or suffocation	1				6	3	3 I	i 	2							18 I	4	<pre></pre>
E924	Accidental mechanical suffocation in bed and cradle	1				5 	5	5 2	4	3 2		2	1 2				29		} 40
E926	Lack of care of infants under one year of age	1						1										 I	} 2
E929	Accidental drowning and submersion	1													1		2		} 3
E931	Excessive heat and insolation	1					1										ï		2
E936 E943	Other and unspecified accidents	1	•••									• • •				 İ	ï		1
E983	Assault by other means	1 1 I				 I											2		2

No. 50. Causes of Death of Children under One Year of Age, Metropolis: Age Groups, 1964

									Age	at Death	n									
International Code Number	Cause of Death			We	eeks							Months							Total	
		Und	der eek	-	2	3	I	2	3	4	5	6	7	8	9	10	11	Males	Females	Persons
001-E999	ALL CAUSES			9 13	6 5	5 4	30 8	25 14	12 11	13 19	14	11	6	4 5	6	7 1	4	438	 343	781
001-138	Infective and Parasitic Diseases	ч		1	- 1			- 1	- 1			- 1				• • •		5		5
053 057 087	Septicaemia and pyaemia	M M M		 I	 			 I								• • •		1 3 1		 3
140–239	Neoplasms F	M						2									···i	6	··i	} 7
193 200 202 204	Malignant neoplasm of brain and other parts of nervous system Lymphosarcoma and reticulosarcoma	M M M F					 	 I 					 I			· i		 1 2		} 3
211	Benign neoplasm of other parts of digestive system							Ī										ï		1
240–289	Allergic, Endocrine System, Metabolic, and Nutritional Diseases	M ■				•••					1	ï				•••		2	2	} 4
241 274 289	Asthma	M		•••					•••		 I 							 	 	} 2
290–299	Diseases of the Blood and Blood-forming Organs F	·								1								•••	1	- 1
292	Other anaemias of specified type F	:		• • •						1									1	- 1
300–326	Mental, Psychoneurotic, and Personality Disorders F	1						·ï	• • •	ï			··;							} 4
325	Mental deficiency	۲ ت		• • •		•••			•••	; ï		•••				•••	•••			} 4

No. 50. Causes of Death of Children under One Year of Age, Metropolis: Age Groups, 1964 (continued)

		Age at Death										Total							
International Code Number	Cause of Death		W	eeks		Months													
		Under I Week	I	2	3	1	2	3	4	5	6	7	8	9	10	11	Males	Females	Persons
330–398	Diseases of the Nervous System and Sense Organs	۲ =	1						1	I I				1			5		} 9
332 340	Cerebral embolism and thrombosis Meningitis, except meningococcal and tuberculous	M						•••	 I		 I	• • •					3	2	} 5
351 356	Cerebral spastic infantile paralysis	F M															ï	2	2
400–468	Diseases of the Circulatory System	F											- 1	• • •			•••	2	2
433 434	Functional disease of heart	F							• • •	• • •			1		•••			1	1
470–527	Diseases of the Respiratory System	M				4	6	4	3 4	4 3	2 5	1	2 2	2 2	-	2 1	31	26	} 57
490	Lobar pneumonia	M				- 1	1					1					3		} 4
491	Bronchopneumonia	M				2	2	···		2			2	 1 2		2	15	21	36
492	Primary atypical pneumonia	F M					5 2	2	4	3	3		2				6	2	8
493 500	Pneumonia, other and unspecified Acute bronchitis	F M M					 I		2			•••	•••				2 3		} 2
520 527	Spontaneous pneumothorax Other diseases of lung and pleural cavity	F M		• • • • • • • • • • • • • • • • • • • •			i			•••	;			···			2	1	1 2
530-587	Diseases of the Digestive System	M 6	- 1				2	I	- 1	- 1		- !	···	1			14		} 28
560	Hernia of abdominal cavity without mention of obstruction	F 7 5 5						2									5		10
570 571 578 580 587	Gastro-enteritis and colitis, except ulcerative, age four weeks and over	F 5 M I M F I F I M F						 I 2		 I 	 I 	 	 I 					3 3 1 1	\begin{cases} & 1 & 8 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1

No. 50. Causes of Death of Children under One Year of Age, Metropolis: Age Groups, 1964 (continued) (Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

			Age at Death																
International Code Number	Cause of Death		Weeks									Total							
		Under I Week	1	2	3	1	2	3	4	5	6	7	8	9	10	11	Males	Females	Persons
590-637	Diseases of the Genito-urinary System N	1								•••					•••		1		} 2
606 609	Other diseases of bladder	1												I				1	
720–749	Diseases of the Bones and Organs of Movement F														•••				
744	Other diseases of muscle, tendon, and fascia F														•••		•••		
750–759	Congenital Malformations P	39	6	4 3	3	14	10	3 7	6	2	6	1		1	1	1 2	97		175
750	Monstrosity	1 2													•••			78	
751	Spina bifida and meningocele	5 1 I			···												2	5	} 7
752	Congenital hydrocephalus	 1				1	l'		2								7	5	} 12
753	Other congenital malformations of nervous system and sense M	l			2				i								6	5	} 11
754	organs	1 13	4		 I		1	1	1 5		2							6	} 7
755	Cleft palate and harelip	12	2	1		5	İ	3	3		2	2				ï	45	33	} 78
756	Congenital malformations of digestive system M	6				2			ï						•••		3	· · · · ·	} 4
757 758	Congenital malformations of genito-urinary system M Congenital malformations of bone and joint M	6 7 1					 		•••	•••	•••	•••		•••			 9	10	} 22 9
759	Other and unspecified congenital malformations, not elsewhere classified	8 6	•••			 I						• • • • • • • • • • • • • • • • • • • •	•••	•••			ii	3	} 4
760–773	Certain Diseases of Early Infancy	235 184		1 2		3											239	10)
760.0	Intracranial and spinal injury at birth— (a) Without mention of immaturity M	17					• • •	•••	•••	'	• • •		•••	• • •	•••	•••	•••	196	} 435
760.5	(b) With immaturity M	7		•••			• • • • • • • • • • • • • • • • • • • •										17 7	12	} 29

No. 50. Causes of Death of Children under One Year of Age, Metropolis: Age Groups, 1964 (continued)

		Age at Death										Total							
International Code Number	Cause of Death		W	eeks			Months												
		Under I Week	I	2	3	1	2	3	4	5	6	7	8	9	10	11	Males	Females	Persons
	Contain Discosos of Fauly Infancy (continued)																		
	Certain Diseases of Early Infancy (continued)—															1			
761.0	Other birth injury— (a) Without mention of immaturity F	1 8		 I													8	11	} 19
761.5	(b) With immaturity F	1 30 28																29	59
762.0	Post-natal asphyxia and atelectasis— (a) Without mention of immaturity F	1 17				1											18 22	9	} 27
762.5	(b) With immaturity F	1 22																10	} 32
763.0	Pneumonia of newborn— (a) Without mention of immaturity	1 5		• • •													5	6	} 11
763.5	(b) With immaturity	1 1										• • •						3	} 4
767.0	Umbilical sepsis— (a) Without mention of immaturity	ч		1								• • •	• • •	• • •			1		1
768.0		M																	} 2
768.5	(b) With immaturity			I	•••			***	•••		***	•••	***	•••		•••	•••		
769.0	(a) Attributed to "toxaemia of pregnancy", without mention of immaturity	M 3															3		3 2
769.1	(b) Attributed to maternal diabetes, without mention of immaturity	F I																1	{
769.5	(f) Attributed to "toxaemia of pregnancy", with immaturity	M I F 2																2	3
769.7 769.9	 (h) Attributed to maternal rubella, with immaturity (j) Attributed to other or unspecified diseases of the mother during pregnancy, with immaturity 																3		3
770.0	Haemolytic disease of newborn (erythroblastosis)— (a) Erythroblastosis, without mention of nervous	M 2															2		} 9
	affection or immaturity	F 7	•••	•••			•••	•••	***	•••	•••	•••							

STATISTICAL REGISTER

No. 50. Causes of Death of Children under One Year of Age, Metropolis: Age Groups, 1964 (continued)

(Classified according to the Seventh Revision, 1955, of the International List of Causes of Death)

		Age at Death																	
International Code Number	Cause of Death		W	eeks		Months								Total					
		Under I Week	I	2	3	1	2	3	4	5	6	7	8	9	10	11	Males	Females	Person
	Certain Diseases of Early Infancy (continued)—																		
770.5	(d) Erythroblastosis, without mention of nervous M affection, but with immaturity F Haemorrhagic disease of newborn—	2 I						•••		•••						·	2		} .
771.0	(a) Without mention of immaturity M	3				1											4		
771.5	(b) With immaturity	1																3	}
773.0	III-defined diseases peculiar to early infancy— (a) Without mention of immaturity	2						• • •	•••	•••	•••	***						2	}
773.5	(b) With immaturity M	6													•••		6	6	} 1
774	Immaturity with mention of any other subsidiary condition M	15 1									•••		•••				17	16	} 3
776	Immaturity unqualified M	86 65	 3						• • •	•••	•••	• • •	•••		•••		2 86		}
780–795	Symptoms and III-defined Conditions M	I 5									•••							68)
795	III-defined and unknown causes M	5									•••		•••					2	}
800-E999	Accidents, Poisonings, and Violence M				2	6	4	3	2	4	 I	2	 I		4		32	2	}
E812	Motor vehicle traffic accident to pedestrian F	'	• • •	•••	•••	1	2	1	2	- 1	- 1	•••	I	İ		i		12	}
E821	Motor vehicle traffic accident to pedestrian	•••	• • •	•••	***	•••	•••			•••		• • •	•••	•••	•••	1	•••	1	
E823 E872 E885 E902	Motor vehicle traffic accident involving running off roadway F Accidental poisoning by aspirin and salicylates F Accidental poisoning by lead and its compounds M Other falls from one level to another M												 	 I	 I			 -	
E917 E921	Accident caused by hot substance, corrosive liquid and steam Inhalation and ingestion of food causing obstruction or suffocation		•••	•••	 I	 2	 !	 T		 'i	•••	•••			 I		 	 I	}
E922	Inhalation and ingestion of other object causing obstruction or suffocation		•••	•••	•••	•••	ı	•••	I	•••	• • •			•••				2	}
E924	Accidental mechanical suffocation in bed and cradle M		•••		Ϊ	3	3		2	2	•••	2			 I		 16)
E929 E931 E983	Accidental drowning and submersion MExcessive heat and insolation FAssault by other means MEXESTATE METABOLIC METABO	 	•••	•••		 					 				 I 		 2 2	 4 I	} 2

Section III. STATISTICAL SUMMARY

See Explanatory Note 8, page 6

No. I. Estimated Population of New South Wales

^{*} At 26th January, 1788.
† Victoria separated from New South Wales on 1st July, 1851.
† Queensland separated from New South Wales on 10th December, 1859.
† Australian Capital Territory separated from New South Wales on 1st January, 1911.
§ Jervis Bay area transferred to Australian Capital Territory on 4th September, 1915. Population adjusted from 1st January, 1916.

No. 2. Population of N.S.W.: Masculinity and Elements of Increase

				Elements of Incre	ease* in Population		
Year ended 31st December	Number of Males per 100 Females		Number			Rate§	
		Natural Increase†	Net Migration‡¶	Total Increase¶	Natural Increase	Net Migration¶	Total Increase¶
1891 1892 1893 1894 1895 1896 1897 1898 1899 1900	117 116 116 115 114 113 113 113 112	23,172 25,631 24,320 23,781 23,860 20,667 22,983 19,561 20,560 22,028	16,723 4,356 (—) 980 1,477 (—) 112 (—) 3,806 242 2,295 1,209 (—) 937	39,895 29,987 23,340 25,258 23,748 16,861 23,225 21,856 21,769 21,091	20.45 21.94 20.35 19.51 19.19 16.35 17.90 14.97 15.48 16.32	14.75 3.73 (—) 0.82 1.21 (—) 0.09 (—) 3.01 0.19 1.76 0.91 (—) 0.69	3.58 2.60 1.97 2.09 1.93 1.34 1.83 1.69 1.65
1901 1902 1903 1904 1905 1906 1907 1908 1909		21,854 21,189 19,469 23,307 24,523 25,973 25,785 26,435 27,929 29,342	(—) 6,704 5,299 3,771 6,968 7,903 7,761 14,164 (—) 4,052 2,004 670	15,150 26,488 23,240 30,275 32,426 33,734 39,954 22,351 29,976 29,956	16.03 15.25 13.77 16.18 16.67 17.26 16.70 16.80 17.48 17.97	(—) 4.92 3.81 2.67 4.85 5.37 5.16 9.18 (—) 2.58 1.25 0.41	1.11 1.93 1.66 2.12 2.23 2.27 2.63 1.43 1.89 1.86
1911 1912 1913 1914 1915 1916 1917 1918 1919	110 112 112 109 106 101 100 101 105 104	30,498 33,107 32,402 34,838 33,275 32,221 34,498 31,860 22,143 33,013	26,775 53,037 26,828 593 (—) 20,138 (—) 40,632 485 10,031 54,593 19,967	57,166 86,036 59,315 35,514 13,208 (—) 8,398 34,992 41,924 76,780 52,975	18.34 19.00 17.81 18.64 17.61 17.04 18.12 16.40 11.08 15.96	16.10 30.44 14.75 0.32 (—) 10.66 (—) 21.48 0.25 5.16 27.30 9.66	3.48 5.06 3.32 1.93 0.70 (—) 0.44 1.86 2.18 3.91 2.60
1921 1922 1923 1924 1925 1926 1927 1928 1929 1930	104 104 104 104 104 104 104 104 103	34,600 36,036 33,061 32,849 33,792 30,938 31,088 32,106 28,057 30,884	5,358 13,823 8,341 17,274 15,524 23,381 25,887 17,340 8,475 (—) 4,233	39,968 49,827 41,362 50,144 49,317 54,338 56,977 49,474 36,564 26,660	16.41 16.72 15.02 14.63 14.72 13.19 12.93 13.05 11.21 12.20	2.54 6.41 3.79 7.70 6.76 9.96 10.77 7.05 3.39 (—) 1.67	1.91 2.34 1.90 2.26 2.17 2.34 2.40 2.03 1.47 1.06
1931 1932 1933 1934 1935 1936 1937 1938 1939 1940	103 103 103 103 102 102 102 102 101	26,440 23,548 21,873 19,861 20,129 21,817 22,262 21,214 21,188** 23,239**	(—) 6,490 1,865 2,998 1,480 2,431 6,961 4,434 8,044†† 1,320††	19,961 25,417 21,873 22,859 21,609 24,248 29,223 25,648 29,224 24,533	10.34 9.13 8.41 7.57 7.61 8.18 8.26 7.79 7.70 8.37	(—) 2.54 0.72 1.14 0.56 0.91 2.58 1.63 2.92 0.48	0.78 0.99 0.84 0.87 0.82 0.91 1.09 0.95 1.07 0.89
1941 1942 1943 1944 1945 1946 1947 1948 1949 1950	101 100 100 100 100 100 100 101	24,429** 23,428** 28,395** 32,960** 34,668** 40,949** 36,831 39,448 40,627	(—) 1,109†† 15,622†† (—) 2,722†† (—) 573†† (—) 221†† (—) 9,062†† (—) 671†† 8,841 62,052 50,624	22,108 35,084 22,571 30,328 31,959 29,394 40,242 45,672 101,500 91,251	8.72 8.28 9.94 11.42 11.88 13.13 13.72 12.20 12.75 12.72	(—) 0.40 5.52 (—) 0.97 (—) 0.20 (—) 0.08 (—) 3.08 (—) 0.22 2.93 20.06 15.85	0.79 1.25 0.79 1.06 1.10 1.00 1.36 1.52 3.33 2.90
1951 1952 1953 1954 1955 1956 1957 1958 1959 1960	101 101 101 101 101 101 102 101 101	40,137 42,158 43,183 40,681 41,854 41,650 46,139 47,695 45,617 46,953	33,478 11,156 (—) 2,160 12,842 22,148 21,187 27,394 18,201 19,660 36,231	73,615 53,314 41,023 53,523 64,002 62,837 73,533 65,896 65,277 83,184	12.24 12.62 12.75 11.87 11.98 11.71 12.73 12.90 12.12	(—) 10.21 3.34 (—) 0.64 3.75 6.34 5.96 7.56 4.92 5.23 9.45	2.27 1.61 1.22 1.57 1.85 1.78 2.05 1.80 1.75 2.19
1961 1962 1963 1964	101 101 101	51,344 48,578 46,839 41,031	20,815 18,637 22,819 31,602	72,159 67,215 69,658 72,633	13.12 12.20 11.56 9.96	5.32 4.68 5.63 7.67	1.86 1.70 1.73 1.78

^{*} See Explanatory Note 8, page 6.

Excess of live births over deaths.

Excess of oversea and interstate arrivals over departures. The sign (—) denotes an excess of departures over arrivals.

Figures for Net Migration for 1933 and later years have been revised to include adjustments for discrepancies in population estimates disclosed by periodic censuses.

For Natural Increase and Net Migration, the rate is the increase per 1,000 of mean population; for Total Increase, the rate is the percentage increase based on the population at the end of the previous year.

Australian Capital Territory separated from New South Wales on 1st January, 1911. Jervis Bay area transferred to Australian Capital Territory on 4th September, 1915; population adjusted from 1st January, 1916.

Excess of births over civilian deaths from September, 1939 to June, 1947.

Exceludes troop movements from September, 1939 t June, 1947.

No. 3. Mean Population of N.S.W.: Calendar and Financial Years

	Year	ended 31st Decemb	per	Ye	ar ended 30th June	e
Year	Males	Females	Persons	Males	Females	Persons
1901	714,676	648,697	1,363,373	712,703	643,265	1,355,968
1902	729,089	660,546	1,389,635	721,310	654,684	1,375,994
1903	742,370	671,371	1,413,741	736,177	666,144	1,402,321
1904	756,958	682,985	1,439,943	749,251	676,851	1,426,102
1905	774,020	696,896	1,470,916	765,355	689,773	1,455,128
1906 1907 1908 1909	791,827 813,492 828,391 837,688 853,843	712,905 730,171 744,956 760,327 779,147	1,504,732 1,543,663 1,573,347 1,598,015 1,632,990	782,766 802,012 823,336 831,609 846,584	704,743 721,387 738,103 752,018 769,930	1,487,509 1,523,399 1,561,439 1,583,627 1,616,514
1911*	868,064	795,173	1,663,237	858,085	786,614	1,644,699
1912	916,433	825,772	1,742,205	890,700	809,247	1,699,947
1913	959,079	859,689	1,818,768	940,279	843,702	1,783,981
1914	983,819	884,831	1,868,650	973,108	872,245	1,845,353
1915	979,441	910,133	1,889,574	984,811	897,837	1,882,648
1916†	961,951	929,867	1,891,818	972,299	920,310	1,892,609
1917	952,024	951,736	1,903,760	952,367	940,605	1,892,972
1918	972,855	969,358	1,942,213	961,624	961,005	1,922,629
1919	1,014,977	984,843	1,999,820	988,489	977,079	1,965,568
1920	1,056,847	1,010,868	2,067,715	1,041,437	996,842	2,038,279
1921	1,074,893	1,033,592	2,108,485	1,066,310	1,023,020	2,089,330
1922	1,098,555	1,056,967	2,155,522	1,085,582	1,044,715	2,130,297
1923	1,122,901	1,078,630	2,201,531	1,111,513	1,068,816	2,180,329
1924	1,144,623	1,099,780	2,244,403	1,133,059	1,088,708	2,221,767
1925	1,171,052	1,124,464	2,295,516	1,158,163	1,111,861	2,270,024
1926	1,196,565	1,150,338	2,346,903	1,183,197	1,136,987	2,320,184
1927	1,226,070	1,177,811	2,403,881	1,211,100	1,164,104	2,375,204
1928	1,255,495	1,204,915	2,460,410	1,241,229	1,191,502	2,432,731
1929	1,275,976	1,227,050	2,503,026	1,267,095	1,216,976	2,484,071
1930	1,288,394	1,243,895	2,532,289	1,282,700	1,235,853	2,518,553
1931	1,298,334	1,257,537	2,555,871	1,293,567	1,251,124	2,544,691
1932	1,308,955	1,270,786	2,579,741	1,303,436	1,264,203	2,567,639
1933	1,319,200	1,282,599	2,601,799	1,314,238	1,276,602	2,590,840
1934	1,329,342	1,294,375	2,623,717	1,324,511	1,288,630	2,613,141
1935	1,339,447	1,306,428	2,645,875	1,334,317	1,300,270	2,634,587
1936	1,349,266	1,319,048	2,668,314	1,344,169	1,312,726	2,656,895
1937	1,361,788	1,333,563	2,695,351	1,355,315	1,325,984	2,681,299
1938	1,373,841	1,348,537	2,722,378	1,368,214	1,341,450	2,709,664
1939	1,386,112	1,364,093	2,750,205	1,379,589	1,355,811	2,735,400
1940	1,397,290	1,380,608	2,777,898	1,391,960	1,372,264	2,764,224
1941	1,405,425	1,395,112	2,800,537	1,401,796	1,388,291	2,790,087
1942	1,419,168	1,411,912	2,831,080	1,410,556	1,402,829	2,813,385
1943	1,430,908	1,426,639	2,857,547	1,426,217	1,419,588	2,845,805
1944	1,443,094	1,443,110	2,886,204	1,436,681	1,434,771	2,871,452
1945	1,457,182	1,460,233	2,917,415	1,449,907	1,451,552	2,901,459
1946	1,471,419	1,473,801	2,945,220	1,464,502	1,467,864	2,932,366
1947	1,491,569	1,492,241	2,983,810	1,480,897	1,482,159	2,963,056
1948	1,510,297	1,509,761	3,020,058	1,500,934	1,500,728	3,001,662
1949	1,548,916	1,544,361	3,093,277	1,525,112	1,523,939	3,049,051
1950	1,602,498	1,590,710	3,193,208	1,577,252	1,568,447	3,145,699
1951	1,648,264	1,631,151	3,279,415	1,626,328	1,612,078	3,238,406
1952	1,682,305	1,659,171	3,341,476	1,665,975	1,645,865	3,311,840
1953	1,704,209	1,682,347	3,386,556	1,695,042	1,671,316	3,366,358
1954	1,723,304	1,705,245	3,428,549	1,712,508	1,692,906	3,405,414
1955	1,756,419	1,736,380	3,492,799	1,738,953	1,720,802	3,459,755
1956	1,790,847	1,765,825	3,556,672	1,773,976	1,751,015	3,524,991
1957	1,825,734	1,798,577	3,624,311	1,807,770	1,781,358	3,589,128
1958	1,860,437	1,835,612	3,696,049	1,843,824	1,816,914	3,660,738
1959	1,893,263	1,869,076	3,762,339	1,876,386	1,852,644	3,729,030
1960	1,929,720	1,904,365	3,834,085	1,910,182	1,886,270	3,796,452
1961	1,970,618	1,944,100	3,914,718	1,951,836	1,924,085	3,875,921
1962	1,996,865	1,983,810	3,980,675	1,983,836	1,964,544	3,948,380
1963	2,034,834	2,016,153	4,050,987	2,015,028	2,000,435	4,015,463
1964	2,070,685	2,050,916	4,121,601	2,053,232	2,033,257	4,086,489

* Australian Capital Territory separated from New South Wales on 1st January, 1911. † Jervis Bay area transferred to Australian Capital Territory on 4th September, 1915. Population adjusted from 1st January, 1916.

No. 4. Live Births, Deaths, and Marriages, N.S.W.

		Live	Births		Deaths	(excluding St	ill-births)		Marriages	
Year	Number	Rate*	Male Births per 100 Female Births	Ex-nuptial, Number	Number	Rate*	Proportion per cent. of Male to Female Rate	Number	Rate*	Number of Minors Married
1891 1892 1893 1894 1895 1896 1897 1898 1899 1900	39,458 40,041 40,342 38,951 38,774 36,506 37,247 36,222 36,461 37,146	34.82 34.28 33.76 31.95 31.18 28.88 29.01 27.72 27.45 27.52	107 105 107 105 105 105 104 107 104	2,115 2,289 2,510 2,437 2,524 2,445 2,452 2,511 2,609 2,605	16,286 14,410 16,022 15,170 14,914 15,839 14,264 16,661 15,901 15,118	14.37 12.34 13.41 12.44 11.99 12.53 11.11 12.75 11.97 11.20	121 125 119 117 121 124 123 121 120 130	8,547 8,022 7,749 7,666 8,030 8,495 8,813 8,888 9,275 9,996	7.46 6.87 6.49 6.29 6.46 6.72 6.86 6.80 6.98 7.41	2,622 2,066 2,170 2,072 2,149 2,277 2,430 2,352 2,464 2,591
1901 1902 1903 1904 1905 1906 1907 1908 1909 1910	37,875 37,835 35,966 38,667 39,501 40,948 42,195 42,525 43,769 45,533	27.78 27.23 25.44 26.85 26,85 27.21 27.33 27.03 27.39 27.88	102 104 104 106 105 106 105 104 106	2,712 2,497 2,413 2,755 2,912 2,882 2,969 2,932 2,879 2,900	16,021 16,646 16,497 15,360 14,978 14,975 16,410 16,090 15,840 16,191	11.75 11.98 11.67 10.67 10.18 9.95 10.63 10.23 9.91 9.91	126 121 121 119 125 125 121 124 126 125	10,538 10,486 9,759 10,422 10,970 11,551 12,189 12,642 13,048 14,294	7.73 7.55 6.90 7.24 7.46 7.68 7.90 8.04 8.17 8.75	2,897 2,681 2,569 2,901 3,088 3,334 3,526 3,462 3,577 4,023
1911† 1912 1913 1914 1915 1916¶ 1917 1918 1919 1920	47,677 51,993 52,134 53,615 52,885 52,075 52,467 50,700 48,528 53,974	28.67 29.84 28.66 28.69 27.99 27.53 27.56 26.10 24.27 26.10	106 105 104 105 105 104 106 105 105 106	2,949 2,934 2,802 2,778 2,681 2,501 2,533 2,654 2,534 2,635	17,179 18,886 19,732 18,777‡ 19,610‡ 19,854‡ 17,969‡ 18,840‡ 26,385 20,961	10.33 10.84 10.85 10.05 10.38 10.49 9.44 9.70 13.19 10.14	128 128 125 128 131 133 139 137 133 131	15,267 16,664 16,311 17,353 18,129 16,320 13,261 13,199 15,818 20,183	9.18 9.56 8.97 9.29 9.59 8.63 6.97 6.80 7.91 9.76	4,200 4,503 4,219 4,455 4,465 3,724 3,335 3,577 3,805 4,788
1921 1922 1923 1924 1925 1926 1927 1928 1929 1930	54,634 55,214 54,112 53,670 54,615 53,126 53,858 54,800 52,672 52,136	25.91 25.62 24.58 23.91 23.79 22.64 22.40 22.27 21.04 20.59	105 105 105 103 104 105 107 107 106 105	2,673 2,700 2,698 2,580 2,756 2,748 2,693 2,707 2,720 2,541	20,034 19,178 21,051 20,821 20,823 22,188 22,770 22,694 24,615 21,252	9.50 8.90 9.56 9.28 9.07 9.45 9.47 9.22 9.83 8.39	130 130 127 127 129 128 127 124 128 129	18,518 17,583 17,507 18,077 18,522 19,219 20,052 20,076 19,535 17,383	8.78 8.16 7.95 8.05 8.07 8.19 8.34 8.16 7.80 6.86	4,683 4,763 4,927 5,533 5,936 6,365 6,690 6,945 6,572 6,454
1931 1932 1933 \$ 1934 1935 1936 1937 1938 939 940	47,724 44,905 44,195 43,335 44,676 46,193 47,497 47,319 48,003 49,382	18.67 17.41 16.99 16.52 16.89 17.31 17.62 17.38 17.45 17.78	106 107 104 104 105 104 105 105 104	2,547 2,350 2,233 2,069 2,023 2,094 2,106 1,983 1,989 1,877	21,284 21,357 22,322 23,474 24,547 24,547 25,235 26,105 26,815 26,143	8.33 8.28 8.58 8.95 9.28 9.14 9.36 9.59 9.75 9.41	123 127 129 124 127 124 129 127 127 131	15,377 17,362 18,399 20,210 22,361 22,873 23,188 24,579 25,471 30,364	6.02 6.73 7.07 7.70 8.45 8.57 8.60 9.03 9.26 10.93	6,100 6,266 6,223 6,216 6,517 6,578 6,397 6,643 6,739 8,592
1941 1942 1943 1944 1945 1946 1947 1948 1949 1950	51,729 52,647 57,265 59,612 61,662 67,247 69,398 67,234 68,812 71,592	18.47 18.60 20.04 20.65 21.14 22.83 23.26 22.26 22.25 22.42	104 107 104 104 107 107 106 106 105	2,035 2,045 2,260 2,554 2,726 2,950 2,783 2,800 3,062 2,914	27,300 29,219 28,870 26,652 26,994 28,579 28,449 30,403 29,364 30,965	9.75 10.32 10.10 9.23 9.25 9.70 9.53 10.07 9.49 9.70	125 128 123 119 122 128 129 128 131	29,983 34,533 26,302 26,426 25,283 31,684 30,172 30,164 28,757 30,036	10.71 12.20 9.20 9.16 8.67 10.76 10.11 9.99 9.30 9.41	9,098 10,972 9,196 9,465 9,001 11,093 10,538 10,819 10,529 11,031
951 952 953 954 955 956 957 958 959 960	72,069 74,196 74,890 73,125 74,407 75,714 79,456 80,045 80,866 81,983	21.98 22.20 22.11 21.33 21.30 21.29 21.92 21.66 21.49 21.38	106 106 105 105 105 107 106 104 104	2,991 2,959 3,013 2,889 3,024 3,305 3,438 3,832 4,017 4,114	31,932 32,038 31,707 32,444 32,553 34,064 33,317 32,350 35,249 35,030	9.74 9.59 9.36 9.46 9.32 9.58 9.19 8.75 9.37 9.14	129 130 128 127 133 127 127 128 127 125	30,341 29,351 27,573 27,503 27,645 27,313 28,767 28,554 28,201 29,328	9.25 8.78 8.14 8.02 7.91 7.68 7.94 7.73 7.50 7.65	11,253 11,321 10,757 11,364 11,894 12,304 13,265 13,508 13,386 14,329
961 962 963 964	86,392 85,439 84,065 80,518	22.07 21.46 20.75 19,54	105 106 105 106	4,575 4,771 4,823 5,427	35,048 36,861 37,226 39,487	8.95 9.26 9.19 9.58	126 126 123 125	29,773 30,360 30,999 32,633	7.61 7.63 7.65 7.92	15,212 15,495 16,687 17,822

^{*} Number per 1,000 of mean population.
† Australian Capital Territory separated from New South Wales on 1st January, 1911.
‡ Excludes deaths of Defence Forces serving oversea.
¶ Jervis Bay area transferred to Australian Capital Territory on 4th September, 1915. Population adjusted from 1st January, 1916.
§ From 1st January, 1933, births and deaths of full-blood aborigines have been excluded.

Excludes deaths of defence personnel.

